

St. Claude

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Alvar 0900	R/R Conc SW 4"	360.00	4.00	160.00	SY	Opposite Canal Side Street	Q1
St. Claude	Alvar 0900	R/R Asph 5.5"	30.00	30.00	100.00	SY	Alvar 0900 Block	Q1
St. Claude	Alvar 0900	R/R Asph 5.5"	83.00	15.00	138.33	SY	Alvar 0900 Block	Q1
St. Claude	Alvar 1000	R/R Conc Pvmt 8"	50.00	15.00	83.33	SY	Alvar 1000 Block	Q1
St. Claude	Alvar 1000	R/R Conc SW 4"	20.00	4.00	8.89	SY	Opposite Canal Side Street	Q1
St. Claude	Alvar 1100	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Q1
St. Claude	Alvar 1100	R/R Conc Pvmt 8"	35.00	30.00	116.67	SY	Intersection @ Pauline	Q1
St. Claude	Alvar 1100	R/R Conc SW 4"	15.00	4.00	6.67	SY	Canal Side Street	Q1
St. Claude	Alvar 1200	R/R Conc SW 4"	15.00	4.00	6.67	SY	Canal Side Street	Q1
St. Claude	Alvar 1200	R/R Conc Pvmt 8"	65.00	30.00	216.67	SY	Alvar 1239	Q1
St. Claude	Alvar 1200	R/R Conc SW 4"	70.00	4.00	31.11	SY	Opposite Canal Side Street	Q1
St. Claude	Alvar 1200	R/R Conc Pvmt 8"	90.00	30.00	300.00	SY	Alvar 1200 Block	Q1
St. Claude	Alvar 1300	R/R Asph 5.5"	20.00	15.00	33.33	SY	Alvar 1300 Block	Q1
St. Claude	Alvar 1300	R/R Asph 5.5"	70.00	15.00	116.67	SY	Alvar 1300 Block	Q1
St. Claude	Alvar 1300	R/R Asph 5.5"	45.00	30.00	150.00	SY	Alvar 1300 Block	Q1
St. Claude	Alvar 1300	R/R Conc SW 4"	14.00	8.00	12.44	SY	Alvar 1305	Q1
St. Claude	Alvar 1300	R/R Conc SW 4"	56.00	5.00	31.11	SY	Alvar 1305	Q1
St. Claude	Alvar 1300	R/R Conc SW 4"	13.00	5.00	7.22	SY	Alvar 1326	Q1
St. Claude	Alvar 1300	R/R Conc SW 4"	95.00	4.00	42.22	SY	Alvar 1305	Q1
St. Claude	Alvar 1400	R/R Conc SW 4"	16.00	4.00	7.11	SY	Alvar 1443	Q1
St. Claude	Alvar 1400	R/R Asph 5.5"	40.00	15.00	66.67	SY	Alvar 1401	Q1
St. Claude	Alvar 1400	R/R Asph 5.5"	68.00	30.00	226.67	SY	Alvar 1421	Q1
St. Claude	Alvar 1400	R/R Curb	20.00	0.00	20.00	LF	Alvar 1400 Block	Q1
St. Claude	Alvar 1400	R/R Curb	40.00	0.00	40.00	LF	Alvar 1406	Q1
St. Claude	Alvar 1400	R/R Asph 5.5"	47.00	30.00	156.67	SY	Alvar 1406	Q1
St. Claude	Alvar 1500	R/R Conc SW 4"	44.00	8.00	39.11	SY	Alvar 1524	Paving Only
St. Claude	Alvar 1500	R/R Asph 5.5"	338.00	30.00	1,126.67	SY	Alvar 1500 Block	Paving Only
St. Claude	Alvar 1500	R/R Conc SW 4"	118.00	6.00	78.67	SY	Alvar 1500 Block	Paving Only
St. Claude	Alvar 1600	R/R Conc SW 4"	217.00	4.00	96.44	SY	Opposite Canal Side Street	Paving Only
St. Claude	Alvar 1600	R/R Conc SW 4"	50.00	4.00	22.22	SY	Canal Side Street	Paving Only
St. Claude	Alvar 1600	R/R Asph 5.5"	338.00	29.00	1,089.11	SY	Alvar 1600 Block	Paving Only

R/R = Remove and Replace
 Asph = Asphalt
 Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
 SW 4" = Sidewalk
 CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Alvar 1700	R/R Conc SW 4"	233.00	4.00	103.56	SY	Opposite Canal Side Street	Q2
St. Claude	Alvar 1700	R/R Conc SW 4"	65.00	4.00	28.89	SY	Canal Side Street	Q2
St. Claude	Alvar 1700	R/R Asph 5.5"	346.00	29.00	1,114.89	SY	Alvar 1700 Block	Q2
St. Claude	Alvar 1800	R/R Asph 5.5"	345.00	29.00	1,111.67	SY	Alvar 1800 Block	Q2
St. Claude	Alvar 1800	R/R Conc SW 4"	240.00	4.00	106.67	SY	Opposite Canal Side Street	Q2
St. Claude	Alvar 1900	R/R Conc SW 4"	10.00	4.00	4.44	SY	Canal Side Street	Q2
St. Claude	Alvar 1900	R/R Asph 5.5"	349.00	29.00	1,124.56	SY	Alvar 1900 Block	Q2
St. Claude	Alvar 1900	R/R Conc SW 4"	290.00	4.00	128.89	SY	Opposite Canal Side Street	Q2
St. Claude	Alvar 2000	R/R Asph 5.5"	340.00	29.00	1,095.56	SY	Alvar 2000 Block	Q2
St. Claude	Alvar 2000	R/R Conc SW 4"	145.00	4.00	64.44	SY	Canal Side Street	Q2
St. Claude	Alvar 2000	R/R Conc SW 4"	335.00	4.00	148.89	SY	Opposite Canal Side Street	Q2
St. Claude	Bartholomew 0900	R/R Conc SW 4"	21.00	4.00	9.33	SY	Canal Side Street	Q1
St. Claude	Bartholomew 0900	R/R Asph 5.5"	310.00	12.00	413.33	SY	Bartholomew 0900 Block	Q1
St. Claude	Bartholomew 0900	R/R Conc SW 4"	21.00	4.00	9.33	SY	Opposite Canal Side Street	Q1
St. Claude	Bartholomew 1000	R/R Asph 5.5"	50.00	24.00	133.33	SY	Bartholomew 1000 Block	Q1
St. Claude	Bartholomew 1000	R/R Conc SW 4"	120.00	4.00	53.33	SY	Bartholomew 1038	Q1
St. Claude	Bartholomew 1100	R/R Asph 5.5"	24.00	21.00	56.00	SY	Bartholomew 1100 Block	Q1
St. Claude	Bartholomew 1100	R/R Conc SW 4"	43.00	4.00	19.11	SY	Canal Side Street	Q1
St. Claude	Bartholomew 1100	R/R Conc SW 4"	36.00	4.00	16.00	SY	Bartholomew 1100 Block	Q1
St. Claude	Bartholomew 1200	R/R Conc DW 6"	12.00	8.00	10.67	SY	Bartholomew 1239	Q1
St. Claude	Bartholomew 1200	R/R Conc SW 4"	150.00	6.00	100.00	SY	Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Bartholomew 1200	R/R Conc SW 4"	180.00	4.00	80.00	SY	Opposite Canal Side Street	Q1
St. Claude	Bartholomew 1200	R/R Conc SW 4"	24.00	6.00	16.00	SY	Bartholomew 1230	Q1
St. Claude	Bartholomew 1200	R/R Conc SW 4"	56.00	4.00	24.89	SY	Bartholomew 1227	Q1
St. Claude	Bartholomew 1200	R/R Conc SW 4"	54.00	8.00	48.00	SY	Bartholomew 1200	Q1
St. Claude	Bartholomew 1200	R/R Conc SW 4"	54.00	8.00	48.00	SY	Bartholomew 1201	Q1
St. Claude	Bartholomew 1200	R/R Conc DW 6"	12.00	8.00	10.67	SY	Bartholomew 1240	Q1
St. Claude	Bartholomew 1200	R/R Conc SW 4"	95.00	4.00	42.22	SY	Bartholomew 1240	Q1
St. Claude	Bartholomew 1300	R/R Asph 5.5"	24.00	13.00	34.67	SY	Bartholomew 1341	Q1
St. Claude	Bartholomew 1300	R/R Conc SW 4"	160.00	4.00	71.11	SY	Canal Side Street	Q1
St. Claude	Bartholomew 1300	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Q1
St. Claude	Bartholomew 1300	R/R Asph 5.5"	107.00	11.00	130.78	SY	Bartholomew 1342	Q1
St. Claude	Bartholomew 1400	R/R Conc SW 4"	121.00	4.00	53.78	SY	Bartholomew 1400 Block	Q1
St. Claude	Bartholomew 1400	R/R Conc DW 6"	12.00	9.00	12.00	SY	Bartholomew 1441	Q1
St. Claude	Bartholomew 1400	R/R Conc DW 6"	12.00	9.00	12.00	SY	Bartholomew 1406	Q1
St. Claude	Bartholomew 1400	R/R Conc SW 4"	8.00	4.00	3.56	SY	Bartholomew 1411	Q1
St. Claude	Bartholomew 1400	R/R Asph 5.5"	28.00	10.00	31.11	SY	Bartholomew 1405	Q1
St. Claude	Bartholomew 1400	R/R Asph 5.5"	30.00	11.00	36.67	SY	Bartholomew 1400 Block	Q1
St. Claude	Bartholomew 1400	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Q1
St. Claude	Bartholomew 1400	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q1
St. Claude	Bartholomew 1400	R/R Asph 5.5"	65.00	18.00	130.00	SY	Bartholomew 1400 Block	Q1
St. Claude	Bartholomew 1500	R/R Asph 5.5"	24.00	90.00	240.00	SY	Bartholomew 1539	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Bartholomew 1500	R/R Asph 5.5"	25.00	25.00	69.44	SY	Bartholomew 1514	Q2
St. Claude	Bartholomew 1500	R/R Conc SW 4"	24.00	4.00	10.67	SY	Bartholomew 1537	Q2
St. Claude	Bartholomew 1500	R/R Asph 5.5"	25.00	10.00	27.78	SY	Bartholomew 1527	Q2
St. Claude	Bartholomew 1500	R/R Conc SW 4"	132.00	4.00	58.67	SY	Bartholomew 1500	Q2
St. Claude	Bartholomew 1500	R/R Asph 5.5"	60.00	25.00	166.67	SY	Bartholomew 1500	Q2
St. Claude	Bartholomew 1500	R/R Conc SW 4"	54.00	4.00	24.00	SY	Bartholomew 1514	Q2
St. Claude	Bartholomew 1600	R/R Asph 5.5"	36.00	21.00	84.00	SY	Bartholomew 1643	Q2
St. Claude	Bartholomew 1600	R/R Asph 5.5"	20.00	10.00	22.22	SY	Bartholomew 1600 Blk	Q2
St. Claude	Bartholomew 1600	R/R Conc SW 4"	219.00	4.00	97.33	SY	Canal Side Street	Q2
St. Claude	Bartholomew 1600	R/R Conc SW 4"	280.00	4.00	124.44	SY	Opposite Canal Side Street	Q2
St. Claude	Bartholomew 1700	R/R Asph 5.5"	350.00	18.00	700.00	SY	Bartholomew 1700 Blk	Q2
St. Claude	Bartholomew 1700	R/R Conc SW 4"	312.00	4.00	138.67	SY	Opposite Canal Side Street	Q2
St. Claude	Bartholomew 2000	R/R Conc SW 4"	140.00	4.00	62.22	SY	Canal Side Street	Q2
St. Claude	Bartholomew 2000	R/R Conc SW 4"	156.00	4.00	69.33	SY	Opposite Canal Side Street	Q2
St. Claude	Bartholomew 2000	R/R Conc DW 6"	12.00	8.00	10.67	SY	Bartholomew 2000 Blk	Q2
St. Claude	Bartholomew 2000	R/R Asph 5.5"	35.00	18.00	70.00	SY	Bartholomew 2034	Q2
St. Claude	Bartholomew 2000	R/R Conc DW 6"	12.00	8.00	10.67	SY	Bartholomew 2000 Blk	Q2
St. Claude	Bartholomew 2000	R/R Asph 5.5"	120.00	18.00	240.00	SY	Bartholomew 2000 Blk	Q2
St. Claude	Burgundy 3100	R/R Conc SW 4"	30.00	8.00	26.67	SY	Burgundy 3143	Q1
St. Claude	Burgundy 3100	R/R Conc DW 6"	18.00	8.00	16.00	SY	Burgundy 3143	Q1
St. Claude	Burgundy 3200	R/R Conc SW 4"	140.00	4.00	62.22	SY	Lake Side Street	Q1
St. Claude	Burgundy 3200	R/R Conc SW 4"	20.00	4.00	8.89	SY	River Side Street	Q1
St. Claude	Burgundy 3300	R/R Conc SW 4"	55.00	4.00	24.44	SY	Lake Side Street	Q1
St. Claude	Burgundy 3400	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Burgundy 3700	R/R Conc SW 4"	32.00	4.00	14.22	SY	Burgundy 3703	Q1
St. Claude	Burgundy 3800	R/R Conc SW 4"	209.00	2.00	46.44	SY	Burgundy 3800 Block	Q1
St. Claude	Burgundy 3800	R/R Conc SW 4"	135.00	4.00	60.00	SY	Burgundy 3800 Block	Q1
St. Claude	Burgundy 3900	R/R Conc SW 4"	50.00	8.00	44.44	SY	Burgundy 3924	Q1
St. Claude	Burgundy 4100	R/R Conc SW 4"	11.00	5.00	6.11	SY	Burgundy 4111	Q1
St. Claude	Burgundy 4100	R/R Conc SW 4"	15.00	4.00	6.67	SY	Burgundy 4102	Q1
St. Claude	Burgundy 4100	R/R Conc SW 4"	26.00	5.00	14.44	SY	Burgundy 4113	Q1
St. Claude	Burgundy 4200	R/R Conc SW 4"	20.00	5.00	11.11	SY	Lake Side Street	Q1
St. Claude	Burgundy 4300	R/R Conc SW 4"	20.00	4.00	8.89	SY	Lake Side Street	Q1
St. Claude	Clouet 1100	R/R Conc SW 4"	20.00	4.00	8.89	SY	Opposite Canal Side Street	Q1G1
St. Claude	Clouet 1100	R/R Conc SW 4"	20.00	4.00	8.89	SY	Canal Side Street	Q1G1
St. Claude	Clouet 1100	R/R Asph 5.5"	237.00	21.00	553.00	SY	Clouet 1100 Block	Q1G1
St. Claude	Clouet 1200	R/R Conc SW 4"	120.00	4.00	53.33	SY	Opposite Canal Side Street	Q1G1
St. Claude	Clouet 1200	R/R Asph 5.5"	352.00	21.00	821.33	SY	Clouet 1200 Block	Q1G1
St. Claude	Clouet 1200	R/R Conc SW 4"	90.00	4.00	40.00	SY	Canal Side Street	Q1G1
St. Claude	Clouet 1300	R/R Conc SW 4"	132.00	4.00	58.67	SY	Opposite Canal Side Street	Q1G1
St. Claude	Clouet 1300	R/R Conc SW 4"	140.00	4.00	62.22	SY	Canal Side Street	Q1G1
St. Claude	Clouet 1300	R/R Curb	20.00	0.00	20.00	LF	Clouet 1300 Block	Q1G1
St. Claude	Clouet 1300	R/R Curb	25.00	0.00	25.00	LF	Clouet 1300 Block	Q1G1
St. Claude	Clouet 1300	R/R Conc DW 6"	12.00	10.00	13.33	SY	Clouet 1300 Block	Q1G1
St. Claude	Clouet 1400	R/R Conc SW 4"	70.00	4.00	31.11	SY	Canal Side Street	Q1G1
St. Claude	Clouet 1600	R/R Conc SW 4"	30.00	4.00	13.33	SY	Opposite Canal Side Street	Q1
St. Claude	Clouet 1600	R/R Asph 5.5"	26.00	24.00	69.33	SY	Clouet 1600 Block	Q1
St. Claude	Clouet 1700	R/R Conc SW 4"	21.00	4.00	9.33	SY	Opposite Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Clouet 1700	R/R Conc SW 4"	8.00	4.00	3.56	SY	Canal Side Street	Q1
St. Claude	Clouet 1800	R/R Conc SW 4"	4.00	4.00	1.78	SY	Canal Side Street	Q1
St. Claude	Clouet 1800	R/R Conc SW 4"	160.00	4.00	71.11	SY	Opposite Canal Side Street	Q1
St. Claude	Clouet 1900	R/R Conc SW 4"	55.00	4.00	24.44	SY	Opposite Canal Side Street	Q1
St. Claude	Congress 0900	R/R Asph 5.5"	325.00	27.00	975.00	SY	Congress 0900 Block	Paving Only
St. Claude	Congress 1000	R/R Conc SW 4"	40.00	4.00	17.78	SY	Canal Side Street	Paving Only
St. Claude	Congress 1000	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Paving Only
St. Claude	Congress 1000	R/R Asph 5.5"	399.00	26.00	1,152.67	SY	Congress 1000 Block	Paving Only
St. Claude	Congress 1300	R/R Conc SW 4"	18.00	4.00	8.00	SY	Opposite Canal Side Street	Q1
St. Claude	Congress 1400	R/R Conc DW 6"	14.00	8.00	12.44	SY	Congress 1400 Block	Q1
St. Claude	Congress 1400	R/R Conc SW 4"	55.00	4.00	24.44	SY	Congress 1400 Block	Q1
St. Claude	Congress 1500	R/R Asph 5.5"	55.00	23.00	140.56	SY	Congress 1500 Block	Q2
St. Claude	Congress 1500	R/R Conc SW 4"	48.00	4.00	21.33	SY	Congress 1500 Block	Q2
St. Claude	Congress 1500	R/R Conc SW 4"	48.00	4.00	21.33	SY	Congress 1500 Block	Q2
St. Claude	Congress 1500	R/R Conc SW 4"	36.00	4.00	16.00	SY	Congress 1500 Block	Q2
St. Claude	Congress 1500	R/R Conc SW 4"	54.00	4.00	24.00	SY	Congress 1500 Block	Q2
St. Claude	Congress 1500	R/R Conc DW 6"	27.00	8.00	24.00	SY	Congress 1500 Block	Q2
St. Claude	Congress 1500	R/R Conc DW 6"	27.00	8.00	24.00	SY	Congress 1500 Block	Q2
St. Claude	Congress 1600	R/R Asph 5.5"	341.00	23.00	871.44	SY	Congress 1600 Block	Q2
St. Claude	Congress 1600	R/R Conc SW 4"	137.00	4.00	60.89	SY	Canal Side Street	Q2
St. Claude	Congress 1600	R/R Conc SW 4"	159.00	4.00	70.67	SY	Opposite Canal Side Street	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Congress 1700	R/R Conc SW 4"	55.00	4.00	24.44	SY	Canal Side Street	Paving Only
St. Claude	Congress 1700	R/R Conc SW 4"	140.00	4.00	62.22	SY	Opposite Canal Side Street	Paving Only
St. Claude	Congress 1700	R/R Asph 5.5"	344.00	24.00	917.33	SY	Congress 1700 Block	Paving Only
St. Claude	Congress 1800	R/R Asph 5.5"	342.00	25.00	950.00	SY	Congress 1800 Block	Q2
St. Claude	Congress 1800	R/R Conc SW 4"	90.00	4.00	40.00	SY	Canal Side Street	Q2
St. Claude	Congress 1800	R/R Conc SW 4"	222.00	4.00	98.67	SY	Opposite Canal Side Street	Q2
St. Claude	Congress 1900	R/R Curb	57.00	0.00	57.00	LF	Congress 1900 Block	Q2
St. Claude	Congress 1900	R/R Curb	96.00	0.00	96.00	LF	Congress 1900 Block	Q2
St. Claude	Congress 1900	R/R Conc SW 4"	168.00	4.00	74.67	SY	Opposite Canal Side Street	Q2
St. Claude	Congress 1900	R/R Asph 5.5"	27.00	45.00	135.00	SY	Congress 1900 Block	Q2
St. Claude	Congress 1900	R/R Asph 5.5"	10.00	10.00	11.11	SY	Congress 1900 Block	Q2
St. Claude	Congress 1900	R/R Curb	48.00	0.00	48.00	LF	Congress 1908	Q2
St. Claude	Congress 1900	R/R Curb	70.00	0.00	70.00	LF	Congress 1940	Q2
St. Claude	Congress 1900	R/R Asph 5.5"	20.00	24.00	53.33	SY	Congress 1900 Block	Q2
St. Claude	Congress 1900	R/R Conc SW 4"	120.00	4.00	53.33	SY	Canal Side Street	Q2
St. Claude	Congress 2000	R/R Asph 5.5"	105.00	23.00	268.33	SY	Congress 2000 to 2036	Paving Only
St. Claude	Congress 2000	R/R Conc SW 4"	65.00	4.00	28.89	SY	Canal Side Street	Paving Only
St. Claude	Congress 2000	R/R Conc SW 4"	176.00	4.00	78.22	SY	Opposite Canal Side Street	Paving Only
St. Claude	Congress 2000	R/R Asph 5.5"	70.00	23.00	178.89	SY	Congress 2000 to 2036	Paving Only
St. Claude	Congress 2000	R/R Asph 5.5"	115.00	12.00	153.33	SY	Congress 2000 to 2036	Paving Only
St. Claude	Desire 0900	R/R Asph 5.5"	40.00	10.00	44.44	SY	Desire 0900 Block	Q1
St. Claude	Desire 0900	R/R Asph 5.5"	40.00	13.00	57.78	SY	Desire 0900 Block	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Desire 1000	R/R Conc Pvmt 8"	15.00	15.00	25.00	SY	Desire 1000 Block	Q1
St. Claude	Desire 1000	R/R Conc Pvmt 8"	28.00	20.00	62.22	SY	Desire 1000 Block	Q1
St. Claude	Desire 1000	R/R Conc Pvmt 8"	20.00	10.00	22.22	SY	Desire 1000 Block	Q1
St. Claude	Desire 1000	R/R Conc SW 4"	120.00	4.00	53.33	SY	Opposite Canal Side Street	Q1
St. Claude	Desire 1000	R/R Conc Pvmt 8"	28.00	20.00	62.22	SY	Desire 1000 Block	Q1
St. Claude	Desire 1000	R/R Conc SW 4"	40.00	4.00	17.78	SY	Canal Side Street	Q1
St. Claude	Desire 1100	R/R Asph 5.5"	24.00	24.00	64.00	SY	Desire 1100 Block	Q1
St. Claude	Desire 1100	R/R Conc Pvmt 8"	195.00	10.00	216.67	SY	Desire 1100 Block	Q1
St. Claude	Desire 1100	R/R Conc SW 4"	70.00	4.00	31.11	SY	Opposite Canal Side Street	Q1
St. Claude	Desire 1100	R/R Conc SW 4"	70.00	4.00	31.11	SY	Canal Side Street	Q1
St. Claude	Desire 1200	R/R Conc SW 4"	30.00	4.00	13.33	SY	Opposite Canal Side Street	Q1
St. Claude	Desire 1200	R/R Conc Pvmt 8"	20.00	28.00	62.22	SY	Desire 1200 Block	Q1
St. Claude	Desire 1200	R/R Conc Pvmt 8"	20.00	28.00	62.22	SY	Desire 1200 Block	Q1
St. Claude	Desire 1200	R/R Conc Pvmt 8"	50.00	28.00	155.56	SY	Desire 1200 Block	Q1
St. Claude	Desire 1200	R/R Conc SW 4"	40.00	4.00	17.78	SY	Canal Side Street	Q1
St. Claude	Desire 1300	R/R Conc SW 4"	125.00	5.00	69.44	SY	Desire 1300 Block	Q1
St. Claude	Desire 1300	R/R Conc SW 4"	30.00	4.00	13.33	SY	Desire 1300 Block	Q1
St. Claude	Desire 1400	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q1
St. Claude	Desire 1400	R/R Conc Pvmt 8"	20.00	10.00	22.22	SY	Desire 1400 Block	Q1
St. Claude	Desire 1400	R/R Conc Pvmt 8"	70.00	28.00	217.78	SY	Desire 1400 Block	Q1
St. Claude	Desire 1400	R/R Conc Pvmt 8"	20.00	28.00	62.22	SY	Desire 1400 Block	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Desire 1500	R/R Conc Pvmt 8"	40.00	18.00	80.00	SY	Desire 1500 Block	Q2
St. Claude	Desire 1500	R/R Conc SW 4"	160.00	4.00	71.11	SY	Canal Side Street	Q2
St. Claude	Desire 1500	R/R Conc SW 4"	50.00	4.00	22.22	SY	Opposite Canal Side Street	Q2
St. Claude	Desire 1500	R/R Conc Pvmt 8"	35.00	28.00	108.89	SY	Desire 1500 Block	Q2
St. Claude	Desire 1500	R/R Conc Pvmt 8"	80.00	28.00	248.89	SY	Desire 1500 Block	Q2
St. Claude	Desire 1500	R/R Conc Pvmt 8"	20.00	10.00	22.22	SY	Desire 1500 Block	Q2
St. Claude	Desire 1600	R/R Conc SW 4"	131.00	4.00	58.22	SY	Opposite Canal Side Street	Q2
St. Claude	Desire 1600	R/R Conc Pvmt 8"	80.00	28.00	248.89	SY	Desire 1600 Block	Q2
St. Claude	Desire 1600	R/R Conc SW 4"	50.00	4.00	22.22	SY	Canal Side Street	Q2
St. Claude	Desire 1600	R/R Conc Pvmt 8"	100.00	11.00	122.22	SY	Desire 1600 Block	Q2
St. Claude	Desire 1700	R/R Conc SW 4"	126.00	4.00	56.00	SY	Opposite Canal Side Street	Q2
St. Claude	Desire 1700	R/R Conc SW 4"	110.00	4.00	48.89	SY	Canal Side Street	Q2
St. Claude	Desire 1700	R/R Conc DW 6"	14.00	8.00	12.44	SY	Desire 1701	Q2
St. Claude	Desire 1700	R/R Conc Pvmt 8"	343.00	28.00	1,067.11	SY	Desire 1700 Block	Q2
St. Claude	Desire 1800	R/R Conc SW 4"	3.00	4.00	1.33	SY	Canal Side Street	Q2
St. Claude	Feliciana 1100	R/R Asph 5.5"	65.00	4.00	28.89	SY	Feliciana 1100 Block	Q1G1
St. Claude	Feliciana 1100	R/R Conc SW 4"	100.00	4.00	44.44	SY	Canal Side Street	Q1G1
St. Claude	Feliciana 1100	R/R Asph 5.5"	30.00	4.00	13.33	SY	Feliciana 1100 Block	Q1G1
St. Claude	Feliciana 1100	R/R Asph 5.5"	30.00	4.00	13.33	SY	Feliciana 1100 Block	Q1G1
St. Claude	Feliciana 1100	R/R Asph 5.5"	30.00	4.00	13.33	SY	Feliciana 1100 Block	Q1G1
St. Claude	Feliciana 1100	R/R Asph 5.5"	65.00	4.00	28.89	SY	Feliciana 1100 Block	Q1G1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Feliciana 1100	R/R Conc SW 4"	100.00	4.00	44.44	SY	Opposite Canal Side Street	Q1G1
St. Claude	Feliciana 1200	R/R Conc SW 4"	30.00	4.00	13.33	SY	Feliciana 1200 Block	Q1G1
St. Claude	Feliciana 1200	R/R Asph 5.5"	85.00	19.00	179.44	SY	Feliciana 1200 Block	Q1G1
St. Claude	Feliciana 1200	R/R Conc SW 4"	12.00	4.00	5.33	SY	Feliciana 1200 Block	Q1G1
St. Claude	Feliciana 1200	R/R Conc SW 4"	98.00	6.00	65.33	SY	Feliciana 1200 Block	Q1G1
St. Claude	Feliciana 1200	R/R Conc SW 4"	34.00	4.00	15.11	SY	Feliciana 1200 Block	Q1G1
St. Claude	Feliciana 1300	R/R Conc SW 4"	100.00	4.00	44.44	SY	Canal Side Street	Q1G1-Feliciana
St. Claude	Feliciana 1300	R/R Asph 5.5"	353.00	19.00	745.22	SY	Feliciana 1300 Block	Q1G1-Feliciana
St. Claude	Feliciana 1300	R/R Conc SW 4"	300.00	4.00	133.33	SY	Opposite Canal Side Street	Q1G1-Feliciana
St. Claude	Feliciana 1400	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Q1G1
St. Claude	Feliciana 1400	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q1G1
St. Claude	Feliciana 1400	R/R Asph 5.5"	310.00	16.00	551.11	SY	Feliciana 1400 Block	Q1G1
St. Claude	Feliciana 1500	R/R Conc SW 4"	48.00	4.00	21.33	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1500	R/R Conc SW 4"	110.00	4.00	48.89	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1500	R/R Conc SW 4"	62.00	4.00	27.56	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1500	R/R Asph 5.5"	60.00	20.00	133.33	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1500	R/R Asph 5.5"	211.00	18.00	422.00	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1500	R/R Conc SW 4"	120.00	4.00	53.33	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1500	R/R Conc SW 4"	72.00	4.00	32.00	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1500	R/R Conc SW 4"	30.00	4.00	13.33	SY	Feliciana 1500 Block	Q1G1
St. Claude	Feliciana 1600	R/R Conc SW 4"	285.00	4.00	126.67	SY	Opposite Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Feliciana 1600	R/R Asph 5.5"	313.00	20.00	695.56	SY	Feliciana 1600 Block	Q1
St. Claude	Feliciana 1600	R/R Conc SW 4"	175.00	4.00	77.78	SY	Canal Side Street	Q1
St. Claude	Feliciana 1700	R/R Asph 5.5"	351.00	20.00	780.00	SY	Opposite Canal Side Street	Q1
St. Claude	Feliciana 1700	R/R Conc SW 4"	351.00	4.00	156.00	SY	Feliciana 1700 Block	Q1
St. Claude	Feliciana 1700	R/R Conc SW 4"	190.00	4.00	84.44	SY	Canal Side Street	Q1
St. Claude	Feliciana 1800	R/R Conc SW 4"	175.00	4.00	77.78	SY	Canal Side Street	Q1
St. Claude	Feliciana 1800	R/R Asph 5.5"	348.00	20.00	773.33	SY	Feliciana 1800 Block	Q1
St. Claude	Feliciana 1800	R/R Conc SW 4"	285.00	4.00	126.67	SY	Opposite Canal Side Street	Q1
St. Claude	Feliciana 1900	R/R Conc SW 4"	237.00	4.00	105.33	SY	Opposite Canal Side Street	Q1
St. Claude	Feliciana 1900	R/R Conc SW 4"	160.00	4.00	71.11	SY	Canal Side Street	Q1
St. Claude	Feliciana 1900	R/R Asph 5.5"	346.00	20.00	768.89	SY	Feliciana 1900 Block	Q1
St. Claude	Feliciana 2000	R/R Conc SW 4"	236.00	4.00	104.89	SY	Canal Side Street	Q1
St. Claude	Feliciana 2000	R/R Conc SW 4"	243.00	4.00	108.00	SY	Opposite Canal Side Street	Q1
St. Claude	Feliciana 2000	R/R Asph 5.5"	34.00	30.00	113.33	SY	Feliciana 2000	Q1
St. Claude	Feliciana 2000	R/R Asph 5.5"	6.00	6.00	4.00	SY	Feliciana 2027	Q1
St. Claude	Feliciana 2000	R/R Conc DW 6"	6.00	8.00	5.33	SY	Feliciana 2017	Q1
St. Claude	Feliciana 2000	R/R Conc DW 6"	7.00	8.00	6.22	SY	Feliciana 2035	Q1
St. Claude	France 0900	R/R Asph 5.5"	82.00	24.00	218.67	SY	France 0927	Q1
St. Claude	France 1100	R/R Conc SW 4"	20.00	4.00	8.89	SY	Opposite Canal Side Street	Paving Only
St. Claude	France 1100	R/R Asph 5.5"	238.00	29.00	766.89	SY	France 1101	Paving Only
St. Claude	France 1100	R/R Conc SW 4"	174.00	4.00	77.33	SY	Canal Side Street	Paving Only
St. Claude	France 1200	R/R Conc Pvmt 8"	346.00	26.00	999.56	SY	France 1200 Block	Paving Only
St. Claude	France 1200	R/R Curb	20.00	0.00	20.00	LF	France 1220	Paving Only
St. Claude	France 1200	R/R Conc SW 4"	112.00	3.00	37.33	SY	France 1245	Paving Only
St. Claude	France 1300	R/R Asph 5.5"	277.00	26.00	800.22	SY	France 1303	Paving Only
St. Claude	France 1300	R/R Asph 5.5"	64.00	15.00	106.67	SY	France 1340	Paving Only

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	France 1300	R/R Conc SW 4"	72.00	4.00	32.00	SY	France 1340	Paving Only
St. Claude	France 1300	R/R Conc DW 6"	18.00	10.00	20.00	SY	France 1340	Paving Only
St. Claude	France 1300	R/R Conc SW 4"	36.00	4.00	16.00	SY	France 1343	Paving Only
St. Claude	France 1300	R/R Conc SW 4"	115.00	4.00	51.11	SY	France 1305	Paving Only
St. Claude	France 1400	R/R Conc SW 4"	75.00	4.00	33.33	SY	Canal Side Street	Paving Only
St. Claude	France 1400	R/R Conc SW 4"	75.00	4.00	33.33	SY	Opposite Canal Side Street	Paving Only
St. Claude	France 1400	R/R Conc Pvmt 8"	340.00	26.00	982.22	SY	France 1400 Block	Paving Only
St. Claude	France 1500	R/R Conc SW 4"	48.00	4.00	21.33	SY	France 1500 Block	Q2
St. Claude	France 1500	R/R Conc Pvmt 8"	65.00	27.00	195.00	SY	France 1500 Block	Q2
St. Claude	France 1500	R/R Conc Pvmt 8"	86.00	27.00	258.00	SY	France 1500 Block	Q2
St. Claude	France 1500	R/R Conc Pvmt 8"	50.00	14.00	77.78	SY	France 1500 Block	Q2
St. Claude	France 1600	R/R Conc SW 4"	225.00	4.00	100.00	SY	Canal Side Street	Q2
St. Claude	France 1600	R/R Conc SW 4"	345.00	4.00	153.33	SY	Opposite Canal Side Street	Q2
St. Claude	France 1600	R/R Asph 5.5"	345.00	20.00	766.67	SY	France 1600 Block	Q2
St. Claude	France 1700	R/R Conc SW 4"	240.00	4.00	106.67	SY	Canal Side Street	Q2
St. Claude	France 1700	R/R Asph 5.5"	40.00	20.00	88.89	SY	France 1700 Block	Q2
St. Claude	France 1700	R/R Asph 5.5"	20.00	20.00	44.44	SY	France 1700 Block	Q2
St. Claude	France 1700	R/R Asph 5.5"	34.00	10.00	37.78	SY	France 1700 Block	Q2
St. Claude	France 1700	R/R Asph 5.5"	55.00	10.00	61.11	SY	France 1700 Block	Q2
St. Claude	France 1700	R/R Conc SW 4"	279.00	4.00	124.00	SY	Opposite Canal Side Street	Q2
St. Claude	France 1700	R/R Asph 5.5"	24.00	20.00	53.33	SY	France 1700 Block	Q2
St. Claude	France 1800	R/R Asph 5.5"	84.00	20.00	186.67	SY	France 1801	Q2
St. Claude	France 1800	R/R Asph 5.5"	22.00	20.00	48.89	SY	France 1800 Block	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	France 1800	R/R Asph 5.5"	12.00	10.00	13.33	SY	France 1800 Block	Q2
St. Claude	France 1800	R/R Conc SW 4"	196.00	4.00	87.11	SY	Canal Side Street	Q2
St. Claude	France 1800	R/R Conc SW 4"	255.00	4.00	113.33	SY	Opposite Canal Side Street	Q2
St. Claude	France 1800	R/R Asph 5.5"	40.00	10.00	44.44	SY	France 1800 Block	Q2
St. Claude	France 1900	R/R Asph 5.5"	63.00	10.00	70.00	SY	France 1900 Block	Q2
St. Claude	France 1900	R/R Conc SW 4"	284.00	4.00	126.22	SY	Opposite Canal Side Street	Q2
St. Claude	France 1900	R/R Conc SW 4"	150.00	4.00	66.67	SY	Canal Side Street	Q2
St. Claude	France 1900	R/R Asph 5.5"	5.00	5.00	2.78	SY	France 1900 Block	Q2
St. Claude	France 1900	R/R Asph 5.5"	8.00	8.00	7.11	SY	France 1900 Block	Q2
St. Claude	France 1900	R/R Asph 5.5"	20.00	20.00	44.44	SY	France 1900 Block	Q2
St. Claude	France 2000	R/R Asph 5.5"	50.00	10.00	55.56	SY	France 2000 Block	Q2
St. Claude	France 2000	R/R Conc SW 4"	289.00	4.00	128.44	SY	Opposite Canal Side Street	Q2
St. Claude	France 2000	R/R Conc SW 4"	230.00	4.00	102.22	SY	Canal Side Street	Q2
St. Claude	France 2000	R/R Asph 5.5"	35.00	20.00	77.78	SY	France 2000 Block	Q2
St. Claude	France 2000	R/R Asph 5.5"	64.00	20.00	142.22	SY	France 2000 Block	Q2
St. Claude	France 2000	R/R Asph 5.5"	57.00	10.00	63.33	SY	France 2000 Block	Q2
St. Claude	Gallier 0900	R/R Conc SW 4"	108.00	4.00	48.00	SY	Opposite Canal Side Street	Paving Only
St. Claude	Gallier 0900	R/R Asph 5.5"	322.00	27.00	966.00	SY	Gallier 0900 Block	Paving Only
St. Claude	Gallier 1000	R/R Asph 5.5"	70.00	13.00	101.11	SY	Gallier 1000 Block	Q1
St. Claude	Gallier 1000	R/R Asph 5.5"	55.00	27.00	165.00	SY	Gallier 1000 Block	Q1
St. Claude	Gallier 1000	R/R Conc SW 4"	55.00	4.00	24.44	SY	Opposite Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Gallier 1100	R/R Asph 5.5"	60.00	27.00	180.00	SY	Gallier 1100 Paste	Q1
St. Claude	Gallier 1100	R/R Conc SW 4"	65.00	4.00	28.89	SY	Opposite Canal Side Street	Q1
St. Claude	Gallier 1100	R/R Asph 5.5"	28.00	15.00	46.67	SY	Gallier 1100 Paste	Q1
St. Claude	Gallier 1100	R/R Asph 5.5"	70.00	27.00	210.00	SY	Gallier 1100 Paste	Q1
St. Claude	Gallier 1200	R/R Conc SW 4"	38.00	6.00	25.33	SY	Gallier 1200 Block	Paving Only
St. Claude	Gallier 1200	R/R Asph 5.5"	356.00	18.00	712.00	SY	Gallier 1200 Block	Paving Only
St. Claude	Gallier 1200	R/R Conc SW 4"	32.00	4.00	14.22	SY	Gallier 1200 Block	Paving Only
St. Claude	Gallier 1200	R/R Conc SW 4"	24.00	4.00	10.67	SY	Gallier 1200 Block	Paving Only
St. Claude	Gallier 1200	R/R Conc SW 4"	60.00	6.00	40.00	SY	Gallier 1200 Block	Paving Only
St. Claude	Gallier 1300	R/R Conc SW 4"	126.00	4.00	56.00	SY	Gallier 1300 Block	Q1
St. Claude	Gallier 1300	R/R Asph 5.5"	64.00	18.00	128.00	SY	Gallier 1300 Block	Q1
St. Claude	Gallier 1300	R/R Asph 5.5"	26.00	18.00	52.00	SY	Gallier 1300 Block	Q1
St. Claude	Gallier 1400	R/R Conc SW 4"	210.00	4.00	93.33	SY	Opposite Canal Side Street	Paving Only
St. Claude	Gallier 1400	R/R Asph 5.5"	348.00	18.00	696.00	SY	Gallier 1400 Block	Paving Only
St. Claude	Gallier 1400	R/R Conc SW 4"	220.00	4.00	97.78	SY	Canal Side Street	Paving Only
St. Claude	Gallier 1800	R/R Conc SW 4"	45.00	4.00	20.00	SY	Opposite Canal Side Street	Q2
St. Claude	Gallier 1800	R/R Asph 5.5"	55.00	13.00	79.44	SY	Gallier 1800 Block	Q2
St. Claude	Gallier 2000	R/R Conc SW 4"	29.00	4.00	12.89	SY	Opposite Canal Side Street	Q2
St. Claude	Gallier 2000	R/R Conc SW 4"	27.00	4.00	12.00	SY	Canal Side Street	Q2
St. Claude	Independence 1000	R/R Conc SW 4"	75.00	4.00	33.33	SY	Opposite Canal Side Street	Q1
St. Claude	Independence 1100	R/R Asph 5.5"	20.00	20.00	44.44	SY	Independence 1100 Block	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Independence 1100	R/R Asph 5.5"	20.00	20.00	44.44	SY	Independence 1100 Block	Q1
St. Claude	Independence 1200	R/R Asph 5.5"	20.00	18.00	40.00	SY	Independence 1200 Block	Q1
St. Claude	Independence 1200	R/R Conc SW 4"	40.00	4.00	17.78	SY	Opposite Canal Side Street	Q1
St. Claude	Independence 1200	R/R Asph 5.5"	10.00	18.00	20.00	SY	Independence 1200 Block	Q1
St. Claude	Independence 1200	R/R Asph 5.5"	10.00	18.00	20.00	SY	Independence 1200 Block	Q1
St. Claude	Independence 1300	R/R Asph 5.5"	25.00	18.00	50.00	SY	Independence 1300 Block	Q1
St. Claude	Independence 1300	R/R Conc SW 4"	35.00	4.00	15.56	SY	Opposite Canal Side Street	Q1
St. Claude	Independence 1300	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q1
St. Claude	Independence 1300	R/R Asph 5.5"	70.00	18.00	140.00	SY	Independence 1300 Block	Q1
St. Claude	Independence 1400	R/R Conc SW 4"	42.00	4.00	18.67	SY	Independence 1400 Block	Q1
St. Claude	Independence 1400	R/R Conc SW 4"	78.00	4.00	34.67	SY	Canal Side Street	Q1
St. Claude	Independence 1400	R/R Conc SW 4"	87.00	4.00	38.67	SY	Opposite Canal Side Street	Q1
St. Claude	Independence 1400	R/R Asph 5.5"	75.00	18.00	150.00	SY	Independence 1400 Block	Q1
St. Claude	Independence 1400	R/R Conc SW 4"	87.00	4.00	38.67	SY	Independence 1400 Block	Q1
St. Claude	Independence 1400	R/R Asph 5.5"	90.00	18.00	180.00	SY	Independence 1400 Block	Q1
St. Claude	Independence 1400	R/R Conc SW 4"	36.00	4.00	16.00	SY	Independence 1400 Block	Q1
St. Claude	Independence 1500	R/R Asph 5.5"	337.00	18.00	674.00	SY	Independence 1500 Block	Q2
St. Claude	Independence 1500	R/R Conc SW 4"	45.00	4.00	20.00	SY	Canal Side Street	Q2
St. Claude	Independence 1500	R/R Conc SW 4"	45.00	4.00	20.00	SY	Opposite Canal Side Street	Q2
St. Claude	Independence 1600	R/R Asph 5.5"	313.00	20.00	695.56	SY	Independence 1600 Blk	Q2
St. Claude	Independence 1600	R/R Conc SW 4"	237.00	4.00	105.33	SY	Opposite Canal Side Street	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Independence 1600	R/R Conc SW 4"	110.00	4.00	48.89	SY	Canal Side Street	Q2
St. Claude	Independence 1700	R/R Conc DW 6"	14.00	8.00	12.44	SY	Independence 1721	Paving Only
St. Claude	Independence 1700	R/R Conc SW 4"	90.00	4.00	40.00	SY	Canal Side Street	Paving Only
St. Claude	Independence 1700	R/R Asph 5.5"	57.00	20.00	126.67	SY	Independence 1746	Paving Only
St. Claude	Independence 1700	R/R Asph 5.5"	50.00	10.00	55.56	SY	Independence 1700	Paving Only
St. Claude	Independence 1700	R/R Asph 5.5"	25.00	20.00	55.56	SY	Independence 1700 Blk	Paving Only
St. Claude	Independence 1700	R/R Asph 5.5"	35.00	20.00	77.78	SY	Independence 1700 Blk	Paving Only
St. Claude	Independence 1700	R/R Asph 5.5"	45.00	20.00	100.00	SY	Independence 1721	Paving Only
St. Claude	Independence 1700	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Paving Only
St. Claude	Independence 1800	R/R Conc SW 4"	278.00	4.00	123.56	SY	Opposite Canal Side Street	Q2
St. Claude	Independence 1800	R/R Conc SW 4"	70.00	4.00	31.11	SY	Canal Side Street	Q2
St. Claude	Independence 1800	R/R Asph 5.5"	42.00	20.00	93.33	SY	Independence 1800 Blk	Q2
St. Claude	Independence 1800	R/R Asph 5.5"	120.00	20.00	266.67	SY	Independence 1808	Q2
St. Claude	Independence 1800	R/R Asph 5.5"	55.00	10.00	61.11	SY	Independence 1800 Blk	Q2
St. Claude	Independence 1800	R/R Curb	36.00	0.00	36.00	LF	Independence 1816	Q2
St. Claude	Independence 1800	R/R Asph 5.5"	50.00	20.00	111.11	SY	Independence 1800 Blk	Q2
St. Claude	Independence 1900	R/R Asph 5.5"	100.00	20.00	222.22	SY	Independence 1900 Blk	Q2
St. Claude	Independence 1900	R/R Conc SW 4"	283.00	4.00	125.78	SY	Opposite Canal Side Street	Q2
St. Claude	Independence 1900	R/R Asph 5.5"	130.00	20.00	288.89	SY	Independence 1900 Blk	Q2
St. Claude	Independence 1900	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q2
St. Claude	Independence 2000	R/R Conc DW 6"	17.00	12.00	22.67	SY	Independence 2012	Paving Only

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Independence 2000	R/R Conc SW 4"	100.00	4.00	44.44	SY	Canal Side Street	Paving Only
St. Claude	Independence 2000	R/R Asph 5.5"	300.00	20.00	666.67	SY	Independence 2000 Blk	Paving Only
St. Claude	Independence 2000	R/R Conc SW 4"	236.00	4.00	104.89	SY	Opposite Canal Side Street	Paving Only
St. Claude	Industrial CT 3100	R/R Asph 5.5"	214.00	18.00	428.00	SY	Industrial CT 3100 Block	Paving Only
St. Claude	Industrial CT 3100	R/R Conc SW 4"	75.00	4.00	33.33	SY	River Side Street	Paving Only
St. Claude	Industrial CT 3100	R/R Conc SW 4"	100.00	4.00	44.44	SY	Lake Side Street	Paving Only
St. Claude	Law 2875	R/R Asph 5.5"	35.00	18.00	70.00	SY	Port to Tracks	Q1
St. Claude	Law 2875	R/R Conc SW 4"	240.00	4.00	106.67	SY	Lake Side Street	Q1
St. Claude	Law 2875	R/R Conc SW 4"	30.00	4.00	13.33	SY	River Side Street	Q1
St. Claude	Law 2875	R/R Conc DW 6"	10.00	12.00	13.33	SY	Law 2850 Block	Q1
St. Claude	Law 2875	R/R Asph 5.5"	255.00	16.00	453.33	SY	Law 2850 Block	Q1
St. Claude	Lesseps 0900	R/R Asph 5.5"	322.00	25.00	894.44	SY	Lesseps 0900 Block	Paving Only
St. Claude	Lesseps 1000	R/R Asph 5.5"	50.00	25.00	138.89	SY	Lesseps 1000 Block	Q1
St. Claude	Lesseps 1000	R/R Conc SW 4"	35.00	4.00	15.56	SY	Canal Side Street	Q1
St. Claude	Lesseps 1000	R/R Conc SW 4"	185.00	4.00	82.22	SY	Opposite Canal Side Street	Q1
St. Claude	Lesseps 1000	R/R Asph 5.5"	90.00	13.00	130.00	SY	Lesseps 1000 Block	Q1
St. Claude	Lesseps 1000	R/R Asph 5.5"	30.00	25.00	83.33	SY	Lesseps 1000 Block	Q1
St. Claude	Lesseps 1100	R/R Asph 5.5"	58.00	16.00	103.11	SY	Lesseps 1100 Block	Q1
St. Claude	Lesseps 1100	R/R Asph 5.5"	50.00	25.00	138.89	SY	Lesseps 1117	Q1
St. Claude	Lesseps 1100	R/R Conc SW 4"	59.00	4.00	26.22	SY	Canal Side Street	Q1
St. Claude	Lesseps 1200	R/R Conc DW 6"	12.00	9.00	12.00	SY	Across from Lesseps 1222	Q1
St. Claude	Lesseps 1200	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q1
St. Claude	Lesseps 1200	R/R Conc SW 4"	30.00	4.00	13.33	SY	Opposite Canal Side Street	Q1
St. Claude	Lesseps 1200	R/R Asph 5.5"	25.00	16.00	44.44	SY	Lesseps 1230	Q1
St. Claude	Lesseps 1200	R/R Asph 5.5"	30.00	16.00	53.33	SY	Lesseps 1207	Q1
St. Claude	Lesseps 1200	R/R Asph 5.5"	40.00	8.00	35.56	SY	Lesseps 1213	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Lesseps 1300	HC Ramp @ Intersection	12.00	12.00	16.00	SY	At Intersection	Q1
St. Claude	Lesseps 1300	R/R Conc SW 4"	101.00	4.00	44.89	SY	Canal Side Street	Q1
St. Claude	Lesseps 1300	R/R Conc SW 4"	35.00	4.00	15.56	SY	Opposite Canal Side Street	Q1
St. Claude	Lesseps 1300	R/R Asph 5.5"	25.00	16.00	44.44	SY	Lesseps 1302	Q1
St. Claude	Lesseps 1300	R/R Asph 5.5"	75.00	16.00	133.33	SY	Lesseps 1300 Block	Q1
St. Claude	Lesseps 1400	R/R Conc SW 4"	140.00	4.00	62.22	SY	Canal Side Street	Q1
St. Claude	Lesseps 1400	R/R Conc SW 4"	100.00	4.00	44.44	SY	Opposite Canal Side Street	Q1
St. Claude	Lesseps 1400	R/R Asph 5.5"	118.00	22.00	288.44	SY	Lesseps 1411	Q1
St. Claude	Lesseps 1500	R/R Asph 5.5"	340.00	20.00	755.56	SY	Lesseps 1500 Block	Paving Only
St. Claude	Lesseps 1500	R/R Conc SW 4"	198.00	4.00	88.00	SY	Canal Side Street	Paving Only
St. Claude	Lesseps 1500	R/R Conc SW 4"	12.00	4.00	5.33	SY	Opposite Canal Side Street	Paving Only
St. Claude	Lesseps 1600	R/R Asph 5.5"	345.00	25.00	958.33	SY	Lesseps 1600 Block	Q2
St. Claude	Lesseps 1600	R/R Conc SW 4"	147.00	4.00	65.33	SY	Opposite Canal Side Street	Q2
St. Claude	Lesseps 1700	R/R Conc SW 4"	4.00	4.00	1.78	SY	Canal Side Street	Paving Only
St. Claude	Lesseps 1700	R/R Asph 5.5"	348.00	25.00	966.67	SY	Lesseps 1700 Block	Paving Only
St. Claude	Lesseps 1700	R/R Conc SW 4"	117.00	4.00	52.00	SY	Opposite Canal Side Street	Paving Only
St. Claude	Lesseps 1800	R/R Conc SW 4"	183.00	4.00	81.33	SY	Opposite Canal Side Street	Q2
St. Claude	Lesseps 1800	R/R Conc SW 4"	100.00	4.00	44.44	SY	Canal Side Street	Q2
St. Claude	Lesseps 1800	R/R Asph 5.5"	345.00	25.00	958.33	SY	Lesseps 1800 Block	Q2
St. Claude	Marais 2600	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q1G1
St. Claude	Marais 2600	R/R Conc SW 4"	43.00	5.00	23.89	SY	River Side Street	Q1G1
St. Claude	Marais 2600	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Marais 2600	R/R Asph 5.5"	261.00	20.00	580.00	SY	Marais 2600 Block	Q1G1
St. Claude	Marais 2700	R/R Asph 5.5"	268.00	20.00	595.56	SY	Marais 2701	Q1G1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Marais 2700	R/R Conc SW 4"	140.00	4.00	62.22	SY	Lake Side Street	Q1G1
St. Claude	Marais 2700	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Marais 2700	R/R Conc SW 4"	86.00	4.00	38.22	SY	River Side Street	Q1G1
St. Claude	Marais 2800	R/R Asph 5.5"	263.00	30.00	876.67	SY	Marais 2800 Block	Q1G1
St. Claude	Marais 2900	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Marais 2900	R/R Asph 5.5"	225.00	16.00	400.00	SY	Marais 2900 Block	Q1G1
St. Claude	Marais 3000	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Marais 3000	R/R Asph 5.5"	267.00	18.00	534.00	SY	Marais 3001	Q1G1
St. Claude	Marais 3000	R/R Conc SW 4"	163.00	4.00	72.44	SY	River Side Street	Q1G1
St. Claude	Marais 3000	R/R Conc SW 4"	60.00	4.00	26.67	SY	Lake Side Street	Q1G1
St. Claude	Marais 3100	R/R Conc SW 4"	360.00	4.00	160.00	SY	River Side Street	Q1G1
St. Claude	Marais 3100	R/R Asph 5.5"	523.00	19.00	1,104.11	SY	Marais 3136	Q1G1
St. Claude	Marais 3100	R/R Asph 5.5"	237.00	18.00	474.00	SY	Marais 3138	Q1G1
St. Claude	Marais 3100	R/R Conc SW 4"	229.00	4.00	101.78	SY	River Side Street	Q1G1
St. Claude	Marais 3100	R/R Conc SW 4"	35.00	4.00	15.56	SY	Lake Side Street	Q1G1
St. Claude	Marais 3100	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Marais 3100	R/R Conc SW 4"	140.00	4.00	62.22	SY	Lake Side Street	Q1G1
St. Claude	Marais 3200	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q1
St. Claude	Marais 3200	R/R Conc SW 4"	197.00	4.00	87.56	SY	River Side Street	Q1
St. Claude	Marais 3200	R/R Asph 5.5"	218.00	19.00	460.22	SY	Marais 3200 Block	Q1
St. Claude	Marais 3200	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	Marais 3300	R/R Asph 5.5"	289.00	19.00	610.11	SY	Marais 3300 Block	Q1
St. Claude	Marais 3300	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q1
St. Claude	Marais 3300	R/R Conc SW 4"	77.00	4.00	34.22	SY	River Side Street	Q1
St. Claude	Marais 3400	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	Marais 3400	R/R Conc SW 4"	57.00	4.00	25.33	SY	River Side Street	Paving Only
St. Claude	Marais 3400	R/R Asph 5.5"	245.00	19.00	517.22	SY	Marais 3400 Block	Paving Only
St. Claude	Marais 3500	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q1
St. Claude	Marais 3500	R/R Conc SW 4"	30.00	4.00	13.33	SY	River Side Street	Q1
St. Claude	Marais 3500	R/R Asph 5.5"	47.00	18.00	94.00	SY	Marais 3500 Block	Q1
St. Claude	Marais 3600	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	Marais 3600	R/R Conc SW 4"	120.00	4.00	53.33	SY	River Side Street	Q1
St. Claude	Marais 3600	R/R Asph 5.5"	10.00	19.00	21.11	SY	Marais 3600 Block	Q1
St. Claude	Marais 3600	R/R Conc SW 4"	117.00	4.00	52.00	SY	Lake Side Street	Q1
St. Claude	Marais 3700	R/R Asph 5.5"	30.00	19.00	63.33	SY	Marais 3701	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Marais 3700	R/R Asph 5.5"	25.00	19.00	52.78	SY	Marais 3700 Block	Q1
St. Claude	Marais 3700	R/R Asph 5.5"	15.00	19.00	31.67	SY	Marais 3716	Q1
St. Claude	Marais 3700	R/R Conc SW 4"	127.00	4.00	56.44	SY	River Side Street	Q1
St. Claude	Marais 3800	R/R Conc SW 4"	70.00	4.00	31.11	SY	River Side Street	Q1
St. Claude	Marais 3800	R/R Conc SW 4"	240.00	4.00	106.67	SY	Lake Side Street	Q1
St. Claude	Marais 3800	R/R Asph 5.5"	70.00	26.00	202.22	SY	Marais 3800 Block	Q1
St. Claude	Marais 3800	R/R Asph 5.5"	50.00	26.00	144.44	SY	Marais 3800 Block	Q1
St. Claude	Marais 3900	R/R Conc SW 4"	96.00	4.00	42.67	SY	Lake Side Street	Q1
St. Claude	Marais 3900	R/R Conc DW 6"	17.00	10.00	18.89	SY	Marais 3903	Q1
St. Claude	Marais 3900	R/R Conc SW 4"	76.00	4.00	33.78	SY	Marais 3900 Block	Q1
St. Claude	Marais 3900	R/R Conc SW 4"	182.00	4.00	80.89	SY	River Side Street	Q1
St. Claude	Marais 3900	R/R Conc DW 6"	8.00	9.00	8.00	SY	Marais 3932	Q1
St. Claude	Marais 3900	R/R Conc SW 4"	130.00	9.00	130.00	SY	Marais 3900 Block	Q1
St. Claude	Marais 4000	R/R Asph 5.5"	70.00	20.00	155.56	SY	Marais 4000 Block	Q1
St. Claude	Marais 4000	R/R Conc SW 4"	130.00	4.00	57.78	SY	River Side Street	Q1
St. Claude	Marais 4000	R/R Conc SW 4"	75.00	4.00	33.33	SY	Lake Side Street	Q1
St. Claude	Marais 4100	R/R Asph 5.5"	56.00	48.25	300.22	SY	At Intersection	Q1
St. Claude	Marais 4100	R/R Conc SW 4"	130.00	4.00	57.78	SY	Lake Side Street	Q1
St. Claude	Marais 4100	R/R Asph 5.5"	80.00	25.00	222.22	SY	Marais 4122	Q1
St. Claude	Marais 4100	R/R Curb	10.00	0.00	10.00	LF	Marais 4100 Block	Q1
St. Claude	Marais 4100	R/R Conc DW 6"	15.00	10.00	16.67	SY	Marais 4100 Block	Q1
St. Claude	Marais 4100	R/R Conc DW 6"	15.00	10.00	16.67	SY	Marais 4100 Block	Q1
St. Claude	Marais 4200	R/R Asph 5.5"	50.00	25.00	138.89	SY	Marais 4220	Q1
St. Claude	Marais 4200	R/R Asph 5.5"	44.00	17.00	83.11	SY	At Intersection	Q1
St. Claude	Marais 4200	R/R Conc SW 4"	12.00	4.00	5.33	SY	Lake Side Street	Q1
St. Claude	Marais 4200	R/R Conc SW 4"	55.00	4.00	24.44	SY	River Side Street	Q1
St. Claude	Marais 4300	R/R Asph 5.5"	65.00	20.00	144.44	SY	Marais 4300 Block	Q1
St. Claude	Marais 4300	R/R Asph 5.5"	30.00	20.00	66.67	SY	Marais 4300 Block	Q1
St. Claude	Marais 4300	R/R Conc SW 4"	55.00	4.00	24.44	SY	Lake Side Street	Q1
St. Claude	Martinique Alley 1000	R/R Asph 5.5"	12.00	6.00	8.00	SY	Martinique Alley 1000 Block	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Mazant 0900	R/R Asph 5.5"	323.00	25.00	897.22	SY	Mazant 0900 Block	Paving Only
St. Claude	Mazant 0900	R/R Curb	20.00	0.00	20.00	LF	Mazant 0900 Block	Paving Only
St. Claude	Mazant 1000	R/R Asph 5.5"	400.00	25.00	1,111.11	SY	Mazant 1001	Q1
St. Claude	Mazant 1000	R/R Conc SW 4"	68.00	4.00	30.22	SY	Mazant 1041	Q1
St. Claude	Mazant 1100	R/R Conc SW 4"	24.00	4.00	10.67	SY	Mazant 1123	Q1
St. Claude	Mazant 1100	R/R Asph 5.5"	186.00	18.00	372.00	SY	Mazant 1100	Q1
St. Claude	Mazant 1100	R/R Conc DW 6"	30.00	6.00	20.00	SY	Mazant 1123	Q1
St. Claude	Mazant 1200	R/R Conc SW 4"	48.00	4.00	21.33	SY	Mazant 1238	Q1
St. Claude	Mazant 1200	R/R Conc SW 4"	24.00	6.00	16.00	SY	Mazant 1235	Q1
St. Claude	Mazant 1200	R/R Conc SW 4"	42.00	6.00	28.00	SY	Mazant 1230	Q1
St. Claude	Mazant 1200	R/R Conc SW 4"	42.00	4.00	18.67	SY	Mazant 1225	Q1
St. Claude	Mazant 1200	R/R Conc SW 4"	36.00	4.00	16.00	SY	Mazant 1217	Q1
St. Claude	Mazant 1200	R/R Conc DW 6"	12.00	6.00	8.00	SY	Mazant 1235	Q1
St. Claude	Mazant 1200	R/R Conc SW 4"	48.00	6.00	32.00	SY	Mazant 1200 Block	Q1
St. Claude	Mazant 1200	R/R Asph 5.5"	290.00	18.00	580.00	SY	Mazant 1239	Q1
St. Claude	Mazant 1200	R/R Conc SW 4"	36.00	4.00	16.00	SY	Mazant 1208	Q1
St. Claude	Mazant 1300	R/R Conc SW 4"	374.00	4.00	166.22	SY	Mazant 1300 Block	Paving Only
St. Claude	Mazant 1300	R/R Asph 5.5"	346.00	18.00	692.00	SY	Mazant 1300 Block	Paving Only
St. Claude	Mazant 1400	R/R Conc SW 4"	80.00	4.00	35.56	SY	Opposite Canal Side Street	Paving Only
St. Claude	Mazant 1400	R/R Conc SW 4"	180.00	4.00	80.00	SY	Canal Side Street	Paving Only
St. Claude	Mazant 1400	R/R Asph 5.5"	344.00	18.00	688.00	SY	Mazant 1400 Block	Paving Only
St. Claude	Mazant 1500	R/R Asph 5.5"	32.00	25.00	88.89	SY	Mazant 1500 Block	Q2
St. Claude	Mazant 1500	R/R Conc SW 4"	82.00	4.00	36.44	SY	Mazant 1500 Block	Q2
St. Claude	Mazant 1500	R/R Conc SW 4"	16.00	4.00	7.11	SY	Mazant 1500 Block	Q2
St. Claude	Mazant 1500	R/R Asph 5.5"	344.00	16.00	611.56	SY	Mazant 1500 Block	Q2
St. Claude	Mazant 1600	R/R Conc SW 4"	85.00	4.00	37.78	SY	Canal Side Street	Q2
St. Claude	Mazant 1600	R/R Asph 5.5"	15.00	26.00	43.33	SY	Mazant 1642	Q2
St. Claude	Mazant 1600	R/R Asph 5.5"	60.00	26.00	173.33	SY	Mazant 1600 Block	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Mazant 1600	R/R Conc SW 4"	204.00	4.00	90.67	SY	Opposite Canal Side Street	Q2
St. Claude	Mazant 1600	R/R Asph 5.5"	15.00	26.00	43.33	SY	Mazant 1600 Block	Q2
St. Claude	Mazant 1700	R/R Conc SW 4"	55.00	4.00	24.44	SY	Canal Side Street	Q2
St. Claude	Mazant 1700	R/R Asph 5.5"	35.00	26.00	101.11	SY	Mazant 1700 Block	Q2
St. Claude	Mazant 1700	R/R Asph 5.5"	26.00	26.00	75.11	SY	Mazant 1700 Block	Q2
St. Claude	Mazant 1700	R/R Asph 5.5"	40.00	26.00	115.56	SY	Mazant 1700 Block	Q2
St. Claude	Mazant 1700	R/R Asph 5.5"	25.00	13.00	36.11	SY	Mazant 1700 Block	Q2
St. Claude	Mazant 1700	R/R Conc SW 4"	335.00	4.00	148.89	SY	Opposite Canal Side Street	Q2
St. Claude	Mazant 1800	R/R Conc SW 4"	150.00	4.00	66.67	SY	Canal Side Street	Q2
St. Claude	Mazant 1800	R/R Asph 5.5"	342.00	25.00	950.00	SY	Mazant 1800 Block	Q2
St. Claude	Mazant 1800	R/R Conc SW 4"	340.00	4.00	151.11	SY	Opposite Canal Side Street	Q2
St. Claude	Mazant 1900	R/R Conc DW 6"	16.00	8.00	14.22	SY	Mazant 1934	Q2
St. Claude	Mazant 1900	R/R Asph 5.5"	344.00	25.00	955.56	SY	Mazant 1900 Block	Q2
St. Claude	Mazant 1900	R/R Conc SW 4"	115.00	4.00	51.11	SY	Canal Side Street	Q2
St. Claude	Mazant 1900	R/R Conc SW 4"	277.00	4.00	123.11	SY	Opposite Canal Side Street	Q2
St. Claude	Mazant 2000	R/R Asph 5.5"	36.00	13.00	52.00	SY	Mazant 2000 Block	Q2
St. Claude	Mazant 2000	R/R Asph 5.5"	45.00	13.00	65.00	SY	Mazant 2004	Q2
St. Claude	Mazant 2000	R/R Asph 5.5"	38.00	13.00	54.89	SY	Mazant 2000 Block	Q2
St. Claude	Mazant 2000	R/R Asph 5.5"	30.00	25.00	83.33	SY	Mazant 2000 Block	Q2
St. Claude	Mazant 2000	R/R Asph 5.5"	15.00	25.00	41.67	SY	Mazant 2020	Q2
St. Claude	Mazant 2000	R/R Conc SW 4"	50.00	4.00	22.22	SY	Canal Side Street	Q2
St. Claude	Mazant 2000	R/R Conc SW 4"	284.00	4.00	126.22	SY	Opposite Canal Side Street	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Montegut 1100	R/R Asph 5.5"	50.00	23.00	127.78	SY	Montegut 1100 Block	Q1G1
St. Claude	Montegut 1100	R/R Asph 5.5"	45.00	8.00	40.00	SY	Montegut 1100 Block	Q1G1
St. Claude	Montegut 1100	R/R Asph 5.5"	50.00	16.00	88.89	SY	Montegut 1100 Block	Q1G1
St. Claude	Montegut 1100	R/R Conc SW 4"	98.00	4.00	43.56	SY	Canal Side Street	Q1G1
St. Claude	Montegut 1200	R/R Conc SW 4"	134.00	4.00	59.56	SY	Canal Side Street	Q1G1
St. Claude	Montegut 1200	R/R Asph 5.5"	138.00	20.00	306.67	SY	Montegut 1200 Block	Q1G1
St. Claude	Montegut 1300	R/R Conc SW 4"	40.00	4.00	17.78	SY	Canal Side Street	Q1G1
St. Claude	Montegut 1300	R/R Conc SW 4"	120.00	4.00	53.33	SY	Opposite Canal Side Street	Q1G1
St. Claude	Montegut 1300	R/R Asph 5.5"	100.00	10.00	111.11	SY	Montegut 1300 Block	Q1G1
St. Claude	Montegut 1300	R/R Asph 5.5"	30.00	10.00	33.33	SY	Montegut 1300 Block	Q1G1
St. Claude	Montegut 1600	R/R Conc Pvmt 8"	12.00	15.00	20.00	SY	Montegut 1600 Block	Q1
St. Claude	Montegut 1700	R/R Conc Pvmt 8"	30.00	25.00	83.33	SY	Montegut 1700 Block	Q1
St. Claude	Montegut 1700	R/R Conc Pvmt 8"	20.00	25.00	55.56	SY	Montegut 1700 Block	Q1
St. Claude	Montegut 1700	R/R Conc Pvmt 8"	10.00	25.00	27.78	SY	Montegut 1700 Block	Q1
St. Claude	Montegut 1700	R/R Conc SW 4"	145.00	4.00	64.44	SY	Canal Side Street	Q1
St. Claude	Montegut 1700	R/R Conc Pvmt 8"	30.00	25.00	83.33	SY	Montegut 1700 Block	Q1
St. Claude	Montegut 1800	R/R Conc Pvmt 8"	57.00	25.00	158.33	SY	Montegut 1800 Block	Q1
St. Claude	Montegut 1800	R/R Conc Pvmt 8"	35.00	13.00	50.56	SY	Montegut 1800 Block	Q1
St. Claude	Montegut 1800	R/R Conc SW 4"	195.00	4.00	86.67	SY	Canal Side Street	Q1
St. Claude	Montegut 1900	R/R Conc Pvmt 8"	40.00	25.00	111.11	SY	Montegut 1900 Block	Q1
St. Claude	Montegut 1900	R/R Conc SW 4"	280.00	4.00	124.44	SY	Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Montegut 1900	R/R Conc Pvmt 8"	40.00	25.00	111.11	SY	Montegut 1900 Block	Q1
St. Claude	Montegut 1900	R/R Conc Pvmt 8"	40.00	25.00	111.11	SY	Montegut 1900 Block	Q1
St. Claude	Montegut 2000	R/R Conc Pvmt 8"	150.00	25.00	416.67	SY	Montegut 2009 to 2037	Q1
St. Claude	Montegut 2000	R/R Conc SW 4"	225.00	4.00	100.00	SY	Canal Side Street	Q1
St. Claude	Montegut 2100	R/R Conc Pvmt 8"	20.00	25.00	55.56	SY	Montegut 2100 Block	Q1
St. Claude	Montegut 2100	R/R Conc Pvmt 8"	50.00	25.00	138.89	SY	Montegut 2100 Block	Q1
St. Claude	Montegut 2100	R/R Conc Pvmt 8"	114.00	13.00	164.67	SY	Montegut 2100 Block	Q1
St. Claude	Montegut 2100	R/R Conc SW 4"	146.00	4.00	64.89	SY	Canal Side Street	Q1
St. Claude	Montegut 2200	R/R Conc Pvmt 8"	339.00	18.00	678.00	SY	Montegut 2200 Block	Q1
St. Claude	Montegut 2200	R/R Conc SW 4"	160.00	4.00	71.11	SY	Canal Side Street	Q1
St. Claude	Montegut 2300	R/R Conc SW 4"	286.00	4.00	127.11	SY	Canal Side Street	Q1
St. Claude	Montegut 2300	R/R Asph 5.5"	340.00	18.00	680.00	SY	Montegut 2300 Block	Q1
St. Claude	Montegut 2400	R/R Conc SW 4"	193.00	4.00	85.78	SY	Opposite Canal Side Street	Q1
St. Claude	Montegut 2400	R/R Conc Pvmt 8"	346.00	18.00	692.00	SY	Montegut 2400 Block	Q1
St. Claude	Montegut 2400	R/R Conc SW 4"	335.00	4.00	148.89	SY	Canal Side Street	Q1
St. Claude	Montegut 2500	R/R Conc Pvmt 8"	344.00	25.00	955.56	SY	Montegut 2500 Block	Q1
St. Claude	Montegut 2500	R/R Curb	75.00	0.00	75.00	LF	Montegut 2500 Block	Q1
St. Claude	Montegut 2600	R/R Asph 5.5"	85.00	15.00	141.67	SY	Montegut 2600 Block	Paving Only
St. Claude	Montegut 2600	R/R Asph 5.5"	100.00	28.00	311.11	SY	Montegut 2600 Block	Paving Only
St. Claude	Montegut 2600	R/R Asph 5.5"	125.00	28.00	388.89	SY	Montegut 2600 Block	Paving Only
St. Claude	Montegut 2600	R/R Conc SW 4"	255.00	4.00	113.33	SY	Opposite Canal Side Street	Paving Only

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Montegut 2600	R/R Conc SW 4"	344.00	4.00	152.89	SY	Canal Side Street	Paving Only
St. Claude	N Bunnyfriend 3400	R/R Asph 5.5"	220.00	19.00	464.44	SY	N Bunnyfriend 3400 Block	Paving Only
St. Claude	N Bunnyfriend 3400	R/R Conc SW 4"	15.00	4.00	6.67	SY	Lake Side Street	Paving Only
St. Claude	N Bunnyfriend 3400	R/R Conc SW 4"	50.00	4.00	22.22	SY	RiverSide Street	Paving Only
St. Claude	N Derbigny 2600	R/R Asph 5.5"	257.00	23.00	656.78	SY	N Derbigny 2600 Block	Paving Only
St. Claude	N Derbigny 2600	R/R Conc SW 4"	72.00	4.00	32.00	SY	Lake Side Street	Paving Only
St. Claude	N Derbigny 2600	R/R Asph 5.5"	44.00	44.00	215.11	SY	Intersection @ Port	Paving Only
St. Claude	N Derbigny 2700	R/R Conc SW 4"	73.00	4.00	32.44	SY	Lake Side Street	Q1
St. Claude	N Derbigny 2700	R/R Conc SW 4"	70.00	4.00	31.11	SY	RiverSide Street	Q1
St. Claude	N Derbigny 2700	R/R Asph 5.5"	82.00	20.00	182.22	SY	N Derbigny 2700 Block	Q1
St. Claude	N Derbigny 2700	R/R Asph 5.5"	20.00	20.00	44.44	SY	N Derbigny 2700 Block	Q1
St. Claude	N Derbigny 2700	R/R Asph 5.5"	20.00	20.00	44.44	SY	N Derbigny 2700 Block	Q1
St. Claude	N Derbigny 2700	R/R Asph 5.5"	44.00	33.00	161.33	SY	At Intersection	Q1
St. Claude	N Derbigny 3000	R/R Conc SW 4"	50.00	4.00	22.22	SY	Lake Side Street	Q2
St. Claude	N Derbigny 3000	R/R Asph 5.5"	50.00	33.75	187.50	SY	Intersection @ Montegut	Q2
St. Claude	N Derbigny 3000	R/R Asph 5.5"	20.00	20.00	44.44	SY	Feliciana to Montegut	Q2
St. Claude	N Derbigny 3000	R/R Asph 5.5"	20.00	20.00	44.44	SY	Feliciana to Montegut	Q2
St. Claude	N Derbigny 3000	R/R Asph 5.5"	20.00	20.00	44.44	SY	Feliciana to Montegut	Q2
St. Claude	N Derbigny 3000	R/R Asph 5.5"	60.00	20.00	133.33	SY	N Derbigny 3000 Block	Q2
St. Claude	N Derbigny 3000	R/R Asph 5.5"	150.00	20.00	333.33	SY	Feliciana to Clouet	Q2
St. Claude	N Derbigny 3000	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Feliciana	Q2
St. Claude	N Derbigny 3000	R/R Conc SW 4"	100.00	4.00	44.44	SY	River Side Street	Q2
St. Claude	N Derbigny 3000	R/R Conc SW 4"	50.00	4.00	22.22	SY	River Side Street	Q2
St. Claude	N Derbigny 3000	R/R Conc SW 4"	100.00	4.00	44.44	SY	Lake Side Street	Q2
St. Claude	N Derbigny 3100	R/R Asph 5.5"	90.00	20.00	200.00	SY	N Derbigny 3100 Block	Q2
St. Claude	N Derbigny 3100	R/R Conc SW 4"	50.00	4.00	22.22	SY	River Side Street	Q2
St. Claude	N Derbigny 3100	R/R Conc SW 4"	50.00	4.00	22.22	SY	Lake Side Street	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Derbigny 3100	R/R Conc DW 6"	12.00	8.00	10.67	SY	N Derbigny 3100 Block	Q2
St. Claude	N Derbigny 3100	R/R Asph 5.5"	20.00	20.00	44.44	SY	N Derbigny 3100 Block	Q2
St. Claude	N Derbigny 3100	R/R Asph 5.5"	25.00	20.00	55.56	SY	N Derbigny 3100 Block	Q2
St. Claude	N Derbigny 3200	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q2
St. Claude	N Derbigny 3200	R/R Asph 5.5"	90.00	20.00	200.00	SY	N Derbigny 3200 Block	Q2
St. Claude	N Derbigny 3200	R/R Asph 5.5"	80.00	10.00	88.89	SY	N Derbigny 3200 Block	Q2
St. Claude	N Derbigny 3200	R/R Asph 5.5"	20.00	20.00	44.44	SY	N Derbigny 3200 Block	Q2
St. Claude	N Derbigny 3300	R/R Asph 5.5"	230.00	10.00	255.56	SY	N Derbigny 3300 Block	Q2
St. Claude	N Derbigny 3300	R/R Asph 5.5"	75.00	19.00	158.33	SY	N Derbigny 3300 Block	Q2
St. Claude	N Derbigny 3300	R/R Asph 5.5"	53.00	39.75	234.08	SY	Intersection @ Desire	Q2
St. Claude	N Derbigny 3300	R/R Conc SW 4"	95.00	4.00	42.22	SY	River Side Street	Q2
St. Claude	N Derbigny 3300	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q2
St. Claude	N Derbigny 3400	R/R Asph 5.5"	15.00	20.00	33.33	SY	N Derbigny 3400 Block	Q2
St. Claude	N Derbigny 3400	R/R Asph 5.5"	15.00	20.00	33.33	SY	N Derbigny 3400 Block	Q2
St. Claude	N Derbigny 3400	R/R Asph 5.5"	40.00	20.00	88.89	SY	N Derbigny 3400 Block	Q2
St. Claude	N Derbigny 3400	R/R Conc SW 4"	10.00	4.00	4.44	SY	River Side Street	Q2
St. Claude	N Derbigny 3400	R/R Conc SW 4"	20.00	4.00	8.89	SY	Lake Side Street	Q2
St. Claude	N Derbigny 3400	R/R Asph 5.5"	48.00	20.00	106.67	SY	N Derbigny 3400 Block	Q2
St. Claude	N Derbigny 3500	R/R Conc SW 4"	35.00	4.00	15.56	SY	Lake Side Street	Paving Only
St. Claude	N Derbigny 3500	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Congress	Paving Only
St. Claude	N Derbigny 3500	R/R Asph 5.5"	195.00	19.00	411.67	SY	N Derbigny 3500 Block	Paving Only
St. Claude	N Derbigny 3500	R/R Conc SW 4"	65.00	4.00	28.89	SY	River Side Street	Paving Only
St. Claude	N Derbigny 3600	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Independence	Q2
St. Claude	N Derbigny 3600	R/R Conc SW 4"	100.00	4.00	44.44	SY	River Side Street	Q2
St. Claude	N Derbigny 3600	R/R Conc SW 4"	200.00	4.00	88.89	SY	Lake Side Street	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Derbigny 3600	R/R Asph 5.5"	201.00	19.00	424.33	SY	N Derbigny 3600 Block	Q2
St. Claude	N Derbigny 3700	R/R Conc SW 4"	155.00	4.00	68.89	SY	River Side Street	Paving Only
St. Claude	N Derbigny 3700	R/R Asph 5.5"	45.00	22.00	110.00	SY	N Derbigny 3700 Block	Paving Only
St. Claude	N Derbigny 3700	R/R Asph 5.5"	182.00	19.00	384.22	SY	N Derbigny 3700 Block	Paving Only
St. Claude	N Derbigny 3700	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Pauline	Paving Only
St. Claude	N Derbigny 3800	R/R Conc SW 4"	70.00	4.00	31.11	SY	River Side Street	Q2
St. Claude	N Derbigny 3800	R/R Asph 5.5"	240.00	19.00	506.67	SY	N Derbigny 3800 Block	Q2
St. Claude	N Derbigny 3800	R/R Asph 5.5"	50.00	36.25	201.39	SY	Intersection @ Alvar	Q2
St. Claude	N Derbigny 3900	R/R Conc SW 4"	284.00	4.00	126.22	SY	Lake Side Street	Q2
St. Claude	N Derbigny 3900	R/R Conc SW 4"	160.00	4.00	71.11	SY	River Side Street	Q2
St. Claude	N Derbigny 3900	R/R Asph 5.5"	124.00	10.00	137.78	SY	N Derbigny 3900 Block	Q2
St. Claude	N Derbigny 3900	R/R Asph 5.5"	160.00	19.00	337.78	SY	N Derbigny 3900 Block	Q2
St. Claude	N Derbigny 4000	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q2
St. Claude	N Derbigny 4000	R/R Conc SW 4"	210.00	4.00	93.33	SY	River Side Street	Q2
St. Claude	N Derbigny 4000	R/R Asph 5.5"	160.00	19.00	337.78	SY	N Derbigny 4000 Block	Q2
St. Claude	N Derbigny 4000	R/R Asph 5.5"	44.00	21.00	102.67	SY	N Derbigny 4000 Block	Q2
St. Claude	N Derbigny 4100	R/R Asph 5.5"	15.00	19.00	31.67	SY	N Derbigny 4100 Block	Q2
St. Claude	N Derbigny 4100	R/R Conc SW 4"	95.00	4.00	42.22	SY	River Side Street	Q2
St. Claude	N Derbigny 4100	R/R Asph 5.5"	113.00	19.00	238.56	SY	N Derbigny 4100 Block	Q2
St. Claude	N Derbigny 4100	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ France	Q2
St. Claude	N Derbigny 4200	R/R Asph 5.5"	280.00	19.00	591.11	SY	N Derbigny 4200 Block	Paving Only
St. Claude	N Derbigny 4200	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Lessups	Paving Only
St. Claude	N Derbigny 4200	R/R Conc SW 4"	25.00	4.00	11.11	SY	River Side Street	Paving Only
St. Claude	N Derbigny 4200	R/R Conc SW 4"	80.00	4.00	35.56	SY	Lake Side Street	Paving Only
St. Claude	N Derbigny 4300	R/R Asph 5.5"	280.00	19.00	591.11	SY	N Derbigny 4300 Block	Paving Only
St. Claude	N Derbigny 4300	R/R Conc SW 4"	145.00	4.00	64.44	SY	Lake Side Street	Paving Only

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Derbigny 4300	R/R Conc SW 4"	44.00	4.00	19.56	SY	River Side Street	Paving Only
St. Claude	N Dorgenois 2875	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q1
St. Claude	N Dorgenois 2875	R/R Conc SW 4"	130.00	4.00	57.78	SY	River Side Street	Q1
St. Claude	N Dorgenois 2875	R/R Curb	18.00	0.00	18.00	LF	N Dorgenois 2800 Block	Q1
St. Claude	N Dorgenois 2900	R/R Conc SW 4"	78.00	4.00	34.67	SY	Lake Side Street	Q1
St. Claude	N Dorgenois 2900	R/R Conc SW 4"	124.00	4.00	55.11	SY	River Side Street	Q1
St. Claude	N Ferdinand 1600	R/R Asph 5.5"	274.00	19.00	578.44	SY	Ferdinand 1600 Block	Q1
St. Claude	N Ferdinand 1600	R/R Conc SW 4"	280.00	4.00	124.44	SY	Opposite Canal Side Street	Q1
St. Claude	N Ferdinand 1700	R/R Asph 5.5"	20.00	10.00	22.22	SY	Ferdinand 1700 Block	Q1
St. Claude	N Ferdinand 1700	R/R Conc SW 4"	156.00	4.00	69.33	SY	Opposite Canal Side Street	Q1
St. Claude	N Ferdinand 1700	R/R Asph 5.5"	50.00	19.00	105.56	SY	Ferdinand 1700 Block	Q1
St. Claude	N Ferdinand 1700	R/R Asph 5.5"	50.00	10.00	55.56	SY	Ferdinand 1700 Block	Q1
St. Claude	N Ferdinand 1800	R/R Conc SW 4"	310.00	4.00	137.78	SY	Opposite Canal Side Street	Q1
St. Claude	N Ferdinand 1800	R/R Asph 5.5"	230.00	19.00	485.56	SY	Ferdinand 1805 to 1812	Q1
St. Claude	N Ferdinand 1900	R/R Asph 5.5"	20.00	10.00	22.22	SY	Ferdinand 1900 Block	Q1
St. Claude	N Ferdinand 1900	R/R Asph 5.5"	60.00	19.00	126.67	SY	Ferdinand 1900 Block	Q1
St. Claude	N Ferdinand 1900	R/R Conc SW 4"	350.00	4.00	155.56	SY	Opposite Canal Side Street	Q1
St. Claude	N Ferdinand 2000	R/R Conc SW 4"	83.00	4.00	36.89	SY	Opposite Canal Side Street	Q1
St. Claude	N Ferdinand 2000	R/R Asph 5.5"	25.00	19.00	52.78	SY	Ferdinand 2000 Block	Q1
St. Claude	N Ferdinand 2000	R/R Asph 5.5"	220.00	10.00	244.44	SY	Ferdinand 2000 Block	Q1
St. Claude	N Ferdinand 2100	R/R Conc SW 4"	161.00	4.00	71.56	SY	Opposite Canal Side Street	Q1
St. Claude	N Ferdinand 2100	R/R Asph 5.5"	315.00	24.00	840.00	SY	Ferdinand 2100 Block	Q1
St. Claude	N Ferdinand 2200	R/R Conc SW 4"	90.00	4.00	40.00	SY	Opposite Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Ferdinand 2200	R/R Asph 5.5"	348.00	20.00	773.33	SY	Ferdinand 2200 Block	Q1
St. Claude	N Ferdinand 2300	R/R Conc SW 4"	265.00	4.00	117.78	SY	Opposite Canal Side Street	Paving Only
St. Claude	N Ferdinand 2300	R/R Asph 5.5"	356.00	18.00	712.00	SY	Ferdinand 2300	Paving Only
St. Claude	N Johnson 2650	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Port	Paving Only
St. Claude	N Johnson 2650	R/R Conc SW 4"	84.00	4.00	37.33	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 2650	R/R Asph 5.5"	227.00	19.00	479.22	SY	N Johnson 2600 Block	Paving Only
St. Claude	N Johnson 2700	R/R Asph 5.5"	267.00	19.00	563.67	SY	N Johnson 2700 Block	Q1
St. Claude	N Johnson 2700	R/R Conc SW 4"	85.00	4.00	37.78	SY	River Side Street	Q1
St. Claude	N Johnson 2700	R/R Asph 5.5"	44.00	28.25	138.11	SY	Intersection @ St Ferdinand	Q1
St. Claude	N Johnson 2700	R/R Conc SW 4"	169.00	4.00	75.11	SY	Lake Side Street	Q1
St. Claude	N Johnson 2700	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection @ St Ferdinand	Q1
St. Claude	N Johnson 3000	R/R Conc SW 4"	145.00	4.00	64.44	SY	River Side Street	Q2
St. Claude	N Johnson 3000	R/R Asph 5.5"	41.00	46.00	209.56	SY	Intersection @ Feliciana	Q2
St. Claude	N Johnson 3000	R/R Conc SW 4"	221.00	4.00	98.22	SY	Opposite Lake Side Street	Q2
St. Claude	N Johnson 3000	R/R Conc SW 4"	221.00	4.00	98.22	SY	River Side Street	Q2
St. Claude	N Johnson 3000	R/R Asph 5.5"	221.00	22.00	540.22	SY	Montegut to Feliciana	Q2
St. Claude	N Johnson 3000	R/R Asph 5.5"	192.00	22.00	469.33	SY	Feliciana to Clouet	Q2
St. Claude	N Johnson 3000	R/R Conc SW 4"	192.00	4.00	85.33	SY	Lake Side Street	Q2
St. Claude	N Johnson 3100	R/R Conc SW 4"	90.00	4.00	40.00	SY	Lake Side Street	Q2
St. Claude	N Johnson 3100	R/R Conc SW 4"	290.00	4.00	128.89	SY	River Side Street	Q2
St. Claude	N Johnson 3100	R/R Asph 5.5"	69.00	22.00	168.67	SY	N Johnson 3100	Q2
St. Claude	N Johnson 3100	R/R Asph 5.5"	173.00	22.00	422.89	SY	N Johnson 3100 Block	Q2
St. Claude	N Johnson 3100	R/R Asph 5.5"	72.00	22.00	176.00	SY	N Johnson 3133	Q2
St. Claude	N Johnson 3200	R/R Conc SW 4"	73.00	4.00	32.44	SY	River Side Street	Paving Only
St. Claude	N Johnson 3200	R/R Asph 5.5"	228.00	22.00	557.33	SY	N Johnson 3200	Paving Only
St. Claude	N Johnson 3200	R/R Conc SW 4"	130.00	4.00	57.78	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 3300	R/R Conc SW 4"	267.00	4.00	118.67	SY	River Side Street	Q2
St. Claude	N Johnson 3300	R/R Conc SW 4"	40.00	4.00	17.78	SY	Lake Side Street	Q2
St. Claude	N Johnson 3300	R/R Asph 5.5"	273.00	22.00	667.33	SY	N Johnson 3300 Block	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Johnson 3400	R/R Asph 5.5"	240.00	20.00	533.33	SY	River Side Street	Paving Only
St. Claude	N Johnson 3400	R/R Conc SW 4"	80.00	4.00	35.56	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 3400	R/R Conc SW 4"	226.00	4.00	100.44	SY	N Johnson 3400 Block	Paving Only
St. Claude	N Johnson 3500	R/R Conc SW 4"	150.00	4.00	66.67	SY	River Side Street	Paving Only
St. Claude	N Johnson 3500	R/R Conc SW 4"	150.00	4.00	66.67	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 3500	R/R Asph 5.5"	185.00	19.00	390.56	SY	N Johnson 3500 Block	Paving Only
St. Claude	N Johnson 3500	R/R Asph 5.5"	44.00	44.00	215.11	SY	At Intersection	Paving Only
St. Claude	N Johnson 3600	R/R Conc SW 4"	55.00	4.00	24.44	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 3600	R/R Conc SW 4"	196.00	4.00	87.11	SY	River Side Street	Paving Only
St. Claude	N Johnson 3600	R/R Asph 5.5"	202.00	19.00	426.44	SY	N Johnson 3600 Block	Paving Only
St. Claude	N Johnson 3600	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	N Johnson 3700	R/R Conc SW 4"	195.00	4.00	86.67	SY	River Side Street	Paving Only
St. Claude	N Johnson 3700	R/R Asph 5.5"	220.00	19.00	464.44	SY	N Johnson 3700 Block	Paving Only
St. Claude	N Johnson 3700	R/R Conc SW 4"	200.00	4.00	88.89	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 3700	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	N Johnson 3800	R/R Asph 5.5"	242.00	19.00	510.89	SY	N Johnson 3800 Block	Paving Only
St. Claude	N Johnson 3800	R/R Conc SW 4"	185.00	4.00	82.22	SY	River Side Street	Paving Only
St. Claude	N Johnson 3800	R/R Conc SW 4"	42.00	4.00	18.67	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 3800	R/R Asph 5.5"	48.00	39.00	208.00	SY	At Intersection	Paving Only
St. Claude	N Johnson 3900	R/R Conc SW 4"	20.00	4.00	8.89	SY	River Side Street	Q2
St. Claude	N Johnson 3900	R/R Asph 5.5"	284.00	20.00	631.11	SY	N Johnson 3900 Block	Q2
St. Claude	N Johnson 3900	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q2
St. Claude	N Johnson 3900	R/R Conc SW 4"	100.00	4.00	44.44	SY	Lake Side Street	Q2
St. Claude	N Johnson 4000	R/R Conc SW 4"	35.00	4.00	15.56	SY	Lake Side Street	Paving Only
St. Claude	N Johnson 4000	R/R Conc SW 4"	105.00	4.00	46.67	SY	River Side Street	Paving Only
St. Claude	N Johnson 4000	R/R Asph 5.5"	268.00	20.00	595.56	SY	N Johnson 4019	Paving Only
St. Claude	N Johnson 4000	R/R Asph 5.5"	48.00	19.50	104.00	SY	At Intersection	Paving Only
St. Claude	N Johnson 4100	R/R Asph 5.5"	75.00	20.00	166.67	SY	N Johnson 4115	Q2
St. Claude	N Johnson 4100	R/R Conc SW 4"	110.00	4.00	48.89	SY	Lake Side Street	Q2
St. Claude	N Johnson 4100	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q2
St. Claude	N Johnson 4100	R/R Asph 5.5"	30.00	10.00	33.33	SY	N Johnson 4100 Block	Q2
St. Claude	N Johnson 4100	R/R Conc SW 4"	89.00	4.00	39.56	SY	River Side Street	Q2
St. Claude	N Johnson 4100	R/R Asph 5.5"	20.00	20.00	44.44	SY	N Johnson 4100 Block	Q2
St. Claude	N Johnson 4200	R/R Asph 5.5"	51.00	20.00	113.33	SY	N Johnson 4217	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Johnson 4200	R/R Asph 5.5"	163.00	20.00	362.22	SY	N Johnson 4200 Block	Q2
St. Claude	N Johnson 4200	R/R Conc SW 4"	257.00	4.00	114.22	SY	River Side Street	Q2
St. Claude	N Johnson 4200	R/R Conc SW 4"	140.00	4.00	62.22	SY	Lake Side Street	Q2
St. Claude	N Miro 2650	R/R Asph 5.5"	222.00	23.00	567.33	SY	N Miro 2600 Block	Q1
St. Claude	N Miro 2650	R/R Conc SW 4"	100.00	4.00	44.44	SY	Lake Side Street	Q1
St. Claude	N Miro 2650	R/R Conc SW 4"	130.00	4.00	57.78	SY	River Side Street	Q1
St. Claude	N Miro 2700	R/R Conc SW 4"	40.00	4.00	17.78	SY	Lake Side Street	Paving Only
St. Claude	N Miro 2700	R/R Conc SW 4"	151.00	4.00	67.11	SY	River Side Street	Paving Only
St. Claude	N Miro 2700	R/R Asph 5.5"	260.00	20.00	577.78	SY	N Miro 2700 Block	Paving Only
St. Claude	N Miro 2700	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ St Ferdinand	Q1
St. Claude	N Prieur 2600	R/R Asph 5.5"	55.00	26.00	158.89	SY	N Prieur 2600 Block	Q1
St. Claude	N Prieur 2700	R/R Conc SW 4"	15.00	4.00	6.67	SY	N Prieur 2700 Block	Q1
St. Claude	N Prieur 2800	R/R Conc SW 4"	95.00	4.00	42.22	SY	River Side Street	Q1
St. Claude	N Prieur 2800	R/R Asph 5.5"	214.00	16.00	380.44	SY	N Prieur 2800 Block	Q1
St. Claude	N Prieur 3000	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Feliciana	Q2
St. Claude	N Prieur 3000	R/R Asph 5.5"	266.00	21.00	620.67	SY	Feliciana to Montegut	Q2
St. Claude	N Prieur 3000	R/R Asph 5.5"	196.00	21.00	457.33	SY	Clouet to Feliciana	Q2
St. Claude	N Prieur 3000	R/R Conc SW 4"	467.00	4.00	207.56	SY	River Side Street	Q2
St. Claude	N Prieur 3000	R/R Conc SW 4"	200.00	4.00	88.89	SY	Lake Side Street	Q2
St. Claude	N Prieur 3000	R/R Conc SW 4"	190.00	4.00	84.44	SY	Lake Side Street	Q2
St. Claude	N Prieur 3000	R/R Asph 5.5"	44.00	28.25	138.11	SY	Intersection @ Montegut	Q2
St. Claude	N Prieur 3100	R/R Asph 5.5"	480.00	21.00	1,120.00	SY	N Prieur 3100 Block	Q2
St. Claude	N Prieur 3100	R/R Conc SW 4"	306.00	4.00	136.00	SY	River Side Street	Q2
St. Claude	N Prieur 3100	R/R Conc SW 4"	300.00	4.00	133.33	SY	Lake Side Street	Q2
St. Claude	N Prieur 3200	R/R Conc SW 4"	110.00	4.00	48.89	SY	Lake Side Street	Q2
St. Claude	N Prieur 3200	R/R Asph 5.5"	236.00	22.00	576.89	SY	N Prieur 3200 Block	Q2
St. Claude	N Prieur 3200	R/R Conc SW 4"	183.00	4.00	81.33	SY	River Side Street	Q2
St. Claude	N Prieur 3300	R/R Asph 5.5"	253.00	22.00	618.44	SY	N Prieur 3318	Paving Only
St. Claude	N Prieur 3300	R/R Conc SW 4"	110.00	4.00	48.89	SY	Lake Side Street	Paving Only

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Prieur 3300	R/R Conc SW 4"	253.00	4.00	112.44	SY	River Side Street	Paving Only
St. Claude	N Prieur 3500	R/R Asph 5.5"	210.00	19.00	443.33	SY	N Prieur 3500 Block	Paving Only
St. Claude	N Prieur 3500	R/R Conc SW 4"	216.00	4.00	96.00	SY	River Side Street	Paving Only
St. Claude	N Prieur 3500	R/R Conc SW 4"	91.00	4.00	40.44	SY	Lake Side Street	Paving Only
St. Claude	N Prieur 3500	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Congress	Paving Only
St. Claude	N Prieur 3600	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	N Prieur 3600	R/R Asph 5.5"	200.00	18.00	400.00	SY	N Prieur 3600 Block	Paving Only
St. Claude	N Prieur 3600	R/R Conc SW 4"	217.00	4.00	96.44	SY	Lake Side Street	Paving Only
St. Claude	N Prieur 3600	R/R Conc SW 4"	85.00	4.00	37.78	SY	River Side Street	Paving Only
St. Claude	N Prieur 3700	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection Pauline	Q2
St. Claude	N Prieur 3700	R/R Conc SW 4"	160.00	4.00	71.11	SY	Lake Side Street	Q2
St. Claude	N Prieur 3700	R/R Asph 5.5"	222.00	18.00	444.00	SY	N Prieur 3700 Block	Q2
St. Claude	N Prieur 3700	R/R Conc SW 4"	228.00	4.00	101.33	SY	River Side Street	Q2
St. Claude	N Prieur 3800	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection Alvar	Q2
St. Claude	N Prieur 3800	R/R Asph 5.5"	244.00	19.00	515.11	SY	N Prieur 3800 Block	Q2
St. Claude	N Prieur 3800	R/R Conc SW 4"	247.00	4.00	109.78	SY	River Side Street	Q2
St. Claude	N Prieur 3800	R/R Conc SW 4"	45.00	4.00	20.00	SY	Lake Side Street	Q2
St. Claude	N Prieur 4100	R/R Conc SW 4"	90.00	4.00	40.00	SY	Lake Side Street	Q2
St. Claude	N Prieur 4100	HC Ramp @ Intersection	12.00	12.00	16.00	SY	At Intersection	Q2
St. Claude	N Prieur 4100	R/R Asph 5.5"	44.00	44.00	215.11	SY	At Intersection	Q2
St. Claude	N Prieur 4100	R/R Asph 5.5"	244.00	19.00	515.11	SY	N Prieur 4300 Block	Q2
St. Claude	N Prieur 4100	R/R Conc SW 4"	55.00	4.00	24.44	SY	River Side Street	Q2
St. Claude	N Prieur 4200	R/R Asph 5.5"	283.00	19.00	597.44	SY	N Prieur 4200 Block	Q2
St. Claude	N Prieur 4200	R/R Conc SW 4"	216.00	4.00	96.00	SY	River Side Street	Q2
St. Claude	N Prieur 4200	R/R Conc SW 4"	100.00	4.00	44.44	SY	Lake Side Street	Q2
St. Claude	N Prieur 4200	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Inters. France	Q2
St. Claude	N Rampart 2900	R/R Conc SW 4"	35.00	4.00	15.56	SY	Lake Side Street	Q1
St. Claude	N Rampart 2900	R/R Conc SW 4"	47.00	4.00	20.89	SY	River Side Street	Q1
St. Claude	N Rampart 2900	R/R Asph 5.5"	25.00	25.00	69.44	SY	N Rampart 2900 Block	Q1
St. Claude	N Rampart 2900	R/R Asph 5.5"	30.00	30.00	100.00	SY	At Intersection	Q1
St. Claude	N Rampart 3000	R/R Conc SW 4"	189.00	4.00	84.00	SY	Lake Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Rampart 3000	R/R Asph 5.5"	50.00	26.50	147.22	SY	At Intersection	Q1
St. Claude	N Rampart 3000	R/R Conc SW 4"	150.00	4.00	66.67	SY	River Side Street	Q1
St. Claude	N Rampart 3000	R/R Asph 5.5"	20.00	25.00	55.56	SY	N Rampart 3000	Q1
St. Claude	N Rampart 3100	R/R Asph 5.5"	40.00	25.00	111.11	SY	N Rampart 3100 Block	Q1G1
St. Claude	N Rampart 3200	R/R Asph 5.5"	40.00	25.00	111.11	SY	N Rampart 3200 Block	Q1
St. Claude	N Rampart 3300	R/R Conc SW 4"	35.00	4.00	15.56	SY	Lake Side Street	Q1
St. Claude	N Rampart 3300	R/R Asph 5.5"	55.00	24.00	146.67	SY	N Rampart 3335	Q1
St. Claude	N Rampart 3500	R/R Conc SW 4"	85.00	4.00	37.78	SY	Lake Side Street	Q1
St. Claude	N Rampart 3500	R/R Conc SW 4"	84.00	4.00	37.33	SY	River Side Street	Q1
St. Claude	N Rampart 3500	R/R Conc Pvmt 8"	42.00	25.00	116.67	SY	N Rampart 3500	Q1
St. Claude	N Rampart 3500	R/R Curb	42.00	0.00	42.00	LF	N Rampart 3510	Q1
St. Claude	N Rampart 3500	R/R Conc Pvmt 8"	30.00	25.00	83.33	SY	N Rampart 3512	Q1
St. Claude	N Rampart 3600	R/R Asph 5.5"	50.00	41.25	229.17	SY	At Intersection	Q1
St. Claude	N Rampart 3600	R/R Asph 5.5"	20.00	25.00	55.56	SY	N Rampart 3624	Q1
St. Claude	N Rampart 3600	R/R Conc SW 4"	30.00	4.00	13.33	SY	Lake Side Street	Q1
St. Claude	N Rampart 3700	R/R Conc Pvmt 8"	50.00	25.00	138.89	SY	N Rampart 3708	Q1
St. Claude	N Rampart 3700	R/R Conc SW 4"	50.00	4.00	22.22	SY	Lake Side Street	Q1
St. Claude	N Rampart 3700	R/R Curb	25.00	0.00	25.00	LF	N Rampart 3708	Q1
St. Claude	N Rampart 3700	R/R Asph 5.5"	50.00	41.25	229.17	SY	At Intersection	Q1
St. Claude	N Rampart 3700	R/R Conc DW 6"	21.00	9.00	21.00	SY	N Rampart 3708	Q1
St. Claude	N Rampart 3700	R/R Conc SW 4"	50.00	4.00	22.22	SY	River Side Street	Q1
St. Claude	N Rampart 3800	R/R Conc SW 4"	128.00	4.00	56.89	SY	Lake Side Street	Q1
St. Claude	N Rampart 3800	R/R Asph 5.5"	238.00	12.00	317.33	SY	N Rampart 3800 Block	Q1
St. Claude	N Rampart 3800	R/R Asph 5.5"	50.00	41.25	229.17	SY	N Rampart 3800 Block	Q1
St. Claude	N Rampart 3800	HC Ramp @ Intersection	12.00	12.00	16.00	SY	At School Side	Q1
St. Claude	N Rampart 3800	HC Ramp @ Intersection	12.00	12.00	16.00	SY	At School Side	Q1
St. Claude	N Rampart 3900	R/R Asph 5.5"	30.00	35.00	116.67	SY	N Rampart 3900 Block	Q1
St. Claude	N Rampart 3900	R/R Conc SW 4"	9.00	8.00	8.00	SY	N Rampart 3901	Q1
St. Claude	N Rampart 4300	R/R Conc SW 4"	25.00	4.00	11.11	SY	Lake Side Street	Q1
St. Claude	N Rampart 4300	R/R Conc SW 4"	80.00	4.00	35.56	SY	River Side Street	Q1
St. Claude	N Rocheblave 2850	R/R Conc SW 4"	235.00	4.00	104.44	SY	River Side Street	Paving Only
St. Claude	N Rocheblave 2850	R/R Asph 5.5"	251.00	21.00	585.67	SY	N Rocheblave 2800	Paving Only
St. Claude	N Rocheblave 2850	R/R Conc SW 4"	143.00	4.00	63.56	SY	Lake Side Street	Paving Only

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Rocheblave 2900	R/R Asph 5.5"	299.00	16.00	531.56	SY	N Rocheblave 2900 Block	Paving Only
St. Claude	N Rocheblave 2900	R/R Curb	24.00	0.00	24.00	LF	N Rocheblave 2900 Block	Paving Only
St. Claude	N Rocheblave 2900	R/R Conc SW 4"	42.00	4.00	18.67	SY	River Side Street	Paving Only
St. Claude	N Rocheblave 2900	R/R Conc SW 4"	142.00	4.00	63.11	SY	Lake Side Street	Paving Only
St. Claude	N Roman 2600	R/R Asph 5.5"	262.00	25.00	727.78	SY	N Roman 2600 Block	Paving Only
St. Claude	N Roman 2600	R/R Conc SW 4"	25.00	4.00	11.11	SY	River Side Street	Paving Only
St. Claude	N Roman 2700	R/R Asph 5.5"	44.00	44.00	215.11	SY	Intersection @ Port St	Q1
St. Claude	N Roman 2700	R/R Asph 5.5"	268.00	18.00	536.00	SY	N Roman 2700 Block	Q1
St. Claude	N Roman 2700	R/R Conc SW 4"	25.00	4.00	11.11	SY	River Side Street	Q1
St. Claude	N Roman 2700	R/R Conc SW 4"	135.00	4.00	60.00	SY	Lake Side Street	Q1
St. Claude	N Roman 2800	R/R Conc SW 4"	60.00	4.00	26.67	SY	Lake Side Street	Q1
St. Claude	N Roman 2800	R/R Asph 5.5"	230.00	16.00	408.89	SY	N Roman 2800 Block	Q1
St. Claude	N Roman 2800	R/R Asph 5.5"	42.00	31.75	148.17	SY	Intersection @ St Ferdinand	Q1
St. Claude	N Roman 3000	R/R Asph 5.5"	25.00	10.00	27.78	SY	N Roman 3000 Block	Q2
St. Claude	N Roman 3000	R/R Conc SW 4"	120.00	4.00	53.33	SY	River Side Street	Q2
St. Claude	N Roman 3000	R/R Conc SW 4"	40.00	4.00	17.78	SY	Lake Side Street	Q2
St. Claude	N Roman 3000	R/R Conc SW 4"	66.00	4.00	29.33	SY	River Side Street	Q2
St. Claude	N Roman 3000	R/R Asph 5.5"	56.00	20.00	124.44	SY	N Roman 3000 Block	Q2
St. Claude	N Roman 3000	R/R Conc SW 4"	236.00	4.00	104.89	SY	Lake Side Street	Q2
St. Claude	N Roman 3000	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Feliciana	Q2
St. Claude	N Roman 3000	R/R Asph 5.5"	109.00	18.00	218.00	SY	Montegut to Feliciana	Q2
St. Claude	N Roman 3000	R/R Asph 5.5"	50.00	18.00	100.00	SY	Montegut to Feliciana	Q2
St. Claude	N Roman 3100	R/R Conc SW 4"	180.00	4.00	80.00	SY	River Side Street	Q2
St. Claude	N Roman 3100	R/R Conc SW 4"	145.00	4.00	64.44	SY	Lake Side Street	Q2
St. Claude	N Roman 3100	R/R Asph 5.5"	25.00	10.00	27.78	SY	N Roman 3100 Block	Q2
St. Claude	N Roman 3100	R/R Asph 5.5"	73.00	20.00	162.22	SY	N Roman 3100 Block	Q2
St. Claude	N Roman 3200	R/R Conc SW 4"	90.00	4.00	40.00	SY	River Side Street	Q2
St. Claude	N Roman 3200	R/R Asph 5.5"	114.00	20.00	253.33	SY	N Roman 3200	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Roman 3200	R/R Conc SW 4"	35.00	4.00	15.56	SY	Lake Side Street	Q2
St. Claude	N Roman 3300	R/R Asph 5.5"	90.00	21.00	210.00	SY	N Roman 3300 Block	Q2
St. Claude	N Roman 3300	R/R Conc SW 4"	168.00	4.00	74.67	SY	River Side Street	Q2
St. Claude	N Roman 3300	R/R Conc SW 4"	240.00	4.00	106.67	SY	Lake Side Street	Q2
St. Claude	N Roman 3400	R/R Asph 5.5"	100.00	20.00	222.22	SY	N Roman 3400 Block	Q2
St. Claude	N Roman 3400	R/R Conc SW 4"	110.00	4.00	48.89	SY	Lake Side Street	Q2
St. Claude	N Roman 3500	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	N Roman 3500	R/R Asph 5.5"	217.00	20.00	482.22	SY	N Roman 3500 Block	Paving Only
St. Claude	N Roman 3500	R/R Conc SW 4"	10.00	4.00	4.44	SY	River Side Street	Paving Only
St. Claude	N Roman 3500	R/R Conc SW 4"	135.00	4.00	60.00	SY	Lake Side Street	Paving Only
St. Claude	N Roman 3600	R/R Asph 5.5"	34.00	20.00	75.56	SY	N Roman 3600 Block	Q2
St. Claude	N Roman 3600	R/R Conc SW 4"	98.00	4.00	43.56	SY	River Side Street	Q2
St. Claude	N Roman 3600	R/R Asph 5.5"	75.00	20.00	166.67	SY	N Roman 3600 Block	Q2
St. Claude	N Roman 3600	R/R Conc SW 4"	20.00	4.00	8.89	SY	Lake Side Street	Q2
St. Claude	N Roman 3600	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Independence	Q2
St. Claude	N Roman 3700	R/R Asph 5.5"	100.00	10.00	111.11	SY	N Roman 3700 Block	Q2
St. Claude	N Roman 3700	R/R Conc SW 4"	135.00	4.00	60.00	SY	River Side Street	Q2
St. Claude	N Roman 3700	R/R Asph 5.5"	50.00	20.00	111.11	SY	N Roman 3700 Block	Q2
St. Claude	N Roman 3700	R/R Asph 5.5"	44.00	34.25	167.44	SY	Intersection @ Pauline	Q2
St. Claude	N Roman 3700	R/R Conc SW 4"	55.00	4.00	24.44	SY	Lake Side Street	Q2
St. Claude	N Roman 3800	R/R Conc SW 4"	82.00	4.00	36.44	SY	River Side Street	Paving Only
St. Claude	N Roman 3800	R/R Conc SW 4"	82.00	4.00	36.44	SY	Lake Side Street	Paving Only
St. Claude	N Roman 3800	R/R Asph 5.5"	242.00	20.00	537.78	SY	N Roman 3800 Block	Paving Only
St. Claude	N Roman 3800	R/R Asph 5.5"	48.00	39.00	208.00	SY	Intersection @ Alvar	Paving Only
St. Claude	N Roman 3900	R/R Asph 5.5"	48.00	19.50	104.00	SY	Intersection @ Bartholomew	Q2
St. Claude	N Roman 3900	R/R Conc SW 4"	66.00	4.00	29.33	SY	River Side Street	Q2
St. Claude	N Roman 3900	R/R Asph 5.5"	269.00	20.00	597.78	SY	Lake Side Street	Q2
St. Claude	N Roman 4000	R/R Conc SW 4"	100.00	4.00	44.44	SY	River Side Street	Q2
St. Claude	N Roman 4000	R/R Asph 5.5"	270.00	20.00	600.00	SY	N Roman 4000 Block	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Roman 4000	R/R Asph 5.5"	48.00	39.00	208.00	SY	At Intersection	Q2
St. Claude	N Roman 4000	R/R Conc SW 4"	70.00	4.00	31.11	SY	Lake Side Street	Q2
St. Claude	N Roman 4100	R/R Conc SW 4"	15.00	4.00	6.67	SY	River Side Street	Q2
St. Claude	N Roman 4100	R/R Asph 5.5"	248.00	20.00	551.11	SY	N Roman 4100 Block	Q2
St. Claude	N Roman 4100	R/R Conc SW 4"	140.00	4.00	62.22	SY	Lake Side Street	Q2
St. Claude	N Roman 4200	R/R Asph 5.5"	285.00	20.00	633.33	SY	N Roman 4200 Block	Q2
St. Claude	N Roman 4200	R/R Asph 5.5"	48.00	39.00	208.00	SY	At Intersection	Q2
St. Claude	N Roman 4200	HC Ramp @ Intersection	12.00	12.00	16.00	SY	At Intersection	Q2
St. Claude	N Roman 4200	HC Ramp @ Intersection	12.00	12.00	16.00	SY	At Intersection	Q2
St. Claude	N Roman 4200	HC Ramp @ Intersection	12.00	12.00	16.00	SY	At Intersection	Q2
St. Claude	N Roman 4200	R/R Conc SW 4"	200.00	4.00	88.89	SY	River Side Street	Q2
St. Claude	N Roman 4200	R/R Conc SW 4"	140.00	4.00	62.22	SY	Lake Side Street	Q2
St. Claude	N Roman 4300	R/R Conc SW 4"	65.00	4.00	28.89	SY	Lake Side Street	Q2
St. Claude	N Roman 4300	R/R Conc SW 4"	20.00	4.00	8.89	SY	River Side Street	Q2
St. Claude	N Tonti 2750	R/R Conc SW 4"	96.00	4.00	42.67	SY	Lake Side Street	Q1
St. Claude	N Tonti 2750	R/R Conc SW 4"	40.00	4.00	17.78	SY	River Side Street	Q1
St. Claude	N Tonti 2800	R/R Conc SW 4"	37.00	4.00	16.44	SY	Lake Side Street	Q1
St. Claude	N Tonti 2800	R/R Conc SW 4"	20.00	4.00	8.89	SY	River Side Street	Q1
St. Claude	N Villere 2600	R/R Conc DW 6"	10.00	8.00	8.89	SY	N Villere 2622	Q1G1
St. Claude	N Villere 2600	R/R Asph 5.5"	277.00	22.00	677.11	SY	N Villere 2600 Block	Q1G1
St. Claude	N Villere 2600	R/R Asph 5.5"	60.00	22.00	146.67	SY	N Villere 2600 Block	Q1G1
St. Claude	N Villere 2600	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	N Villere 2600	R/R Conc SW 4"	18.00	4.00	8.00	SY	N Villere 2622	Q1G1
St. Claude	N Villere 2600	R/R Conc SW 4"	29.00	5.00	16.11	SY	N Villere 2632	Q1G1
St. Claude	N Villere 2600	R/R Conc SW 4"	29.00	4.00	12.89	SY	N Villere 2628	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	17.00	6.00	11.33	SY	N Villere 2708	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	21.00	6.00	14.00	SY	N Villere 2704	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	28.00	6.00	18.67	SY	N Villere 2713	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	19.00	10.00	21.11	SY	N Villere 2715	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	13.00	10.00	14.44	SY	N Villere 2715	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	73.00	12.00	97.33	SY	N Villere 2727	Q1G1
St. Claude	N Villere 2700	R/R Asph 5.5"	308.00	22.00	752.89	SY	N Villere 2700 Block	Q1G1
St. Claude	N Villere 2700	R/R Conc DW 6"	19.00	12.00	25.33	SY	N Villere 2704	Q1G1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Villere 2700	R/R Asph 5.5"	44.00	28.25	138.11	SY	N Villere 2700 Block	Q1G1
St. Claude	N Villere 2700	R/R Asph 5.5"	265.00	22.00	647.78	SY	N Villere 2700 Block	Q1G1
St. Claude	N Villere 2700	R/R Conc DW 6"	13.00	10.00	14.44	SY	N Villere 2713	Q1G1
St. Claude	N Villere 2700	R/R Conc DW 6"	13.00	12.00	17.33	SY	N Villere 2719	Q1G1
St. Claude	N Villere 2700	R/R Conc DW 6"	16.00	11.00	19.56	SY	N Villere 2727	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	45.00	4.00	20.00	SY	Opposite Levee Side Street	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	100.00	4.00	44.44	SY	Levee Side Street	Q1G1
St. Claude	N Villere 2700	R/R Conc SW 4"	77.00	10.00	85.56	SY	N Villere 2704	Q1G1
St. Claude	N Villere 2800	R/R Asph 5.5"	303.00	20.00	673.33	SY	N Villere 2800 Block	Q1G1
St. Claude	N Villere 2900	R/R Conc SW 4"	120.00	4.00	53.33	SY	Opposite Levee Side Street	Q1G1
St. Claude	N Villere 2900	R/R Conc SW 4"	120.00	4.00	53.33	SY	Levee Side Street	Q1G1
St. Claude	N Villere 2900	R/R Asph 5.5"	215.00	21.00	501.67	SY	N Villere 2900 Block	Q1G1
St. Claude	N Villere 3000	R/R Conc SW 4"	20.00	4.00	8.89	SY	N Villere 3058	Q1G1
St. Claude	N Villere 3000	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection @ Feliciana	Q1G1
St. Claude	N Villere 3000	R/R Conc SW 4"	140.00	4.00	62.22	SY	Opposite Levee Side Street	Q1G1
St. Claude	N Villere 3000	R/R Asph 5.5"	70.00	24.00	186.67	SY	N Villere 3000 Block	Q1G1
St. Claude	N Villere 3000	R/R Conc SW 4"	140.00	4.00	62.22	SY	Levee Side Street	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	28.00	5.00	15.56	SY	N Villere 3154	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	170.00	4.00	75.56	SY	N Villere 3100	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	65.00	7.00	50.56	SY	N Villere 3146	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	33.00	7.00	25.67	SY	N Villere 3143	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	34.00	4.00	15.11	SY	N Villere 3158	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	30.00	4.00	13.33	SY	N Villere 3127	Q1G1
St. Claude	N Villere 3100	R/R Curb	128.00	0.00	128.00	LF	N Villere 3100	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	104.00	4.00	46.22	SY	Levee Side Street	Q1G1
St. Claude	N Villere 3100	R/R Conc DW 6"	14.00	10.00	15.56	SY	N Villere 3100	Q1G1
St. Claude	N Villere 3100	R/R Conc SW 4"	418.00	4.00	185.78	SY	Opposite Levee Side Street	Q1G1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Villere 3100	R/R Asph 5.5"	20.00	25.00	55.56	SY	N Villere 3100 Block	Q1G1
St. Claude	N Villere 3200	R/R Asph 5.5"	50.00	38.50	213.89	SY	At Intersection	Paving Only
St. Claude	N Villere 3200	R/R Asph 5.5"	239.00	18.00	478.00	SY	N Villere 3200 Block	Paving Only
St. Claude	N Villere 3300	R/R Asph 5.5"	48.00	39.00	208.00	SY	At Intersection	Paving Only
St. Claude	N Villere 3300	R/R Asph 5.5"	309.00	18.00	618.00	SY	N Villere 3300 Block	Paving Only
St. Claude	N Villere 3300	R/R Conc SW 4"	30.00	4.00	13.33	SY	Opposite Levee Side Street	Paving Only
St. Claude	N Villere 3400	R/R Asph 5.5"	260.00	18.00	520.00	SY	N Villere 3400 Block	Paving Only
St. Claude	N Villere 3400	R/R Conc SW 4"	220.00	4.00	97.78	SY	Opposite Levee Side Street	Paving Only
St. Claude	N Villere 3400	R/R Conc SW 4"	220.00	4.00	97.78	SY	Levee Side Street	Paving Only
St. Claude	N Villere 3500	R/R Conc SW 4"	235.00	4.00	104.44	SY	N Villere 3500 Block	Q1
St. Claude	N Villere 3600	R/R Asph 5.5"	125.00	20.00	277.78	SY	N Villere 3618	Paving Only
St. Claude	N Villere 3600	R/R Asph 5.5"	95.00	14.00	147.78	SY	N Villere 3618	Paving Only
St. Claude	N Villere 3600	R/R Conc SW 4"	68.00	4.00	30.22	SY	N Villere 3618	Paving Only
St. Claude	N Villere 3600	R/R Conc DW 6"	44.00	8.00	39.11	SY	N Villere 3618	Paving Only
St. Claude	N Villere 3700	R/R Conc SW 4"	40.00	4.00	17.78	SY	Levee Side Street	Paving Only
St. Claude	N Villere 3700	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	N Villere 3700	R/R Conc SW 4"	45.00	4.00	20.00	SY	Opposite Levee Side Street	Paving Only
St. Claude	N Villere 3700	R/R Asph 5.5"	230.00	20.00	511.11	SY	N Villere 3700 Block	Paving Only
St. Claude	N Villere 3800	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Levee Side Street	Paving Only
St. Claude	N Villere 3800	R/R Asph 5.5"	48.00	39.00	208.00	SY	At Intersection	Paving Only
St. Claude	N Villere 3800	R/R Conc SW 4"	110.00	4.00	48.89	SY	Levee Side Street	Paving Only
St. Claude	N Villere 3800	R/R Asph 5.5"	224.00	18.00	448.00	SY	N Villere 3800 Block	Paving Only
St. Claude	N Villere 3900	R/R Conc SW 4"	75.00	4.00	33.33	SY	Levee Side Street	Paving Only
St. Claude	N Villere 3900	R/R Asph 5.5"	275.00	18.00	550.00	SY	N Villere 3900 Block	Paving Only
St. Claude	N Villere 3900	R/R Conc SW 4"	200.00	4.00	88.89	SY	Opposite Levee Side Street	Paving Only

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	N Villere 3900	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	N Villere 4000	R/R Asph 5.5"	130.00	11.00	158.89	SY	N Villere 4000 Block	Q1
St. Claude	N Villere 4000	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	N Villere 4000	R/R Asph 5.5"	14.00	14.00	21.78	SY	N Villere 4000 Block	Q1
St. Claude	N Villere 4000	R/R Conc SW 4"	78.00	5.00	43.33	SY	N Villere 4039	Q1
St. Claude	N Villere 4000	R/R Conc SW 4"	70.00	4.00	31.11	SY	N Villere 4014	Q1
St. Claude	N Villere 4000	R/R Conc SW 4"	90.00	4.00	40.00	SY	N Villere 4000	Q1
St. Claude	N Villere 4100	R/R Conc SW 4"	30.00	4.00	13.33	SY	Opposite Levee Side Street	Q1
St. Claude	N Villere 4100	R/R Conc SW 4"	30.00	4.00	13.33	SY	Levee Side Street	Q1
St. Claude	N Villere 4100	R/R Asph 5.5"	50.00	20.00	111.11	SY	N Villere 4100 Block	Q1
St. Claude	N Villere 4100	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	N Villere 4100	R/R Asph 5.5"	30.00	10.00	33.33	SY	N Villere 4100 Block	Q1
St. Claude	N Villere 4100	R/R Asph 5.5"	30.00	10.00	33.33	SY	N Villere 4100 Block	Q1
St. Claude	N Villere 4200	R/R Conc SW 4"	96.00	4.00	42.67	SY	N Villere 4201	Q1
St. Claude	N Villere 4200	R/R Conc SW 4"	115.00	4.00	51.11	SY	N Villere 4237	Q1
St. Claude	N Villere 4200	R/R Conc SW 4"	70.00	4.00	31.11	SY	N Villere 4237	Q1
St. Claude	N Villere 4200	R/R Conc Pvmt 8"	53.00	20.00	117.78	SY	N Villere 4200	Q1
St. Claude	N Villere 4300	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Levee Side Street	Q1
St. Claude	N Villere 4300	R/R Conc SW 4"	137.00	4.00	60.89	SY	Levee Side Street	Q1
St. Claude	N Villere 4300	R/R Asph 5.5"	237.00	20.00	526.67	SY	N Villere 4300 Block	Q1
St. Claude	Pauline 0900	R/R Asph 5.5"	15.00	20.00	33.33	SY	Pauline 0900 Block	Q1
St. Claude	Pauline 0900	R/R Conc SW 4"	120.00	4.00	53.33	SY	Opposite Canal Side Street	Q1
St. Claude	Pauline 0900	R/R Conc SW 4"	140.00	4.00	62.22	SY	Canal Side Street	Q1
St. Claude	Pauline 1000	R/R Conc SW 4"	99.00	4.00	44.00	SY	Canal Side Street	Q1
St. Claude	Pauline 1000	R/R Conc SW 4"	100.00	4.00	44.44	SY	Opposite Canal Side Street	Q1
St. Claude	Pauline 1100	R/R Conc SW 4"	58.00	4.00	25.78	SY	Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Pauline 1100	R/R Conc SW 4"	100.00	4.00	44.44	SY	Opposite Canal Side Street	Q1
St. Claude	Pauline 1200	R/R Conc SW 4"	32.00	4.00	14.22	SY	Opposite Canal Side Street	Q1
St. Claude	Pauline 1200	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q1
St. Claude	Pauline 1200	R/R Asph 5.5"	20.00	20.00	44.44	SY	Pauline 1218	Q1
St. Claude	Pauline 1200	R/R Conc DW 6"	12.00	6.00	8.00	SY	Pauline 1222	Q1
St. Claude	Pauline 1200	R/R Conc DW 6"	12.00	9.00	12.00	SY	Pauline 1222	Q1
St. Claude	Pauline 1200	R/R Asph 5.5"	35.00	20.00	77.78	SY	Pauline 1220	Q1
St. Claude	Pauline 1300	R/R Conc DW 6"	12.00	9.00	12.00	SY	Pauline 1342	Q1
St. Claude	Pauline 1300	R/R Conc SW 4"	227.00	4.00	100.89	SY	Opposite Canal Side Street	Q1
St. Claude	Pauline 1300	R/R Asph 5.5"	55.00	18.00	110.00	SY	Pauline 1300 Block	Q1
St. Claude	Pauline 1300	R/R Conc SW 4"	113.00	4.00	50.22	SY	Canal Side Street	Q1
St. Claude	Pauline 1400	R/R Asph 5.5"	35.00	20.00	77.78	SY	Pauline 1442	Q1
St. Claude	Pauline 1400	R/R Conc SW 4"	111.00	4.00	49.33	SY	Opposite Canal Side Street	Q1
St. Claude	Pauline 1400	R/R Conc SW 4"	82.00	4.00	36.44	SY	Canal Side Street	Q1
St. Claude	Pauline 1500	R/R Conc SW 4"	82.00	4.00	36.44	SY	Opposite Canal Side Street	Q2
St. Claude	Pauline 1500	R/R Asph 5.5"	44.00	20.00	97.78	SY	Pauline 1500 Block	Q2
St. Claude	Pauline 1500	R/R Asph 5.5"	26.00	22.00	63.56	SY	Pauline 1500 Block	Q2
St. Claude	Pauline 1500	R/R Conc SW 4"	119.00	4.00	52.89	SY	Canal Side Street	Q2
St. Claude	Pauline 1600	R/R Asph 5.5"	30.00	22.00	73.33	SY	Pauline 1600 Block	Q2
St. Claude	Pauline 1600	R/R Asph 5.5"	85.00	22.00	207.78	SY	Pauline 1600 Block	Q2
St. Claude	Pauline 1600	R/R Conc SW 4"	158.00	4.00	70.22	SY	Opposite Canal Side Street	Q2
St. Claude	Pauline 1600	R/R Asph 5.5"	25.00	22.00	61.11	SY	Pauline 1600 Block	Q2
St. Claude	Pauline 1600	R/R Conc SW 4"	32.00	4.00	14.22	SY	Canal Side Street	Q2
St. Claude	Pauline 1700	R/R Conc DW 6"	12.00	8.00	10.67	SY	Pauline 1700 Block	Q2

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Pauline 1700	R/R Conc SW 4"	246.00	4.00	109.33	SY	Opposite Canal Side Street	Q2
St. Claude	Pauline 1700	R/R Conc SW 4"	62.00	4.00	27.56	SY	Canal Side Street	Q2
St. Claude	Pauline 1700	R/R Asph 5.5"	35.00	22.00	85.56	SY	Pauline 1700 Block	Q2
St. Claude	Pauline 1700	R/R Asph 5.5"	20.00	22.00	48.89	SY	Pauline 1700 Block	Q2
St. Claude	Pauline 1700	R/R Asph 5.5"	20.00	22.00	48.89	SY	Pauline 1700 Block	Q2
St. Claude	Pauline 1800	R/R Conc SW 4"	193.00	4.00	85.78	SY	Opposite Canal Side Street	Q2
St. Claude	Pauline 1800	R/R Conc SW 4"	190.00	4.00	84.44	SY	Canal Side Street	Q2
St. Claude	Pauline 1800	R/R Asph 5.5"	35.00	22.00	85.56	SY	Pauline 1800 Block	Q2
St. Claude	Pauline 1800	R/R Asph 5.5"	20.00	22.00	48.89	SY	Pauline 1800 Block	Q2
St. Claude	Pauline 1800	R/R Asph 5.5"	88.00	11.00	107.56	SY	Pauline 1800 Block	Q2
St. Claude	Pauline 1900	R/R Conc SW 4"	207.00	4.00	92.00	SY	Opposite Canal Side Street	Paving Only
St. Claude	Pauline 1900	R/R Conc SW 4"	92.00	4.00	40.89	SY	Canal Side Street	Paving Only
St. Claude	Pauline 1900	R/R Asph 5.5"	347.00	22.00	848.22	SY	Pauline 1900 Block	Paving Only
St. Claude	Pauline 2000	R/R Asph 5.5"	302.00	23.00	771.78	SY	Pauline 2000 Blk	Paving Only
St. Claude	Pauline 2000	R/R Conc SW 4"	280.00	4.00	124.44	SY	Opposite Canal Side Street	Paving Only
St. Claude	Pauline 2000	R/R Conc SW 4"	148.00	4.00	65.78	SY	Canal Side Street	Paving Only
St. Claude	Port 1100	R/R Asph 5.5"	237.00	18.00	474.00	SY	Port 1100 Block	Q1G1
St. Claude	Port 1200	R/R Asph 5.5"	20.00	18.00	40.00	SY	Port 1200 Block	Q1G1
St. Claude	Port 1200	R/R Asph 5.5"	30.00	18.00	60.00	SY	Port 1200 Block	Q1G1
St. Claude	Port 1200	R/R Asph 5.5"	135.00	18.00	270.00	SY	Port 1200 Block	Q1G1
St. Claude	Port 1200	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Q1G1
St. Claude	Port 1200	R/R Asph 5.5"	30.00	10.00	33.33	SY	Port 1200 Block	Q1G1
St. Claude	Port 1300	R/R Conc SW 4"	180.00	4.00	80.00	SY	Opposite Canal Side Street	Q1G1
St. Claude	Port 1300	R/R Asph 5.5"	40.00	9.00	40.00	SY	Port 1300 Block	Q1G1
St. Claude	Port 1300	R/R Asph 5.5"	94.00	18.00	188.00	SY	Port 1300 Block	Q1G1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Port 1300	R/R Conc SW 4"	36.00	4.00	16.00	SY	Canal Side Street	Q1G1
St. Claude	Port 1400	R/R Conc SW 4"	40.00	4.00	17.78	SY	Opposite Canal Side Street	Q1G1
St. Claude	Port 1400	R/R Conc SW 4"	40.00	4.00	17.78	SY	Canal Side Street	Q1G1
St. Claude	Port 1400	R/R Asph 5.5"	311.00	19.00	656.56	SY	Port 1400 Block	Q1G1
St. Claude	Port 1500	R/R Asph 5.5"	306.00	18.00	612.00	SY	Port 1500 Block	Q1G1
St. Claude	Port 1500	R/R Conc SW 4"	40.00	4.00	17.78	SY	Canal Side Street	Q1G1
St. Claude	Port 1500	R/R Conc SW 4"	120.00	4.00	53.33	SY	Opposite Canal Side Street	Q1G1
St. Claude	Port 1600	R/R Asph 5.5"	316.00	20.00	702.22	SY	Port 1700 Block	Q1
St. Claude	Port 1600	R/R Conc SW 4"	185.00	4.00	82.22	SY	Canal Side Street	Q1
St. Claude	Port 1600	R/R Conc SW 4"	174.00	4.00	77.33	SY	Opposite Canal Side Street	Q1
St. Claude	Port 1700	R/R Conc SW 4"	101.00	4.00	44.89	SY	Opposite Canal Side Street	Q1
St. Claude	Port 1700	R/R Conc SW 4"	160.00	4.00	71.11	SY	Canal Side Street	Q1
St. Claude	Port 1700	R/R Asph 5.5"	343.00	19.00	724.11	SY	Port 1700 Block	Q1
St. Claude	Port 1800	R/R Asph 5.5"	311.00	19.00	656.56	SY	Port 1800 Block	Q1
St. Claude	Port 1800	R/R Conc SW 4"	135.00	4.00	60.00	SY	Canal Side Street	Q1
St. Claude	Port 1900	R/R Conc SW 4"	123.00	4.00	54.67	SY	Opposite Canal Side Street	Paving Only
St. Claude	Port 1900	R/R Conc SW 4"	52.00	4.00	23.11	SY	Canal Side Street	Paving Only
St. Claude	Port 1900	R/R Asph 5.5"	316.00	19.00	667.11	SY	Port 1900 Block	Paving Only
St. Claude	Port 2000	R/R Conc SW 4"	246.00	4.00	109.33	SY	Canal Side Street	Q1
St. Claude	Port 2000	R/R Conc SW 4"	150.00	4.00	66.67	SY	Opposite Canal Side Street	Q1
St. Claude	Port 2000	R/R Asph 5.5"	348.00	19.00	734.67	SY	Port 2000 Block	Q1
St. Claude	Port 2100	R/R Asph 5.5"	315.00	19.00	665.00	SY	Port 2100 Block	Q1
St. Claude	Port 2100	R/R Conc SW 4"	255.00	4.00	113.33	SY	Canal Side Street	Q1
St. Claude	Port 2100	R/R Conc SW 4"	102.00	4.00	45.33	SY	Opposite Canal Side Street	Q1
St. Claude	Port 2200	R/R Conc SW 4"	46.00	4.00	20.44	SY	Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Port 2200	R/R Conc SW 4"	41.00	4.00	18.22	SY	Opposite Canal Side Street	Q1
St. Claude	Port 2200	R/R Curb	30.00	0.00	30.00	LF	Port 2209	Q1
St. Claude	Port 2300	R/R Conc Pvmt 8"	20.00	12.00	26.67	SY	Port 2300 Block	Q1
St. Claude	Port 2300	R/R Conc Pvmt 8"	140.00	24.00	373.33	SY	Port 2315	Q1
St. Claude	Port 2300	R/R Conc SW 4"	10.00	4.00	4.44	SY	Opposite Canal Side Street	Q1
St. Claude	Port 2300	R/R Conc SW 4"	150.00	4.00	66.67	SY	Canal Side Street	Q1
St. Claude	Port 2300	R/R Curb	160.00	0.00	160.00	LF	Port 2315	Q1
St. Claude	Port 2400	R/R Conc SW 4"	12.00	4.00	5.33	SY	Canal Side Street	Q1
St. Claude	Port 2400	R/R Conc SW 4"	38.00	4.00	16.89	SY	Opposite Canal Side Street	Q1
St. Claude	Port 2500	R/R Conc SW 4"	78.00	4.00	34.67	SY	Opposite Canal Side Street	Q1
St. Claude	Port 2500	R/R Conc SW 4"	75.00	4.00	33.33	SY	Canal Side Street	Q1
St. Claude	Port 2500	R/R Curb	78.00	0.00	78.00	LF	Port 2542	Q1
St. Claude	Port 2600	R/R Asph 5.5"	363.00	18.00	726.00	SY	Port 2600 Block	Q1
St. Claude	Press 1100	R/R Asph 5.5"	250.00	25.00	694.44	SY	Press 1100 Block	Q1G1
St. Claude	Press 1100	R/R Asph 5.5"	50.00	35.75	198.61	SY	Intersection @ Marais	Q1G1
St. Claude	Press 1200	R/R Asph 5.5"	360.00	25.00	1,000.00	SY	Press 1100 Block	Q1G1
St. Claude	Press 1200	R/R Asph 5.5"	50.00	35.75	198.61	SY	Intersection	Q1G1
St. Claude	Press 1300	R/R Asph 5.5"	130.00	20.00	288.89	SY	Press 1300 Block	Q1G1
St. Claude	S Bunnyfriend 3400	R/R Asph 5.5"	50.00	10.00	55.56	SY	S Bunnyfriend 3400 Block	Q2
St. Claude	S Bunnyfriend 3400	R/R Asph 5.5"	60.00	20.00	133.33	SY	S Bunnyfriend 3400 Block	Q2
St. Claude	S Bunnyfriend 3400	R/R Conc SW 4"	20.00	4.00	8.89	SY	Lake Side Street	Q2
St. Claude	S Bunnyfriend 3400	R/R Conc SW 4"	100.00	4.00	44.44	SY	River Side Street	Q2
St. Claude	St Ferdinand 1100	R/R Conc Pvmt 8"	25.00	20.00	55.56	SY	St Ferdinand 1100 Block	Q1G1
St. Claude	St Ferdinand 1100	R/R Conc SW 4"	8.00	4.00	3.56	SY	Opposite Canal Side Street	Q1G1
St. Claude	St Ferdinand 1100	R/R Conc SW 4"	8.00	4.00	3.56	SY	Canal Side Street	Q1G1
St. Claude	St Ferdinand 1100	R/R Curb	10.00	0.00	10.00	LF	St Ferdinand 1100 Block	Q1G1
St. Claude	St Ferdinand 1100	R/R Curb	10.00	0.00	10.00	LF	St Ferdinand 1100 Block	Q1G1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	St Ferdinand 1200	R/R Conc Pvmt 8"	25.00	25.00	69.44	SY	St Ferdinand 1200 Block	Q1G1
St. Claude	St Ferdinand 1200	R/R Conc SW 4"	30.00	4.00	13.33	SY	Opposite Canal Side Street	Q1G1
St. Claude	St Ferdinand 1200	R/R Conc Pvmt 8"	25.00	15.00	41.67	SY	St Ferdinand 1200 Block	Q1G1
St. Claude	St Ferdinand 1300	R/R Conc SW 4"	118.00	4.00	52.44	SY	Opposite Canal Side Street	Q1G1
St. Claude	St Ferdinand 1300	R/R Asph 5.5"	60.00	19.00	126.67	SY	St Ferdinand 1300 Block	Q1G1
St. Claude	St Ferdinand 1400	R/R Conc SW 4"	140.00	4.00	62.22	SY	Opposite Canal Side Street	Q1G1
St. Claude	St Ferdinand 1400	R/R Asph 5.5"	350.00	19.00	738.89	SY	St Ferdinand 1400 Block	Q1G1
St. Claude	St Ferdinand 1500	R/R Conc SW 4"	150.00	4.00	66.67	SY	Opposite Canal Side Street	Q1G1
St. Claude	St Ferdinand 1500	R/R Asph 5.5"	291.00	19.00	614.33	SY	St Ferdinand 1500 Block	Q1G1
St. Claude	Urquhart 2600	R/R Asph 5.5"	260.00	19.00	548.89	SY	Urquhart 2615	Q1G1
St. Claude	Urquhart 2600	R/R Conc SW 4"	50.00	4.00	22.22	SY	Opposite Canal Side Street	Q1G1
St. Claude	Urquhart 2600	R/R Asph 5.5"	44.00	44.00	215.11	SY	At Intersection	Q1G1
St. Claude	Urquhart 2600	R/R Conc SW 4"	75.00	4.00	33.33	SY	Canal Side Street	Q1G1
St. Claude	Urquhart 2700	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Urquhart 2700	R/R Asph 5.5"	260.00	19.00	548.89	SY	Urquhart 2700 Block	Q1G1
St. Claude	Urquhart 2700	R/R Conc SW 4"	60.00	4.00	26.67	SY	Opposite Canal Side Street	Q1G1
St. Claude	Urquhart 2700	R/R Conc SW 4"	60.00	4.00	26.67	SY	Canal Side Street	Q1G1
St. Claude	Urquhart 2800	R/R Conc SW 4"	63.00	4.00	28.00	SY	Opposite Canal Side Street	Q1G1
St. Claude	Urquhart 2800	R/R Asph 5.5"	260.00	19.00	548.89	SY	Urquhart 2800 Block	Q1G1
St. Claude	Urquhart 2800	R/R Conc SW 4"	89.00	4.00	39.56	SY	Canal Side Street	Q1G1
St. Claude	Urquhart 3000	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Urquhart 3000	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Urquhart 3000	R/R Asph 5.5"	260.00	19.00	548.89	SY	Urquhart 3034	Q1G1
St. Claude	Urquhart 3000	R/R Conc SW 4"	150.00	4.00	66.67	SY	Canal Side Street	Q1G1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Urquhart 3000	R/R Conc SW 4"	150.00	4.00	66.67	SY	Opposite Canal Side Street	Q1G1
St. Claude	Urquhart 3100	R/R Conc DW 6"	22.00	10.00	24.44	SY	Urquhart 3152	Q1G1
St. Claude	Urquhart 3100	R/R Conc SW 4"	115.00	7.00	89.44	SY	Urquhart 3114	Q1G1
St. Claude	Urquhart 3100	R/R Conc SW 4"	22.00	7.00	17.11	SY	Urquhart 3121	Q1G1
St. Claude	Urquhart 3100	R/R Conc SW 4"	23.00	7.00	17.89	SY	Urquhart 3141	Q1G1
St. Claude	Urquhart 3100	R/R Conc SW 4"	37.00	5.00	20.56	SY	Urquhart 3142	Q1G1
St. Claude	Urquhart 3100	R/R Asph 5.5"	32.00	14.00	49.78	SY	Urquhart 3100 Block	Q1G1
St. Claude	Urquhart 3100	R/R Conc DW 6"	7.00	7.00	5.44	SY	Urquhart 3123	Q1G1
St. Claude	Urquhart 3100	R/R Conc DW 6"	10.00	5.00	5.56	SY	Urquhart 3144	Q1G1
St. Claude	Urquhart 3100	R/R Asph 5.5"	32.00	20.00	71.11	SY	Urquhart 3100 Block	Q1G1
St. Claude	Urquhart 3100	R/R Asph 5.5"	45.00	32.00	160.00	SY	At Intersection	Q1G1
St. Claude	Urquhart 3100	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1G1
St. Claude	Urquhart 3100	R/R Conc DW 6"	13.00	5.00	7.22	SY	Urquhart 3137	Q1G1
St. Claude	Urquhart 3200	R/R Conc SW 4"	120.00	4.00	53.33	SY	Canal Side Street	Q1
St. Claude	Urquhart 3200	R/R Asph 5.5"	220.00	16.00	391.11	SY	Urquhart 3200 Block	Q1
St. Claude	Urquhart 3300	R/R Asph 5.5"	207.00	18.00	414.00	SY	Urquhart 3316	Q1
St. Claude	Urquhart 3300	R/R Conc SW 4"	207.00	4.00	92.00	SY	Canal Side Street	Q1
St. Claude	Urquhart 3300	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	Urquhart 3400	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	Urquhart 3400	R/R Asph 5.5"	60.00	13.00	86.67	SY	Urquhart 3400 Block	Q1
St. Claude	Urquhart 3400	R/R Asph 5.5"	56.00	13.00	80.89	SY	Urquhart 3400 Block	Q1
St. Claude	Urquhart 3400	R/R Conc SW 4"	89.00	5.00	49.44	SY	Urquhart 3416	Q1
St. Claude	Urquhart 3400	R/R Conc SW 4"	33.00	5.00	18.33	SY	Urquhart 3400	Q1
St. Claude	Urquhart 3500	R/R Conc DW 6"	12.00	8.00	10.67	SY	Urquhart 3511	Q1
St. Claude	Urquhart 3500	R/R Asph 5.5"	10.00	10.00	11.11	SY	Urquhart 3505	Q1
St. Claude	Urquhart 3500	R/R Asph 5.5"	8.00	6.00	5.33	SY	Urquhart 3513	Q1
St. Claude	Urquhart 3500	R/R Asph 5.5"	55.00	18.00	110.00	SY	Urquhart 3500 Block	Q1
St. Claude	Urquhart 3500	R/R Conc SW 4"	35.00	4.00	15.56	SY	Urquhart 3503	Q1
St. Claude	Urquhart 3600	R/R Conc SW 4"	112.00	4.00	49.78	SY	Urquhart 3600	Q1
St. Claude	Urquhart 3600	R/R Conc SW 4"	80.00	4.00	35.56	SY	Urquhart 3601	Q1
St. Claude	Urquhart 3600	R/R Conc SW 4"	10.00	10.00	11.11	SY	Urquhart 3623	Q1
St. Claude	Urquhart 3600	R/R Asph 5.5"	220.00	18.00	440.00	SY	Urquhart 3600 Block	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole

Neighborhood	Address in PW	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address	Project Identifier
St. Claude	Urquhart 3600	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	Urquhart 3600	R/R Conc SW 4"	10.00	10.00	11.11	SY	Urquhart 3624	Q1
St. Claude	Urquhart 3700	R/R Conc SW 4"	40.00	4.00	17.78	SY	Canal Side Street	Q1
St. Claude	Urquhart 3700	R/R Conc SW 4"	40.00	4.00	17.78	SY	Opposite Canal Side Street	Q1
St. Claude	Urquhart 3700	R/R Asph 5.5"	235.00	18.00	470.00	SY	Urquhart 3700 Block	Q1
St. Claude	Urquhart 3800	R/R Asph 5.5"	235.00	18.00	470.00	SY	Urquhart 3800 Block	Paving Only
St. Claude	Urquhart 3800	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Paving Only
St. Claude	Urquhart 3900	R/R Conc SW 4"	220.00	4.00	97.78	SY	Canal Side Street	Q1
St. Claude	Urquhart 3900	R/R Asph 5.5"	220.00	20.00	488.89	SY	Urquhart 3900 Block	Q1
St. Claude	Urquhart 3900	R/R Conc SW 4"	160.00	4.00	71.11	SY	Opposite Canal Side Street	Q1
St. Claude	Urquhart 4000	R/R Asph 5.5"	44.00	34.25	167.44	SY	At Intersection	Q1
St. Claude	Urquhart 4000	R/R Conc SW 4"	10.00	10.00	11.11	SY	Urquhart 4000	Q1
St. Claude	Urquhart 4000	R/R Conc SW 4"	10.00	10.00	11.11	SY	Urquhart 4001	Q1
St. Claude	Urquhart 4000	R/R Conc SW 4"	40.00	10.00	44.44	SY	Urquhart 4001	Q1
St. Claude	Urquhart 4000	R/R Conc SW 4"	10.00	10.00	11.11	SY	Urquhart 4036	Q1
St. Claude	Urquhart 4000	R/R Conc SW 4"	10.00	10.00	11.11	SY	Urquhart 4037	Q1
St. Claude	Urquhart 4000	R/R Asph 5.5"	39.00	13.00	56.33	SY	Urquhart 4000	Q1
St. Claude	Urquhart 4100	R/R Asph 5.5"	235.00	18.00	470.00	SY	Urquhart 4100 Block	Paving Only
St. Claude	Urquhart 4100	R/R Asph 5.5"	50.00	41.25	229.17	SY	At Intersection	Paving Only
St. Claude	Urquhart 4200	R/R Asph 5.5"	230.00	16.00	408.89	SY	Urquhart 4213	Q1
St. Claude	Urquhart 4300	R/R Conc SW 4"	120.00	4.00	53.33	SY	Canal Side Street	Q1
St. Claude	Urquhart 4300	R/R Asph 5.5"	235.00	19.00	496.11	SY	Urquhart 4300 Block	Q1
St. Claude	Urquhart 4300	R/R Conc SW 4"	70.00	4.00	31.11	SY	Opposite Canal Side Street	Q1

R/R = Remove and Replace
Asph = Asphalt
Conc = Concrete

DW 6" = Driveway Apron/Driveway Walk
SW 4" = Sidewalk
CB/MH = Catch Basin/Manhole