

**Behrman**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Behrman	Anson 3826	25810	R/R Asph 5.5"	299.00	14.00	465.11	SY	3826
Behrman	Bringler 2200	26064	R/R Asph 5.5"	48.00	19.00	101.33	SY	2018
Behrman	Cypress Acres Dr 2200	25738	R/R Conc SW 4"	34.00	4.00	15.11	SY	2251
Behrman	Cypress Acres Dr 2300	25739	R/R Curb	45.00	0.00	45.00	LF	2307
Behrman	Cypress Acres Dr 2300	25739	R/R Conc Pvmt 8"	45.00	21.00	105.00	SY	2307
Behrman	Cypress Acres Dr 2400	25740	R/R Curb	4.00	0.00	4.00	LF	2401
Behrman	Elizardi St 1900	25727	R/R Curb	8.00	0.00	8.00	LF	1947
Behrman	Elizardi St 1900	25727	R/R Curb	23.00	0.00	23.00	LF	1938
Behrman	Elizardi St 1900	25727	R/R Curb	14.00	0.00	14.00	LF	1935
Behrman	Elizardi St 1900	25727	R/R Conc Pvmt 8"	14.00	14.00	21.78	SY	1935
Behrman	Elizardi St 1900	25727	R/R Curb	8.00	0.00	8.00	LF	Opposite 1947
Behrman	Elizardi St 1900	25727	R/R Conc Pvmt 8"	12.00	14.00	18.67	SY	1920 to 1922
Behrman	Elizardi St 1900	25727	R/R Conc Pvmt 8"	8.00	28.00	24.89	SY	1947
Behrman	Elizardi St 1900	25727	R/R Curb	12.00	0.00	12.00	LF	1900
Behrman	Elizardi St 1900	25727	R/R Conc Pvmt 8"	12.00	14.00	18.67	SY	1900
Behrman	Elizardi St 1900	25727	R/R Curb	22.00	0.00	22.00	LF	1920 to 1922
Behrman	Elizardi St 1900	25727	R/R Curb	15.00	0.00	15.00	LF	1962
Behrman	Elizardi St 1900	25727	R/R Curb	15.00	0.00	15.00	LF	Opposite 1962
Behrman	Elizardi St 1900	25727	R/R Conc Pvmt 8"	23.00	14.00	35.78	SY	1938
Behrman	Elizardi St 1900	25727	R/R Conc Pvmt 8"	15.00	28.00	46.67	SY	1962
Behrman	Elizardi St 2000	25728	R/R Curb	25.00	0.00	25.00	LF	2042
Behrman	Elizardi St 2000	25728	R/R Curb	16.00	0.00	16.00	LF	2010
Behrman	Elizardi St 2000	25728	R/R Conc Pvmt 8"	35.00	14.00	54.44	SY	2032 to 2014
Behrman	Elizardi St 2000	25728	R/R Conc Pvmt 8"	16.00	14.00	24.89	SY	2010
Behrman	Elizardi St 2000	25728	R/R Curb	35.00	0.00	35.00	LF	2032 to 2042
Behrman	Elizardi St 2000	25728	R/R Conc Pvmt 8"	25.00	14.00	38.89	SY	2042
Behrman	Elizardi St 2000	25728	R/R Conc Pvmt 8"	32.00	14.00	49.78	SY	2048
Behrman	Elizardi St 2000	25728	R/R Curb	32.00	0.00	32.00	LF	2048
Behrman	Elizardi St 2000	25728	R/R Conc Pvmt 8"	15.00	14.00	23.33	SY	2051
Behrman	Elizardi St 2000	25728	R/R Curb	15.00	0.00	15.00	LF	2051
Behrman	Elizardi St 2000	25728	R/R Conc Pvmt 8"	16.00	23.00	40.89	SY	Intersection at Vespasian
Behrman	Elizardi St 2000	25728	R/R Curb	10.00	0.00	10.00	LF	Intersection at Vespasian
Behrman	Farragut St 1400	25693	R/R Conc SW 4"	50.00	4.00	22.22	SY	1470 to 1472
Behrman	Farragut St 1400	25693	R/R Asph 5.5"	23.00	18.00	46.00	SY	1480
Behrman	Farragut St 2000	25696	R/R Asph 5.5"	190.00	17.00	358.89	SY	2035 to 2027
Behrman	Farragut St 2000	25696	R/R Asph 5.5"	199.00	17.00	375.89	SY	2031
Behrman	Halsey 1800	26003	R/R Conc SW 4"	80.00	4.00	35.56	SY	1816
Behrman	Halsey Ave 2400	25757	R/R Asph 5.5"	33.00	13.00	47.67	SY	2462
Behrman	Halsey Ave 2400	25757	R/R Asph 5.5"	7.00	18.00	14.00	SY	Intersection at Anson
Behrman	Halsey Ave 2400	25757	R/R Curb	21.00	0.00	21.00	LF	2462
Behrman	Halsey Ave 2400	25757	R/R Asph 5.5"	35.00	13.00	50.56	SY	2462
Behrman	Herschel 3600	25814	R/R Asph 5.5"	46.00	6.00	30.67	SY	3916

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 1 of 4

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Behrman**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Behrman	Herschel 3600	25814	R/R Asph 5.5"	30.00	12.00	40.00	SY	3908
Behrman	Herschel 3600	25814	R/R Asph 5.5"	32.00	12.00	42.67	SY	3908
Behrman	Herschel 3700	25812	R/R Conc Pvmt 8"	40.00	14.00	62.22	SY	3780
Behrman	Herschel 3700	25812	R/R Conc Pvmt 8"	6.00	6.00	4.00	SY	3674
Behrman	Horace 1900	26016	R/R Asph 5.5"	69.00	21.00	161.00	SY	1970
Behrman	Horace 1900	26016	R/R Asph 5.5"	115.00	8.00	102.22	SY	1932 to 1950
Behrman	Horace 1900	26016	R/R Asph 5.5"	180.00	4.00	80.00	SY	1900 to 1910
Behrman	JoAnn Pl 1900	25729	R/R Curb	52.00	0.00	52.00	LF	1934 to 1938
Behrman	JoAnn Pl 1900	25729	R/R Conc Pvmt 8"	45.00	14.00	70.00	SY	1952
Behrman	JoAnn Pl 1900	25729	R/R Curb	45.00	0.00	45.00	LF	1952
Behrman	JoAnn Pl 1900	25729	R/R Conc Pvmt 8"	38.00	14.00	59.11	SY	Opposite 1973
Behrman	JoAnn Pl 1900	25729	R/R Curb	38.00	0.00	38.00	LF	Opposite 1973
Behrman	JoAnn Pl 1900	25729	R/R Conc Pvmt 8"	52.00	14.00	80.89	SY	1934 to 1938
Behrman	Kraft Pl 2200	25720	R/R Conc Pvmt 8"	36.00	28.00	112.00	SY	2216 to 2210
Behrman	Kraft Pl 2200	25720	R/R Conc DW 6"	6.00	5.00	3.33	SY	2232
Behrman	Kraft Pl 2200	25720	R/R Curb	26.00	0.00	26.00	LF	2234
Behrman	Kraft Pl 2200	25720	R/R Curb	36.00	0.00	36.00	LF	2216 to 2210
Behrman	Kraft Pl 2200	25720	R/R Conc Pvmt 8"	26.00	14.00	40.44	SY	2234
Behrman	Kraft Pl 2200	25720	R/R Conc SW 4"	19.00	4.00	8.44	SY	2232
Behrman	Kraft Pl 2300	25719	R/R Curb	7.00	0.00	7.00	LF	2325
Behrman	Kraft Pl 2300	25719	R/R Asph 5.5"	4.00	5.00	2.22	SY	2356
Behrman	Kraft Pl 2300	25719	R/R Conc Pvmt 8"	35.00	14.00	54.44	SY	2348
Behrman	Kraft Pl 2300	25719	R/R Conc Pvmt 8"	32.00	14.00	49.78	SY	2326
Behrman	Kraft Pl 2300	25719	R/R Conc Pvmt 8"	7.00	14.00	10.89	SY	2325
Behrman	Kraft Pl 2300	25719	R/R Curb	32.00	0.00	32.00	LF	2326
Behrman	Kraft Pl 2300	25719	R/R Conc SW 4"	15.00	4.00	6.67	SY	2326
Behrman	Kraft Pl 2300	25719	R/R Curb	31.00	0.00	31.00	LF	2310
Behrman	Kraft Pl 2300	25719	R/R Conc Pvmt 8"	31.00	14.00	48.22	SY	2310
Behrman	Kraft Pl 2300	25719	R/R Curb	35.00	0.00	35.00	LF	2348
Behrman	Lawrence 2000	26063	R/R Asph 5.5"	110.00	8.00	97.78	SY	2011 to 2009
Behrman	Lawrence 2000	26063	R/R Conc SW 4"	60.00	4.00	26.67	SY	2007
Behrman	Lawrence 2800	26119	R/R Asph 5.5"	13.00	18.00	26.00	SY	2850
Behrman	Lawrence 2800	26119	R/R Asph 5.5"	7.00	3.00	2.33	SY	2875
Behrman	Lawrence 3100	26140	R/R Conc SW 4"	60.00	4.00	26.67	SY	3116
Behrman	Lite Center 2800	26012	R/R Conc Pvmt 8"	17.00	20.00	37.78	SY	2814
Behrman	Magellan 3134	26136	R/R Asph 5.5"	125.00	18.00	250.00	SY	3181 to 3199
Behrman	Magellan 3200	26137	R/R Asph 5.5"	17.00	20.00	37.78	SY	3237
Behrman	Magellan 3200	26137	R/R Asph 5.5"	29.00	20.00	64.44	SY	3225
Behrman	Magellan 3300	26138	R/R Asph 5.5"	40.00	18.00	80.00	SY	3311
Behrman	Mercedes 2000	25795	R/R Conc Pvmt 8"	62.00	19.00	130.89	SY	2030
Behrman	Mercedes 2000	25795	R/R Conc SW 4"	66.00	4.00	29.33	SY	2030
Behrman	Mercedes 2200	25794	R/R Conc Pvmt 8"	58.00	38.00	244.89	SY	2250

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 2 of 4

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Behrman**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Behrman	Mercedes 2600	25792	R/R Conc Pvmt 8"	55.00	19.00	116.11	SY	2601
Behrman	Mercedes 2800	25791	R/R Conc Pvmt 8"	100.00	38.00	422.22	SY	2810
Behrman	Mercedes 2800	25791	R/R Conc SW 4"	70.00	4.00	31.11	SY	2810 to 2800
Behrman	Mercedes 3000	25790	R/R Asph 5.5"	16.00	8.00	14.22	SY	3055
Behrman	Mercedes 3000	25790	R/R Asph 5.5"	33.00	12.00	44.00	SY	3053
Behrman	Murl St 1900	25730	R/R Curb	15.00	0.00	15.00	LF	Intersection at JoAnn
Behrman	Murl St 1900	25730	R/R Curb	61.00	0.00	61.00	LF	Intersection at JoAnn
Behrman	Murl St 1900	25730	R/R Conc Pvmt 8"	61.00	21.00	142.33	SY	Intersection at JoAnn
Behrman	Murl St 1900	25730	R/R Curb	73.00	0.00	73.00	LF	1985 to 1993
Behrman	Murl St 1900	25730	R/R Conc Pvmt 8"	73.00	6.00	48.67	SY	1985 to 1993
Behrman	Murl St 1900	25730	R/R Curb	609.00	0.00	609.00	LF	Opposite 1901 to 1977
Behrman	Murl St 1900	25730	R/R Conc SW 4"	288.00	4.00	128.00	SY	Opposite 1901 to 1993
Behrman	Murl St 1900	25730	R/R Conc Pvmt 8"	609.00	42.00	2,842.00	SY	1901 to 1977
Behrman	Murl St 1900	25730	R/R Curb	609.00	0.00	609.00	LF	1901 to 1977
Behrman	Murl St 2000	25731	R/R Curb	42.00	0.00	42.00	LF	Opposite 2032 to 2034
Behrman	Murl St 2000	25731	R/R Curb	31.00	0.00	31.00	LF	Intersection at Vespasian
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	42.00	26.00	121.33	SY	Intersection at Vespasian
Behrman	Murl St 2000	25731	R/R Curb	179.00	0.00	179.00	LF	2036 to 2056
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	179.00	21.00	417.67	SY	2036 to 2056
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	61.00	11.00	74.56	SY	2035
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	129.00	21.00	301.00	SY	2000 to 2022
Behrman	Murl St 2000	25731	R/R Curb	42.00	0.00	42.00	LF	2032 to 2034
Behrman	Murl St 2000	25731	R/R Curb	17.00	0.00	17.00	LF	2021
Behrman	Murl St 2000	25731	R/R Curb	129.00	0.00	129.00	LF	2000 to 2022
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	4.00	20.00	8.89	SY	2001
Behrman	Murl St 2000	25731	R/R Curb	61.00	0.00	61.00	LF	2035
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	17.00	21.00	39.67	SY	2021
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	42.00	42.00	196.00	SY	2032 to 2034
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	75.00	11.00	91.67	SY	2021 to 2025
Behrman	Murl St 2000	25731	R/R Curb	75.00	0.00	75.00	LF	2021 to 2025
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	30.00	21.00	70.00	SY	2027
Behrman	Murl St 2000	25731	R/R Curb	30.00	0.00	30.00	LF	2027
Behrman	Murl St 2000	25731	R/R Conc Pvmt 8"	51.00	21.00	119.00	SY	2028 to 2032
Behrman	Murl St 2000	25731	R/R Curb	51.00	0.00	51.00	LF	2028 to 2032
Behrman	Murl St 2100	25732	R/R Curb	51.00	0.00	51.00	LF	2100
Behrman	Murl St 2100	25732	R/R Curb	51.00	0.00	51.00	LF	Opposite 2100
Behrman	Murl St 2100	25732	R/R Conc Pvmt 8"	51.00	42.00	238.00	SY	2100
Behrman	Murl St 2300	25733	R/R Conc Pvmt 8"	227.00	42.00	1,059.33	SY	2312 to 2352
Behrman	Murl St 2300	25733	R/R Conc Pvmt 8"	105.00	21.00	245.00	SY	2306 to 2312
Behrman	Murl St 2300	25733	R/R Curb	105.00	0.00	105.00	LF	2306 to 2312
Behrman	Murl St 2300	25733	R/R Curb	49.00	0.00	49.00	LF	Intersection at Sandra
Behrman	Murl St 2300	25733	R/R Conc Pvmt 8"	49.00	21.00	114.33	SY	Intersection at Sandra

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 3 of 4

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Behrman**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Behrman	Murl St 2300	25733	R/R Conc Pvmt 8"	20.00	21.00	46.67	SY	Intersection at Sandra
Behrman	Murl St 2300	25733	R/R Curb	227.00	0.00	227.00	LF	Opposite 2312 to 2352
Behrman	Murl St 2300	25733	R/R Curb	227.00	0.00	227.00	LF	2312 to 2352
Behrman	Odeon 1500	26111	R/R Asph 5.5"	55.00	22.00	134.44	SY	1512
Behrman	Odeon 1700	26113	R/R Asph 5.5"	76.00	22.00	185.78	SY	1736
Behrman	Odeon 1700	26113	R/R Asph 5.5"	72.00	22.00	176.00	SY	1704
Behrman	Odeon Ave 00-99	25735	R/R Conc Pvmt 8"	9.00	14.00	14.00	SY	90
Behrman	Odeon Ave 00-99	25735	R/R Curb	9.00	0.00	9.00	LF	90
Behrman	Odeon Ave 0100	25734	R/R Curb	6.00	0.00	6.00	LF	126
Behrman	Odeon Ave 0100	25734	R/R Curb	23.00	0.00	23.00	LF	159
Behrman	Odeon Ave 0100	25734	R/R Curb	5.00	0.00	5.00	LF	121
Behrman	Pace Blvd 2000	25725	R/R Conc SW 4"	56.00	4.00	24.89	SY	2050
Behrman	Pace Blvd 2000	25725	R/R Conc DW 6"	8.00	11.00	9.78	SY	2044
Behrman	Pace Blvd 2000	25725	R/R Curb	3.00	0.00	3.00	LF	2050
Behrman	Ptolemy 3100	26143	R/R Asph 5.5"	53.00	16.00	94.22	SY	3141
Behrman	Richland 1600	26147	R/R Asph 5.5"	138.00	9.00	138.00	SY	1631 to 1611
Behrman	Shalett St 1900	25723	R/R Curb	31.00	0.00	31.00	LF	Opposite 1933 to 1927
Behrman	Shalett St 1900	25723	R/R Conc Pvmt 8"	31.00	28.00	96.44	SY	1933 to 1927
Behrman	Shalett St 1900	25723	R/R Curb	31.00	0.00	31.00	LF	1933 to 1927
Behrman	Shalett St 2000	25722	R/R Conc DW 6"	10.00	9.00	10.00	SY	2001
Behrman	Shalett St 2000	25722	R/R Conc Pvmt 8"	8.00	5.00	4.44	SY	2031
Behrman	Tita 1700	26109	R/R Conc Pvmt 8"	40.00	26.00	115.56	SY	1700
Behrman	Westbend Pkwy NB 2200	25743	R/R Conc Pvmt 8"	43.00	11.00	52.56	SY	2200
Behrman	Westbend Pkwy NB 2200	25743	R/R Curb	15.00	0.00	15.00	LF	2200
Behrman	Westbend Pkwy NB 2200	25743	R/R Curb	43.00	0.00	43.00	LF	2200
Behrman	Westbend Pkwy NB 2200	25743	R/R Curb	121.00	0.00	121.00	LF	2200
Behrman	Westbend Pkwy NB 2200	25743	R/R Conc Pvmt 8"	121.00	11.00	147.89	SY	2200
Behrman	Westbend Pkwy NB 2200	25743	R/R Conc Pvmt 8"	15.00	13.00	21.67	SY	2200
Behrman	Westbend Pkwy SB 2400	12503	R/R Curb	9.00	0.00	9.00	LF	2400

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 4 of 4

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole