

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Cambronne St 3800	22015	R/R Asph 5.5"	80.00	26.00	231.11	SY	3848
Dixon	Cambronne St 3800	22015	R/R Conc SW 4"	25.00	4.00	11.11	SY	3848
Dixon	Cambronne St 3800	22015	R/R Asph 5.5"	104.00	26.00	300.44	SY	3810
Dixon	Cambronne St 3800	22015	R/R Conc SW 4"	45.00	4.00	20.00	SY	3810
Dixon	Cambronne St 3800	22015	R/R Conc SW 4"	25.00	4.00	11.11	SY	3806
Dixon	Cambronne St 3900	22014	R/R Curb	28.00	0.00	28.00	LF	Intersection at Peach
Dixon	Cambronne St 3900	22014	R/R Conc Pvmt 8"	36.00	26.00	104.00	SY	3976
Dixon	Cambronne St 3900	22014	R/R Asph 5.5"	138.00	26.00	398.67	SY	3910
Dixon	Cambronne St 3900	22014	R/R Asph 5.5"	101.00	26.00	291.78	SY	3900 to 3910
Dixon	Cambronne St 3900	22014	R/R Asph 5.5"	52.00	36.00	208.00	SY	Intersection at Dixon
Dixon	Cherry St 3800	22026	R/R Asph 5.5"	90.00	18.00	180.00	SY	3820
Dixon	Cherry St 3800	22026	R/R Asph 5.5"	45.00	6.00	30.00	SY	Intersection at Dixon
Dixon	Cherry St 3800	22026	R/R Asph 5.5"	95.00	18.00	190.00	SY	3800
Dixon	Cherry St 3800	22026	R/R Asph 5.5"	82.00	18.00	164.00	SY	3830
Dixon	Dixon St 8400	22021	R/R Conc SW 4"	16.00	4.00	7.11	SY	8400
Dixon	Dixon St 8400	22021	R/R Asph 5.5"	282.00	24.00	752.00	SY	8400
Dixon	Dixon St 8400	22021	R/R Conc SW 4"	20.00	4.00	8.89	SY	8428
Dixon	Dixon St 8500	22020	R/R Conc SW 4"	24.00	4.00	10.67	SY	8500
Dixon	Dixon St 8500	22020	R/R Asph 5.5"	25.00	12.00	33.33	SY	8501
Dixon	Dixon St 8500	22020	R/R Asph 5.5"	105.00	24.00	280.00	SY	8522
Dixon	Dixon St 8500	22020	R/R Conc SW 4"	24.00	4.00	10.67	SY	8524
Dixon	Dixon St 8500	22020	R/R Asph 5.5"	61.00	24.00	162.67	SY	8506
Dixon	Dixon St 8500	22020	R/R Asph 5.5"	60.00	24.00	160.00	SY	8500
Dixon	Dixon St 8600	22019	R/R Asph 5.5"	20.00	3.00	6.67	SY	8640
Dixon	Dixon St 8800	22031	R/R Conc Pvmt 8"	35.00	35.00	136.11	SY	8825
Dixon	Dixon St 8900	22030	R/R Conc SW 4"	24.00	4.00	10.67	SY	8933
Dixon	Dixon St 8900	22030	R/R Conc SW 4"	27.00	4.00	12.00	SY	8932
Dixon	Dixon St 8900	22030	R/R Conc SW 4"	52.00	4.00	23.11	SY	8925
Dixon	Dixon St 8900	22030	R/R Conc SW 4"	16.00	4.00	7.11	SY	8937
Dixon	Dixon St 9000	22029	R/R Conc SW 4"	25.00	4.00	11.11	SY	9034
Dixon	Dixon St 9000	22029	R/R Conc SW 4"	26.00	4.00	11.56	SY	9010
Dixon	Dixon St 9000	22029	R/R Conc SW 4"	33.00	4.00	14.67	SY	9036
Dixon	Dixon St 9000	22029	R/R Conc Pvmt 8"	53.00	28.00	164.89	SY	9020
Dixon	Dixon St 9100	22028	R/R Conc SW 4"	22.00	4.00	9.78	SY	9140
Dixon	Dixon St 9100	22028	R/R Conc SW 4"	20.00	4.00	8.89	SY	9116
Dixon	Dixon St 9100	22028	R/R Conc SW 4"	43.00	4.00	19.11	SY	9131
Dixon	Dixon St 9100	22028	R/R Conc Pvmt 8"	15.00	10.00	16.67	SY	9131
Dixon	Dixon St 9100	22028	R/R Conc Pvmt 8"	30.00	28.00	93.33	SY	9100
Dixon	Dixon St 9200	22027	R/R Asph 5.5"	35.00	10.00	38.89	SY	9230
Dixon	Dixon St 9200	22027	R/R Asph 5.5"	41.00	12.00	54.67	SY	9220
Dixon	Dixon St 9200	22027	R/R Asph 5.5"	51.00	12.00	68.00	SY	9200
Dixon	Eagle St 3900	22050	R/R Asph 5.5"	34.00	11.00	41.56	SY	3929

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 1 of 9

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Eagle St 3900	22050	R/R Conc SW 4"	15.00	4.00	6.67	SY	3927
Dixon	Eagle St 3900	22050	R/R Asph 5.5"	58.00	28.00	180.44	SY	3925
Dixon	Eagle St 3900	22050	R/R Asph 5.5"	95.00	28.00	295.56	SY	3900
Dixon	Eagle St 4000	22049	R/R Asph 5.5"	18.00	31.00	62.00	SY	4025
Dixon	Eagle St 4000	22049	R/R Asph 5.5"	12.00	8.00	10.67	SY	4019
Dixon	Eagle St 4000	22049	R/R Conc SW 4"	26.00	4.00	11.56	SY	4035
Dixon	Eagle St 4000	22049	R/R Asph 5.5"	12.00	18.00	24.00	SY	4031
Dixon	Eagle St 4000	22049	R/R Asph 5.5"	39.00	10.00	43.33	SY	4004
Dixon	Eagle St 4000	22049	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Peach
Dixon	Eagle St 4000	22049	R/R Asph 5.5"	54.00	54.00	324.00	SY	Intersection at Peach
Dixon	Eagle St 4000	22049	R/R Asph 5.5"	15.00	7.00	11.67	SY	4034
Dixon	Eagle St 4000	22049	R/R Asph 5.5"	17.00	21.00	39.67	SY	4007
Dixon	Eagle St 4100	22075	R/R Asph 5.5"	8.00	6.00	5.33	SY	4135
Dixon	Eagle St 4100	22075	R/R Asph 5.5"	12.00	15.00	20.00	SY	Intersection at Marks
Dixon	Eagle St 4100	22075	R/R Asph 5.5"	34.00	20.00	75.56	SY	4106
Dixon	Eagle St 4100	22075	R/R Conc SW 4"	24.00	4.00	10.67	SY	4130
Dixon	Eagle St 4200	22074	R/R Conc SW 4"	33.00	5.00	18.33	SY	4230
Dixon	Eagle St 4200	22074	R/R Asph 5.5"	14.00	20.00	31.11	SY	4211
Dixon	Eagle St 4200	22074	R/R Asph 5.5"	20.00	10.00	22.22	SY	4220
Dixon	Eagle St 4200	22074	R/R Asph 5.5"	18.00	12.00	24.00	SY	4224
Dixon	Eagle St 4200	22074	R/R Asph 5.5"	32.00	20.00	71.11	SY	4225
Dixon	Eagle St 4200	22074	R/R Asph 5.5"	20.00	12.00	26.67	SY	4229
Dixon	Eagle St 4200	22074	R/R Asph 5.5"	25.00	20.00	55.56	SY	4206
Dixon	Eagle St 4300	22073	R/R Asph 5.5"	45.00	21.00	105.00	SY	4300
Dixon	Eagle St 4300	22073	R/R Asph 5.5"	45.00	48.00	240.00	SY	Intersection at Heaton
Dixon	Eagle St 4300	22073	R/R Conc SW 4"	93.00	4.00	41.33	SY	4301
Dixon	Eagle St 4300	22073	R/R Asph 5.5"	30.00	6.00	20.00	SY	4301
Dixon	Fern Ct 8600	22059	R/R Asph 5.5"	300.00	13.00	433.33	SY	8600
Dixon	Gen Ogden St 3900	22068	R/R Asph 5.5"	15.00	13.00	21.67	SY	3924
Dixon	Gen Ogden St 3900	22068	R/R Conc Pvmt 8"	44.00	59.00	288.44	SY	Intersection at Dixon
Dixon	Gen Ogden St 3900	22068	R/R Asph 5.5"	24.00	27.00	72.00	SY	3900
Dixon	Gen Ogden St 3900	22068	R/R Conc DW 6"	10.00	7.00	7.78	SY	3910
Dixon	Gen Ogden St 3900	22068	R/R Asph 5.5"	53.00	17.00	100.11	SY	3920
Dixon	Gen Ogden St 3900	22068	R/R Conc SW 4"	12.00	4.00	5.33	SY	3920
Dixon	Gen Ogden St 3900	22068	R/R Conc SW 4"	5.00	4.00	2.22	SY	3924
Dixon	Gen Ogden St 3900	22068	R/R Asph 5.5"	48.00	24.00	128.00	SY	Intersection at Peach
Dixon	Gen Ogden St 4000	22069	R/R Asph 5.5"	38.00	26.00	109.78	SY	4022
Dixon	Gen Ogden St 4000	22069	R/R Asph 5.5"	45.00	26.00	130.00	SY	4002
Dixon	Gen Ogden St 4000	22069	R/R Asph 5.5"	17.00	13.00	24.56	SY	4016
Dixon	Gen Ogden St 4000	22069	R/R Asph 5.5"	50.00	28.00	155.56	SY	Intersection at Marks
Dixon	Gen Ogden St 4000	22069	R/R Asph 5.5"	17.00	13.00	24.56	SY	4026
Dixon	Gen Ogden St 4000	22069	R/R Conc SW 4"	32.00	4.00	14.22	SY	4026

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Gen Ogden St 4000	22069	R/R Asph 5.5"	18.00	13.00	26.00	SY	4030
Dixon	Gen Ogden St 4000	22069	R/R Conc SW 4"	27.00	4.00	12.00	SY	4012
Dixon	Gen Ogden St 4100	22070	R/R Conc SW 4"	16.00	4.00	7.11	SY	4127
Dixon	Gen Ogden St 4100	22070	R/R Asph 5.5"	17.00	20.00	37.78	SY	4120
Dixon	Gen Ogden St 4100	22070	R/R Conc SW 4"	26.00	4.00	11.56	SY	4109
Dixon	Gen Ogden St 4100	22070	R/R Conc SW 4"	4.00	4.00	1.78	SY	4112
Dixon	Gen Ogden St 4100	22070	R/R Conc SW 4"	20.00	5.00	11.11	SY	4108
Dixon	Gen Ogden St 4100	22070	R/R Asph 5.5"	80.00	20.00	177.78	SY	4106
Dixon	Gen Ogden St 4100	22070	R/R Conc SW 4"	31.00	4.00	13.78	SY	4139
Dixon	Gen Ogden St 4100	22070	R/R Asph 5.5"	16.00	26.00	46.22	SY	4127
Dixon	Gen Ogden St 4200	22071	R/R Conc SW 4"	26.00	4.00	11.56	SY	4200
Dixon	Gen Ogden St 4200	22071	R/R Conc SW 4"	16.00	4.00	7.11	SY	4206
Dixon	Gen Ogden St 4200	22071	R/R Asph 5.5"	20.00	20.00	44.44	SY	4205
Dixon	Gen Ogden St 4200	22071	R/R Conc SW 4"	10.00	4.00	4.44	SY	4211
Dixon	Gen Ogden St 4200	22071	R/R Conc SW 4"	21.00	4.00	9.33	SY	4217
Dixon	Gen Ogden St 4200	22071	R/R Asph 5.5"	15.00	3.00	5.00	SY	4217
Dixon	Gen Ogden St 4200	22071	R/R Asph 5.5"	9.00	5.00	5.00	SY	4227
Dixon	Gen Ogden St 4200	22071	R/R Conc SW 4"	20.00	5.00	11.11	SY	4227
Dixon	Gen Ogden St 4200	22071	R/R Asph 5.5"	7.00	7.00	5.44	SY	4231
Dixon	Gen Ogden St 4200	22071	R/R Asph 5.5"	17.00	7.00	13.22	SY	4233
Dixon	Gen Ogden St 4300	22072	R/R Asph 5.5"	17.00	20.00	37.78	SY	4302
Dixon	Gen Ogden St 4300	22072	R/R Conc SW 4"	16.00	4.00	7.11	SY	4311
Dixon	Gen Ogden St 4300	22072	R/R Asph 5.5"	63.00	10.00	70.00	SY	4318
Dixon	Gen Ogden St 4300	22072	R/R Conc SW 4"	42.00	4.00	18.67	SY	4318
Dixon	Gen Ogden St 4300	22072	R/R Conc DW 6"	13.00	7.00	10.11	SY	4321
Dixon	Gen Ogden St 4300	22072	R/R Conc DW 6"	14.00	7.00	10.89	SY	4323
Dixon	Gen Ogden St 4300	22072	R/R Conc SW 4"	78.00	4.00	34.67	SY	4323
Dixon	Gen Ogden St 4300	22072	R/R Asph 5.5"	20.00	5.00	11.11	SY	4323
Dixon	Gen Ogden St 4300	22072	R/R Asph 5.5"	32.00	20.00	71.11	SY	4311
Dixon	Hamilton St 3800	22034	R/R Conc SW 4"	32.00	4.00	14.22	SY	3802
Dixon	Hamilton St 3800	22034	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Dixon
Dixon	Hamilton St 3800	22034	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Dixon
Dixon	Hamilton St 3800	22034	R/R Conc Pvmt 8"	56.00	56.00	348.44	SY	Intersection at Dixon
Dixon	Hamilton St 3800	22034	R/R Conc SW 4"	135.00	4.00	60.00	SY	3821 to 3825
Dixon	Hamilton St 3800	22034	R/R Conc SW 4"	70.00	4.00	31.11	SY	3801
Dixon	Hamilton St 3800	22034	R/R Asph 5.5"	32.00	26.00	92.44	SY	3819
Dixon	Hamilton St 3800	22034	R/R Asph 5.5"	82.00	26.00	236.89	SY	3800
Dixon	Hamilton St 3800	22034	R/R Asph 5.5"	60.00	26.00	173.33	SY	3821 to 3825
Dixon	Hamilton St 3900	22035	R/R Conc SW 4"	10.00	5.00	5.56	SY	3909
Dixon	Hamilton St 3900	22035	R/R Conc SW 4"	15.00	5.00	8.33	SY	3939
Dixon	Hamilton St 3900	22035	R/R Asph 5.5"	28.00	26.00	80.89	SY	3901
Dixon	Hamilton St 3900	22035	R/R Conc SW 4"	33.00	5.00	18.33	SY	3904

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Hamilton St 3900	22035	R/R Asph 5.5"	15.00	15.00	25.00	SY	3908
Dixon	Hamilton St 3900	22035	R/R Conc SW 4"	25.00	5.00	13.89	SY	3912
Dixon	Hamilton St 3900	22035	R/R Conc SW 4"	16.00	5.00	8.89	SY	3916
Dixon	Hamilton St 3900	22035	R/R Conc DW 6"	12.00	6.00	8.00	SY	3920
Dixon	Hamilton St 3900	22035	R/R Conc SW 4"	52.00	5.00	28.89	SY	3924
Dixon	Hamilton St 3900	22035	R/R Conc SW 4"	28.00	5.00	15.56	SY	3938
Dixon	Hamilton St 3900	22035	R/R Conc Pvmt 8"	37.00	30.00	123.33	SY	Intersection at Peach
Dixon	Hamilton St 3900	22035	R/R Asph 5.5"	20.00	12.00	26.67	SY	3925
Dixon	Hamilton St 4000	22036	R/R Conc SW 4"	22.00	5.00	12.22	SY	4013
Dixon	Hamilton St 4000	22036	R/R Conc SW 4"	35.00	5.00	19.44	SY	4019
Dixon	Hamilton St 4000	22036	R/R Conc SW 4"	26.00	5.00	14.44	SY	4017
Dixon	Hamilton St 4000	22036	R/R Conc SW 4"	12.00	4.00	5.33	SY	4001
Dixon	Hamilton St 4000	22036	R/R Asph 5.5"	40.00	13.00	57.78	SY	4023
Dixon	Hamilton St 4000	22036	R/R Conc SW 4"	20.00	4.00	8.89	SY	4011
Dixon	Hamilton St 4000	22036	R/R Conc SW 4"	51.00	5.00	28.33	SY	4023
Dixon	Hamilton St 4000	22036	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Marks
Dixon	Hamilton St 4000	22036	R/R Asph 5.5"	30.00	26.00	86.67	SY	4019
Dixon	Hamilton St 4100	22037	R/R Asph 5.5"	12.00	12.00	16.00	SY	4109
Dixon	Hamilton St 4100	22037	R/R Conc SW 4"	10.00	5.00	5.56	SY	4131
Dixon	Hamilton St 4100	22037	R/R Asph 5.5"	10.00	10.00	11.11	SY	Intersection at Pear
Dixon	Hamilton St 4200	22038	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Heaton
Dixon	Hamilton St 4300	22039	R/R Asph 5.5"	12.00	8.00	10.67	SY	Intersection at Quince
Dixon	Hamilton St 4300	22039	R/R Conc DW 6"	22.00	8.00	19.56	SY	4319
Dixon	Hamilton St 4300	22039	R/R Conc SW 4"	8.00	4.00	3.56	SY	4319
Dixon	Hamilton St 4300	22039	R/R Conc SW 4"	20.00	5.00	11.11	SY	4308
Dixon	Hamilton St 4400	22040	R/R Asph 5.5"	20.00	26.00	57.78	SY	4420
Dixon	Hamilton St 4400	22040	R/R Conc SW 4"	20.00	4.00	8.89	SY	4407
Dixon	Hamilton St 4400	22040	R/R Conc SW 4"	18.00	4.00	8.00	SY	4401
Dixon	Heaton St 8700	22065	R/R Asph 5.5"	105.00	20.00	233.33	SY	8706
Dixon	Heaton St 8700	22065	R/R Conc SW 4"	12.00	4.00	5.33	SY	8714
Dixon	Heaton St 8700	22065	R/R Asph 5.5"	55.00	20.00	122.22	SY	8718
Dixon	Heaton St 8700	22065	R/R Conc SW 4"	40.00	4.00	17.78	SY	8721
Dixon	Heaton St 8800	22066	R/R Asph 5.5"	128.00	20.00	284.44	SY	8821
Dixon	Heaton St 8800	22066	R/R Asph 5.5"	30.00	14.00	46.67	SY	8800
Dixon	Heaton St 8800	22066	R/R Asph 5.5"	10.00	10.00	11.11	SY	8800
Dixon	Heaton St 8800	22066	R/R Asph 5.5"	40.00	20.00	88.89	SY	8830
Dixon	Heaton St 8900	22067	R/R Conc SW 4"	100.00	4.00	44.44	SY	8928
Dixon	Heaton St 8900	22067	R/R Asph 5.5"	56.00	20.00	124.44	SY	8928
Dixon	Heaton St 8900	22067	R/R Asph 5.5"	24.00	20.00	53.33	SY	8917
Dixon	Heaton St 8900	22067	R/R Conc SW 4"	25.00	4.00	11.11	SY	8917
Dixon	Heaton St 8900	22067	R/R Asph 5.5"	115.00	11.00	140.56	SY	8912
Dixon	Heaton St 9000	22076	R/R Conc SW 4"	25.00	4.00	11.11	SY	9001

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Heaton St 9000	22076	R/R Asph 5.5"	50.00	10.00	55.56	SY	9028
Dixon	Heaton St 9000	22076	R/R Asph 5.5"	78.00	19.00	164.67	SY	9015
Dixon	Heaton St 9000	22076	R/R Conc SW 4"	70.00	4.00	31.11	SY	9015
Dixon	Heaton St 9000	22076	R/R Asph 5.5"	65.00	19.00	137.22	SY	9026
Dixon	Heaton St 9000	22076	R/R Asph 5.5"	110.00	19.00	232.22	SY	9001
Dixon	Heaton St 9100	22077	R/R Asph 5.5"	25.00	19.00	52.78	SY	9101
Dixon	Hollygrove St 3800	22048	R/R Conc Pvmt 8"	35.00	22.91	89.09	SY	Intersection at Palmetto
Dixon	Hollygrove St 3800	22048	R/R Conc Pvmt 8"	263.00	26.00	759.78	SY	3800
Dixon	Hollygrove St 3900	22047	R/R Asph 5.5"	17.00	20.00	37.78	SY	3924
Dixon	Hollygrove St 3900	22047	R/R Conc SW 4"	20.00	5.00	11.11	SY	3925
Dixon	Hollygrove St 3900	22047	R/R Asph 5.5"	32.00	13.00	46.22	SY	3918
Dixon	Hollygrove St 3900	22047	R/R Conc SW 4"	20.00	5.00	11.11	SY	3923
Dixon	Hollygrove St 3900	22047	R/R Asph 5.5"	42.00	41.00	191.33	SY	Intersection at Dixon
Dixon	Hollygrove St 3900	22047	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Dixon
Dixon	Hollygrove St 3900	22047	R/R Asph 5.5"	41.00	13.00	59.22	SY	3925
Dixon	Hollygrove St 4000	22046	R/R Asph 5.5"	40.00	26.00	115.56	SY	4012
Dixon	Hollygrove St 4000	22046	R/R Conc SW 4"	15.00	5.00	8.33	SY	4012
Dixon	Hollygrove St 4000	22046	R/R Asph 5.5"	40.00	40.00	177.78	SY	Intersection at Peach
Dixon	Hollygrove St 4000	22046	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Peach
Dixon	Hollygrove St 4000	22046	R/R Asph 5.5"	53.00	14.00	82.44	SY	4027
Dixon	Hollygrove St 4000	22046	R/R Conc SW 4"	48.00	5.00	26.67	SY	4034
Dixon	Hollygrove St 4000	22046	R/R Conc SW 4"	10.00	5.00	5.56	SY	4026
Dixon	Hollygrove St 4100	22045	R/R Asph 5.5"	12.00	8.00	10.67	SY	4120
Dixon	Hollygrove St 4100	22045	R/R Asph 5.5"	8.00	26.00	23.11	SY	4112
Dixon	Hollygrove St 4100	22045	R/R Conc SW 4"	30.00	5.00	16.67	SY	4130
Dixon	Hollygrove St 4100	22045	R/R Asph 5.5"	30.00	33.00	110.00	SY	Intersection at Marks
Dixon	Hollygrove St 4200	22044	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Pear
Dixon	Hollygrove St 4200	22044	R/R Asph 5.5"	22.00	30.00	73.33	SY	Intersection at Pear
Dixon	Hollygrove St 4200	22044	R/R Asph 5.5"	24.00	21.00	56.00	SY	4200
Dixon	Hollygrove St 4200	22044	R/R Conc SW 4"	32.00	5.00	17.78	SY	4206
Dixon	Hollygrove St 4200	22044	R/R Asph 5.5"	15.00	6.00	10.00	SY	4218
Dixon	Hollygrove St 4200	22044	R/R Conc SW 4"	20.00	5.00	11.11	SY	4223
Dixon	Hollygrove St 4200	22044	R/R Conc SW 4"	50.00	5.00	27.78	SY	4237
Dixon	Hollygrove St 4300	22043	R/R Conc SW 4"	8.00	5.00	4.44	SY	4319
Dixon	Hollygrove St 4300	22043	R/R Conc SW 4"	36.00	5.00	20.00	SY	4332
Dixon	Hollygrove St 4400	22042	R/R Asph 5.5"	26.00	12.00	34.67	SY	4401
Dixon	Hollygrove St 4400	22042	R/R Asph 5.5"	9.00	9.00	9.00	SY	Intersection at Quince
Dixon	Hollygrove St 4400	22042	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Quince
Dixon	Hollygrove St 4400	22042	R/R Conc SW 4"	50.00	5.00	27.78	SY	4401
Dixon	Hollygrove St 4400	22042	R/R Conc SW 4"	49.00	5.00	27.22	SY	4404
Dixon	Joliet St 3800	22016	R/R Asph 5.5"	73.00	12.00	97.33	SY	3820
Dixon	Joliet St 3800	22016	R/R Conc SW 4"	80.00	5.00	44.44	SY	3800

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Joliet St 3800	22016	R/R Asph 5.5"	124.00	26.00	358.22	SY	3830
Dixon	Joliet St 3800	22016	R/R Asph 5.5"	15.00	15.00	25.00	SY	3800
Dixon	Joliet St 3800	22016	R/R Asph 5.5"	35.00	18.90	73.50	SY	Intersection at Dixon
Dixon	Joliet St 3900	22017	R/R Conc SW 4"	32.00	4.00	14.22	SY	3940
Dixon	Joliet St 3900	22017	R/R Asph 5.5"	15.00	15.00	25.00	SY	3944
Dixon	Joliet St 3900	22017	R/R Conc SW 4"	22.00	4.00	9.78	SY	3936
Dixon	Last St 9000	22061	R/R Conc SW 4"	65.00	5.00	36.11	SY	9000
Dixon	Last St 9000	22061	R/R Conc Pvmt 8"	90.00	25.00	250.00	SY	9000
Dixon	Last St 9100	22060	R/R Conc Pvmt 8"	15.00	25.00	41.67	SY	9126
Dixon	Last St 9100	22060	R/R Conc Pvmt 8"	95.00	25.00	263.89	SY	9100
Dixon	Last St 9100	22060	R/R Conc Pvmt 8"	72.00	25.00	200.00	SY	9110
Dixon	Last St 9100	22060	R/R Conc Pvmt 8"	20.00	25.00	55.56	SY	9128
Dixon	Leonidas St 3800	22022	R/R Conc SW 4"	21.00	4.00	9.33	SY	3803
Dixon	Leonidas St 3800	22022	R/R Asph 5.5"	76.00	20.00	168.89	SY	3803
Dixon	Leonidas St 3800	22022	R/R Asph 5.5"	6.00	6.00	4.00	SY	3808
Dixon	Leonidas St 3800	22022	R/R Conc SW 4"	25.00	4.00	11.11	SY	3811
Dixon	Leonidas St 3800	22022	R/R Conc SW 4"	20.00	4.00	8.89	SY	3839
Dixon	Leonidas St 4100	22058	R/R Asph 5.5"	20.00	20.00	44.44	SY	4109
Dixon	Leonidas St 4100	22058	R/R Conc SW 4"	24.00	4.00	10.67	SY	4110
Dixon	Leonidas St 4100	22058	R/R Asph 5.5"	31.00	53.00	182.56	SY	Intersection at Marks
Dixon	Leonidas St 4100	22058	R/R Asph 5.5"	20.00	20.00	44.44	SY	4100
Dixon	Leonidas St 4100	22058	R/R Asph 5.5"	18.00	20.00	40.00	SY	4110
Dixon	Leonidas St 4100	22058	R/R Conc DW 6"	10.00	12.00	13.33	SY	4107
Dixon	Leonidas St 4100	22058	R/R Conc SW 4"	54.00	4.00	24.00	SY	4103
Dixon	Leonidas St 4120	22057	R/R Conc SW 4"	68.00	4.00	30.22	SY	4122
Dixon	Leonidas St 4120	22057	R/R Asph 5.5"	16.00	16.00	28.44	SY	Intersection at Fern
Dixon	Leonidas St 4120	22057	R/R Conc SW 4"	75.00	4.00	33.33	SY	4120
Dixon	Leonidas St 4120	22057	R/R Asph 5.5"	153.00	22.00	374.00	SY	4120
Dixon	Leonidas St 4200	22056	R/R Asph 5.5"	20.00	6.00	13.33	SY	Intersection at Pear
Dixon	Marks 8600	22085	R/R Asph 5.5"	27.00	12.00	36.00	SY	8604
Dixon	Marks 8600	22085	R/R Conc SW 4"	29.00	4.00	12.89	SY	8606
Dixon	Marks 8600	22085	R/R Conc SW 4"	32.00	4.00	14.22	SY	8616
Dixon	Marks 8600	22085	R/R Asph 5.5"	28.00	12.00	37.33	SY	8638
Dixon	Marks 8600	22085	R/R Asph 5.5"	67.00	12.00	89.33	SY	8606
Dixon	Marks 8600	22085	R/R Conc SW 4"	47.00	4.00	20.89	SY	8608
Dixon	Marks 8600	22085	R/R Conc SW 4"	20.00	4.00	8.89	SY	8624
Dixon	Marks 8600	22085	R/R Conc SW 4"	28.00	4.00	12.44	SY	8617
Dixon	Marks 8600	22085	R/R Asph 5.5"	15.00	15.00	25.00	SY	8623
Dixon	Marks 8700	22086	R/R Conc SW 4"	20.00	4.00	8.89	SY	8737
Dixon	Marks 8700	22086	R/R Conc SW 4"	20.00	4.00	8.89	SY	8717
Dixon	Marks 8700	22086	R/R Asph 5.5"	10.00	10.00	11.11	SY	8727
Dixon	Marks 8700	22086	R/R Asph 5.5"	20.00	20.00	44.44	SY	8737

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Marks 8700	22086	R/R Asph 5.5"	8.00	20.00	17.78	SY	8713
Dixon	Marks 8800	22087	R/R Asph 5.5"	17.00	20.00	37.78	SY	8823
Dixon	Marks 8800	22087	R/R Asph 5.5"	8.00	12.00	10.67	SY	8823
Dixon	Marks 8800	22087	R/R Asph 5.5"	10.00	10.00	11.11	SY	8825
Dixon	Marks 8800	22087	R/R Conc SW 4"	24.00	4.00	10.67	SY	8825
Dixon	Marks 8900	22088	R/R Conc SW 4"	60.00	4.00	26.67	SY	8925
Dixon	Marks 8900	22088	R/R Asph 5.5"	30.00	28.00	93.33	SY	8917
Dixon	Marks 8900	22088	R/R Conc SW 4"	122.00	4.00	54.22	SY	8917
Dixon	Marks 8900	22088	R/R Conc SW 4"	30.00	4.00	13.33	SY	8919
Dixon	Marks 8900	22088	R/R Asph 5.5"	15.00	15.00	25.00	SY	8920
Dixon	Marks 8900	22088	R/R Conc SW 4"	58.00	4.00	25.78	SY	8924
Dixon	Marks 9000	22089	R/R Conc SW 4"	32.00	4.00	14.22	SY	9018
Dixon	Marks 9000	22089	R/R Conc SW 4"	32.00	4.00	14.22	SY	9022
Dixon	Marks 9000	22089	R/R Asph 5.5"	50.00	13.00	72.22	SY	9033
Dixon	Marks 9000	22089	R/R Conc SW 4"	63.00	4.00	28.00	SY	9011
Dixon	Mistletoe St 3800	22032	R/R Conc Pvmt 8"	22.00	17.10	41.80	SY	Intersection at Dixon
Dixon	Mistletoe St 3800	22032	R/R Conc SW 4"	12.00	4.00	5.33	SY	3836
Dixon	Mistletoe St 3800	22032	R/R Conc SW 4"	16.00	4.00	7.11	SY	3832
Dixon	Mistletoe St 3800	22032	R/R Conc DW 6"	12.00	3.00	4.00	SY	3832
Dixon	Mistletoe St 3800	22032	R/R Conc SW 4"	24.00	4.00	10.67	SY	3828
Dixon	Mistletoe St 3800	22032	R/R Conc SW 4"	20.00	4.00	8.89	SY	3820
Dixon	Mistletoe St 3800	22032	R/R Conc Pvmt 8"	44.00	9.00	44.00	SY	3801
Dixon	Mistletoe St 3800	22032	R/R Conc SW 4"	20.00	4.00	8.89	SY	3835
Dixon	Mistletoe St 3900	22033	R/R Asph 5.5"	80.00	20.00	177.78	SY	3911
Dixon	Mistletoe St 3900	22033	R/R Conc SW 4"	27.00	4.00	12.00	SY	3911
Dixon	Mistletoe St 3900	22033	R/R Asph 5.5"	40.00	20.00	88.89	SY	3915
Dixon	Mistletoe St 3900	22033	R/R Asph 5.5"	8.00	3.00	2.67	SY	Intersection at Peach
Dixon	Mistletoe St 3900	22033	R/R Asph 5.5"	62.00	8.00	55.11	SY	3921
Dixon	Monroe St 3800	22023	R/R Conc SW 4"	38.00	5.00	21.11	SY	3831
Dixon	Monroe St 3800	22023	R/R Conc SW 4"	70.00	5.00	38.89	SY	3801
Dixon	Monroe St 3900	22051	R/R Conc SW 4"	8.00	4.00	3.56	SY	3901
Dixon	Monroe St 4000	22052	R/R Asph 5.5"	16.00	16.00	28.44	SY	4022
Dixon	Monroe St 4000	22052	R/R Conc SW 4"	10.00	4.00	4.44	SY	4012
Dixon	Monroe St 4000	22052	R/R Asph 5.5"	22.00	12.00	29.33	SY	4014
Dixon	Monroe St 4120	22054	R/R Asph 5.5"	10.00	17.00	18.89	SY	Intersection at Pear
Dixon	Monroe St 4120	22054	R/R Conc SW 4"	5.00	5.00	2.78	SY	4127
Dixon	Monroe St 4200	22055	R/R Conc SW 4"	40.00	4.00	17.78	SY	4221
Dixon	Monroe St 4200	22055	R/R Asph 5.5"	15.00	31.00	51.67	SY	4222
Dixon	Monroe St 4200	22055	R/R Conc SW 4"	12.00	4.00	5.33	SY	4218
Dixon	Palmetto 8700	22024	R/R Asph 5.5"	32.00	32.00	113.78	SY	Intersection at Monroe
Dixon	Palmetto 8700	22024	R/R Conc SW 4"	91.00	4.00	40.44	SY	8700
Dixon	Palmetto 8700	22024	R/R Asph 5.5"	70.00	10.00	77.78	SY	8700

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Palmetto 8700	22024	R/R Asph 5.5"	10.00	10.00	11.11	SY	8720
Dixon	Palmetto 8800	22025	R/R Asph 5.5"	100.00	20.00	222.22	SY	8800
Dixon	Palmetto 8800	22025	R/R Conc SW 4"	140.00	4.00	62.22	SY	8800
Dixon	Palmetto 8800	22025	R/R Conc SW 4"	20.00	4.00	8.89	SY	Intersection at Eagle
Dixon	Peach 8700	22090	R/R Asph 5.5"	120.00	20.00	266.67	SY	8700
Dixon	Peach 8700	22090	R/R Asph 5.5"	127.00	20.00	282.22	SY	8722
Dixon	Peach 8800	22091	R/R Asph 5.5"	295.00	20.00	655.56	SY	8800
Dixon	Peach 8900	22092	R/R Asph 5.5"	120.00	20.00	266.67	SY	8900
Dixon	Peach 8900	22092	R/R Asph 5.5"	60.00	20.00	133.33	SY	8939
Dixon	Peach 8900	22092	R/R Asph 5.5"	100.00	20.00	222.22	SY	8919 to 8931
Dixon	Peach 9000	22093	R/R Conc SW 4"	32.00	4.00	14.22	SY	9015
Dixon	Peach 9000	22093	R/R Asph 5.5"	304.00	22.00	743.11	SY	9000 to 9019
Dixon	Peach 9100	22094	R/R Conc SW 4"	92.00	4.00	40.89	SY	9101 to 9011
Dixon	Peach 9100	22094	R/R Asph 5.5"	228.00	20.00	506.67	SY	9122
Dixon	Peach 9100	22094	R/R Asph 5.5"	20.00	7.00	15.56	SY	9100
Dixon	Peach St 8200	22012	R/R Conc Pvmt 8"	30.00	26.00	86.67	SY	8290
Dixon	Pear St 8500	22083	R/R Asph 5.5"	145.00	22.00	354.44	SY	8536
Dixon	Pear St 8500	22083	R/R Conc SW 4"	8.00	4.00	3.56	SY	8538
Dixon	Pear St 8600	22082	R/R Asph 5.5"	62.00	22.00	151.56	SY	8636
Dixon	Pear St 8600	22082	R/R Asph 5.5"	60.00	22.00	146.67	SY	8600
Dixon	Pear St 8600	22082	R/R Asph 5.5"	15.00	22.00	36.67	SY	8606
Dixon	Pear St 8600	22082	R/R Conc SW 4"	52.00	5.00	28.89	SY	8605
Dixon	Pear St 8600	22082	R/R Conc SW 4"	25.00	4.00	11.11	SY	8620
Dixon	Pear St 8600	22082	R/R Conc SW 4"	87.00	4.00	38.67	SY	8626
Dixon	Pear St 8600	22082	R/R Asph 5.5"	60.00	15.00	100.00	SY	8625
Dixon	Pear St 8700	22081	R/R Asph 5.5"	23.00	20.00	51.11	SY	8736
Dixon	Pear St 8700	22081	R/R Conc SW 4"	12.00	4.00	5.33	SY	8711
Dixon	Pear St 8700	22081	R/R Conc SW 4"	25.00	4.00	11.11	SY	8716
Dixon	Pear St 8700	22081	R/R Conc DW 6"	15.00	10.00	16.67	SY	8734
Dixon	Pear St 8700	22081	R/R Conc SW 4"	30.00	4.00	13.33	SY	8723
Dixon	Pear St 8700	22081	R/R Conc SW 4"	16.00	4.00	7.11	SY	8701
Dixon	Pear St 8800	22080	R/R Asph 5.5"	30.00	20.00	66.67	SY	8815
Dixon	Pear St 8800	22080	R/R Conc SW 4"	45.00	4.00	20.00	SY	8829
Dixon	Pear St 8800	22080	R/R Asph 5.5"	12.00	20.00	26.67	SY	8827
Dixon	Pear St 8800	22080	R/R Asph 5.5"	17.00	6.00	11.33	SY	8827
Dixon	Pear St 8800	22080	R/R Asph 5.5"	8.00	8.00	7.11	SY	8823
Dixon	Pear St 8800	22080	R/R Conc SW 4"	28.00	4.00	12.44	SY	8816
Dixon	Pear St 8800	22080	R/R Asph 5.5"	25.00	20.00	55.56	SY	8800
Dixon	Pear St 8800	22080	R/R Asph 5.5"	8.00	8.00	7.11	SY	8823
Dixon	Pear St 8900	22079	R/R Asph 5.5"	50.00	20.00	111.11	SY	8920
Dixon	Pear St 8900	22079	R/R Conc Pvmt 8"	60.00	4.00	26.67	SY	8924
Dixon	Pear St 8900	22079	R/R Asph 5.5"	75.00	20.00	166.67	SY	8927

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Dixon Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Dixon	Pear St 8900	22079	R/R Conc SW 4"	30.00	4.00	13.33	SY	8919
Dixon	Pear St 8900	22079	R/R Asph 5.5"	60.00	20.00	133.33	SY	8912
Dixon	Pear St 8900	22079	R/R Asph 5.5"	5.00	5.00	2.78	SY	8900
Dixon	Pear St 9000	22078	R/R Conc SW 4"	30.00	4.00	13.33	SY	9000
Dixon	Pear St 9000	22078	R/R Asph 5.5"	95.00	10.00	105.56	SY	9127
Dixon	Pear St 9000	22078	R/R Asph 5.5"	15.00	20.00	33.33	SY	9021
Dixon	Pear St 9000	22078	R/R Asph 5.5"	50.00	20.00	111.11	SY	9017
Dixon	Pear St 9000	22078	R/R Conc SW 4"	145.00	4.00	64.44	SY	9014 to 9020
Dixon	Pear St 9000	22078	R/R Asph 5.5"	78.00	20.00	173.33	SY	9000
Dixon	Pear St 9000	22078	R/R Asph 5.5"	15.00	10.00	16.67	SY	9018
Dixon	Quince St 8900	22062	R/R Asph 5.5"	8.00	8.00	7.11	SY	8922
Dixon	Quince St 8900	22062	R/R Curb	80.00	0.00	80.00	LF	8901
Dixon	Quince St 8900	22062	R/R Conc SW 4"	100.00	4.00	44.44	SY	8901
Dixon	Quince St 9000	22063	R/R Conc SW 4"	16.00	4.00	7.11	SY	9029
Dixon	Quince St 9000	22063	R/R Asph 5.5"	9.00	6.00	6.00	SY	9001
Dixon	Quince St 9000	22063	R/R Conc SW 4"	70.00	4.00	31.11	SY	9001
Dixon	Quince St 9000	22063	R/R Conc SW 4"	32.00	4.00	14.22	SY	9000
Dixon	Quince St 9100	22064	R/R Asph 5.5"	30.00	5.00	16.67	SY	Intersection at Last St
Dixon	Quince St 9100	22064	R/R Conc SW 4"	84.00	4.00	37.33	SY	9127
Dixon	Quince St 9100	22064	R/R Asph 5.5"	20.00	26.00	57.78	SY	9128
Dixon	Quince St 9100	22064	R/R Asph 5.5"	22.00	14.00	34.22	SY	9120

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 9 of 9

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole