

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Abundance 1500	23472	R/R Asph 5.5"	56.00	6.00	37.33	SY	1501
Fairgrounds	Abundance 1500	23472	R/R Asph 5.5"	28.00	10.00	31.11	SY	1555
Fairgrounds	Abundance 1500	23472	R/R Asph 5.5"	107.00	8.00	95.11	SY	1555
Fairgrounds	Abundance 1500	23472	R/R Conc SW 4"	14.00	4.00	6.22	SY	1557
Fairgrounds	Abundance 1500	23472	R/R Asph 5.5"	8.00	8.00	7.11	SY	1557
Fairgrounds	Abundance 1500	23472	R/R Conc SW 4"	62.00	4.00	27.56	SY	1500
Fairgrounds	Abundance 1600	23471	R/R Conc SW 4"	9.00	4.00	4.00	SY	1627
Fairgrounds	Abundance 1600	23471	R/R Conc SW 4"	35.00	4.00	15.56	SY	1631
Fairgrounds	Abundance 1600	23471	R/R Conc SW 4"	7.00	4.00	3.11	SY	1621
Fairgrounds	Abundance 1600	23471	R/R Asph 5.5"	4.00	10.00	4.44	SY	1619
Fairgrounds	Abundance 1600	23471	R/R Conc SW 4"	10.00	4.00	4.44	SY	1601
Fairgrounds	Abundance 1650	23470	R/R Conc SW 4"	66.00	4.00	29.33	SY	1652
Fairgrounds	Abundance 1650	23470	R/R Asph 5.5"	5.00	2.00	1.11	SY	1676
Fairgrounds	Abundance 1650	23470	R/R Conc SW 4"	26.00	4.00	11.56	SY	1651
Fairgrounds	Abundance 1700	23469	R/R Conc SW 4"	5.00	4.00	2.22	SY	1708
Fairgrounds	Abundance 1700	23469	R/R Conc SW 4"	3.00	4.00	1.33	SY	1728
Fairgrounds	Abundance 1700	23469	R/R Conc SW 4"	13.00	4.00	5.78	SY	1700
Fairgrounds	Abundance 1700	23469	R/R Conc SW 4"	10.00	4.00	4.44	SY	1706
Fairgrounds	Abundance 1700	23469	R/R Asph 5.5"	6.00	6.00	4.00	SY	1710
Fairgrounds	Abundance 1700	23469	R/R Conc SW 4"	5.00	4.00	2.22	SY	1721B
Fairgrounds	Abundance 1700	23469	R/R Conc SW 4"	5.00	4.00	2.22	SY	1724
Fairgrounds	Abundance 1700	23469	R/R Conc SW 4"	5.00	4.00	2.22	SY	1732
Fairgrounds	Agriculture 1500	23463	R/R Conc SW 4"	27.00	4.00	12.00	SY	1510
Fairgrounds	Agriculture 1500	23463	R/R Asph 5.5"	16.00	5.00	8.89	SY	1511
Fairgrounds	Agriculture 1500	23463	R/R Conc SW 4"	13.00	4.00	5.78	SY	1501
Fairgrounds	Agriculture 1600	23464	R/R Conc SW 4"	43.00	4.00	19.11	SY	1601
Fairgrounds	Agriculture 1600	23464	R/R Conc SW 4"	42.00	4.00	18.67	SY	1600
Fairgrounds	Agriculture 1600	23464	R/R Conc SW 4"	21.00	4.00	9.33	SY	1612
Fairgrounds	Agriculture 1600	23464	R/R Conc SW 4"	31.00	4.00	13.78	SY	1622
Fairgrounds	Agriculture 1600	23464	R/R Conc SW 4"	103.00	4.00	45.78	SY	1629
Fairgrounds	Agriculture 1600	23464	R/R Conc SW 4"	20.00	4.00	8.89	SY	1628
Fairgrounds	Agriculture 1600	23464	R/R Asph 5.5"	5.00	5.00	2.78	SY	1628
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	11.00	4.00	4.89	SY	1664
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	41.00	4.00	18.22	SY	1673
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	35.00	4.00	15.56	SY	1650
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	22.00	4.00	9.78	SY	1656
Fairgrounds	Agriculture 1650	23465	R/R Conc DW 6"	8.00	6.00	5.33	SY	1673
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	25.00	4.00	11.11	SY	1668
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	40.00	4.00	17.78	SY	1677
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	31.00	4.00	13.78	SY	1674
Fairgrounds	Agriculture 1650	23465	R/R Conc SW 4"	36.00	4.00	16.00	SY	1680
Fairgrounds	Agriculture 1700	23466	R/R Conc SW 4"	44.00	4.00	19.56	SY	1728

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Agriculture 1700	23466	R/R Conc SW 4"	33.00	4.00	14.67	SY	1735
Fairgrounds	Agriculture 1700	23466	R/R Conc SW 4"	16.00	4.00	7.11	SY	1727
Fairgrounds	Agriculture 1700	23466	R/R Conc SW 4"	31.00	4.00	13.78	SY	1730
Fairgrounds	Agriculture 1700	23466	R/R Conc SW 4"	50.00	4.00	22.22	SY	1700
Fairgrounds	Agriculture 1700	23466	R/R Conc SW 4"	9.00	4.00	4.00	SY	1716
Fairgrounds	Agriculture 1700	23466	R/R Conc SW 4"	40.00	4.00	17.78	SY	1722
Fairgrounds	Agriculture 1750	23467	R/R Conc SW 4"	7.00	6.00	4.67	SY	1761
Fairgrounds	Agriculture 1750	23467	R/R Conc SW 4"	8.00	4.00	3.56	SY	1751
Fairgrounds	Alden 0100	23400	R/R Conc SW 4"	15.00	4.00	6.67	SY	132
Fairgrounds	Alden 0100	23400	R/R Conc SW 4"	17.00	4.00	7.56	SY	134
Fairgrounds	Alden 0100	23400	R/R Conc SW 4"	19.00	4.00	8.44	SY	126
Fairgrounds	Alden 0100	23400	R/R Conc SW 4"	37.00	4.00	16.44	SY	107
Fairgrounds	Alden 0100	23400	R/R Conc SW 4"	18.00	4.00	8.00	SY	109
Fairgrounds	Alden 0100	23400	R/R Conc SW 4"	20.00	4.00	8.89	SY	120
Fairgrounds	Alden 0100	23400	R/R Conc SW 4"	7.00	4.00	3.11	SY	116
Fairgrounds	AP Tureaud 2900	23488	R/R Asph 5.5"	25.00	16.00	44.44	SY	Intersection at Bunclleave
Fairgrounds	AP Tureaud 2900	23488	R/R Conc SW 4"	9.00	4.00	4.00	SY	2910
Fairgrounds	AP Tureaud 2900	23488	R/R Conc SW 4"	10.00	4.00	4.44	SY	2900
Fairgrounds	Aubrey 2600	23336	R/R Asph 5.5"	16.00	16.00	28.44	SY	2601
Fairgrounds	Aubrey 2600	23336	R/R Conc SW 4"	15.00	4.00	6.67	SY	2600
Fairgrounds	Aubrey 2600	23336	R/R Conc SW 4"	5.00	4.00	2.22	SY	2617
Fairgrounds	Aubrey 2600	23336	R/R Conc SW 4"	81.00	4.00	36.00	SY	2632
Fairgrounds	Aubrey 2700	23335	R/R Asph 5.5"	10.00	22.00	24.44	SY	2726
Fairgrounds	Aubrey 2700	23335	R/R Asph 5.5"	7.00	12.00	9.33	SY	2716
Fairgrounds	Aubrey 2700	23335	R/R Asph 5.5"	38.00	11.00	46.44	SY	2700
Fairgrounds	Aubrey 2800	23334	R/R Conc SW 4"	28.00	4.00	12.44	SY	2800
Fairgrounds	Aubrey 2800	23334	R/R Conc SW 4"	20.00	4.00	8.89	SY	2822
Fairgrounds	Aubrey 2800	23334	R/R Conc SW 4"	21.00	4.00	9.33	SY	2834
Fairgrounds	Aubrey 2900	23333	R/R Conc SW 4"	105.00	4.00	46.67	SY	2915
Fairgrounds	Belfort 3100	23432	R/R Conc Pvmt 8"	20.00	15.00	33.33	SY	3101
Fairgrounds	Bruxelles 2640	23477	HC Ramp @ Intersection	12.00	9.00	12.00	SY	2663
Fairgrounds	Bruxelles 2640	23477	R/R Conc DW 6"	31.00	6.00	20.67	SY	2653
Fairgrounds	Bruxelles 2640	23477	R/R Asph 5.5"	4.00	4.00	1.78	SY	Intersection at Duels
Fairgrounds	Bruxelles 2640	23477	R/R Conc SW 4"	4.00	4.00	1.78	SY	2663
Fairgrounds	Bruxelles 2640	23477	R/R Conc SW 4"	8.00	4.00	3.56	SY	2660
Fairgrounds	Bruxelles 2640	23477	R/R Conc SW 4"	20.00	4.00	8.89	SY	2658
Fairgrounds	Bruxelles 2640	23477	R/R Conc SW 4"	16.00	4.00	7.11	SY	2656
Fairgrounds	Bruxelles 2640	23477	R/R Conc SW 4"	5.00	4.00	2.22	SY	2648
Fairgrounds	Bruxelles 2640	23477	R/R Conc DW 6"	9.00	6.00	6.00	SY	2648
Fairgrounds	Bruxelles 2640	23477	R/R Conc DW 6"	9.00	6.00	6.00	SY	2644
Fairgrounds	Bruxelles 2640	23477	R/R Conc SW 4"	8.00	4.00	3.56	SY	2644
Fairgrounds	Bruxelles 2640	23477	R/R Conc DW 6"	4.00	6.00	2.67	SY	2644

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Bruxelles 2640	23477	R/R Conc SW 4"	17.00	4.00	7.56	SY	2640
Fairgrounds	Bruxelles 2640	23477	HC Ramp @ Intersection	9.00	9.00	9.00	SY	2660
Fairgrounds	Bruxelles 2640	23477	R/R Conc DW 6"	23.00	4.00	10.22	SY	2663
Fairgrounds	Bruxelles 2700	23478	R/R Conc SW 4"	5.00	4.00	2.22	SY	2727
Fairgrounds	Bruxelles 2700	23478	HC Ramp @ Intersection	8.00	10.00	8.89	SY	2738
Fairgrounds	Bruxelles 2700	23478	R/R Conc SW 4"	12.00	4.00	5.33	SY	2731
Fairgrounds	Bruxelles 2700	23478	R/R Conc DW 6"	10.00	7.00	7.78	SY	2730
Fairgrounds	Bruxelles 2700	23478	R/R Conc SW 4"	16.00	4.00	7.11	SY	2730
Fairgrounds	Bruxelles 2700	23478	R/R Conc DW 6"	7.00	7.00	5.44	SY	2728
Fairgrounds	Bruxelles 2700	23478	R/R Conc SW 4"	17.00	4.00	7.56	SY	2724
Fairgrounds	Bruxelles 2700	23478	R/R Conc SW 4"	4.00	4.00	1.78	SY	2716
Fairgrounds	Bruxelles 2700	23478	R/R Conc DW 6"	9.00	6.00	6.00	SY	2704
Fairgrounds	Bruxelles 2700	23478	R/R Conc SW 4"	12.00	4.00	5.33	SY	2704
Fairgrounds	Bruxelles 2700	23478	R/R Conc SW 4"	18.00	4.00	8.00	SY	2737
Fairgrounds	Bruxelles 2800	23479	R/R Conc SW 4"	10.00	4.00	4.44	SY	2808
Fairgrounds	Bruxelles 2800	23479	R/R Conc DW 6"	8.00	6.00	5.33	SY	2815
Fairgrounds	Bruxelles 2800	23479	R/R Conc DW 6"	8.00	6.00	5.33	SY	2834
Fairgrounds	Bruxelles 2800	23479	R/R Conc DW 6"	8.00	6.00	5.33	SY	2830
Fairgrounds	Bruxelles 2800	23479	R/R Conc SW 4"	8.00	4.00	3.56	SY	2826
Fairgrounds	Bruxelles 2800	23479	R/R Conc SW 4"	8.00	4.00	3.56	SY	2819
Fairgrounds	Bruxelles 2800	23479	R/R Curb	6.00	0.00	6.00	LF	2819
Fairgrounds	Bruxelles 2800	23479	R/R Conc DW 6"	8.00	6.00	5.33	SY	2812
Fairgrounds	Bruxelles 2800	23479	R/R Conc DW 6"	4.00	10.00	4.44	SY	2810
Fairgrounds	Bruxelles 2800	23479	R/R Conc SW 4"	5.00	4.00	2.22	SY	2807
Fairgrounds	Bruxelles 2800	23479	HC Ramp @ Intersection	10.00	9.00	10.00	SY	2801
Fairgrounds	Bruxelles 2800	23479	R/R Conc SW 4"	17.00	4.00	7.56	SY	2812
Fairgrounds	Bruxelles 2900	23480	R/R Conc SW 4"	16.00	4.00	7.11	SY	2923
Fairgrounds	Bruxelles 2900	23480	R/R Conc SW 4"	6.00	4.00	2.67	SY	2919
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	7.00	6.00	4.67	SY	2902
Fairgrounds	Bruxelles 2900	23480	R/R Conc SW 4"	8.00	6.00	5.33	SY	2902
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	9.00	7.00	7.00	SY	2908
Fairgrounds	Bruxelles 2900	23480	R/R Conc SW 4"	13.00	4.00	5.78	SY	2912
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	6.00	6.00	4.00	SY	2912
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	7.00	6.00	4.67	SY	2916
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	7.00	7.00	5.44	SY	2928
Fairgrounds	Bruxelles 2900	23480	R/R Conc SW 4"	6.00	4.00	2.67	SY	2936
Fairgrounds	Bruxelles 2900	23480	R/R Conc SW 4"	16.00	4.00	7.11	SY	2937
Fairgrounds	Bruxelles 2900	23480	R/R Conc SW 4"	16.00	4.00	7.11	SY	2915
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	7.00	7.00	5.44	SY	2936
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	9.00	6.00	6.00	SY	2939
Fairgrounds	Bruxelles 2900	23480	R/R Conc DW 6"	11.00	7.00	8.56	SY	2918
Fairgrounds	Bruxelles 3000	23481	R/R Conc DW 6"	9.00	7.00	7.00	SY	3014

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Bruxelles 3000	23481	R/R Conc SW 4"	13.00	4.00	5.78	SY	3000
Fairgrounds	Bruxelles 3000	23481	R/R Conc DW 6"	11.00	6.00	7.33	SY	3023
Fairgrounds	Castiglione 2600	23344	R/R Asph 5.5"	6.00	3.00	2.00	SY	2625
Fairgrounds	Castiglione 2600	23344	R/R Conc SW 4"	8.00	4.00	3.56	SY	2628
Fairgrounds	Castiglione 2700	23345	R/R Conc SW 4"	24.00	4.00	10.67	SY	2723
Fairgrounds	Castiglione 2700	23345	R/R Conc SW 4"	37.00	4.00	16.44	SY	2734
Fairgrounds	Castiglione 2700	23345	R/R Asph 5.5"	4.00	4.00	1.78	SY	2716
Fairgrounds	Castiglione 2800	23346	R/R Conc SW 4"	16.00	4.00	7.11	SY	2818
Fairgrounds	Castiglione 2900	23347	R/R Conc SW 4"	23.00	4.00	10.22	SY	2923
Fairgrounds	Castiglione 3000	23348	R/R Conc SW 4"	22.00	4.00	9.78	SY	3001
Fairgrounds	Castiglione 3200	23435	R/R Conc SW 4"	24.00	4.00	10.67	SY	3210
Fairgrounds	Castiglione 3300	23437	R/R Conc SW 4"	6.00	4.00	2.67	SY	3302
Fairgrounds	Castiglione 3300	23437	R/R Conc SW 4"	29.00	4.00	12.89	SY	3306
Fairgrounds	Castiglione 3550	23440	Adjust CB/MH	0.00	0.00	1.00	EA	3551
Fairgrounds	Castine 3100	23385	R/R Conc Pvmt 8"	18.00	15.00	30.00	SY	Intersection at Roger William
Fairgrounds	Castine 3140	23386	R/R Conc SW 4"	29.00	4.00	12.89	SY	3150
Fairgrounds	Castine 3140	23386	R/R Conc SW 4"	23.00	4.00	10.22	SY	3144
Fairgrounds	Castine 3140	23386	R/R Conc Pvmt 8"	15.00	14.00	23.33	SY	3155
Fairgrounds	Chalfant 0100	23383	R/R Conc SW 4"	10.00	4.00	4.44	SY	118
Fairgrounds	Chalfant 0100	23383	R/R Conc Pvmt 8"	309.00	24.00	824.00	SY	110 to 124
Fairgrounds	Chalfant 0100	23383	R/R Conc SW 4"	13.00	4.00	5.78	SY	105
Fairgrounds	Chalfant 0100	23383	R/R Conc Pvmt 8"	40.00	24.00	106.67	SY	100
Fairgrounds	Crete 1400	23295	R/R Asph 5.5"	7.00	6.00	4.67	SY	Intersection at Desoto
Fairgrounds	Crete 1400	23295	R/R Conc Pvmt 8"	134.00	13.00	193.56	SY	1402 to 1422
Fairgrounds	Crete 1400	23295	R/R Conc Pvmt 8"	4.00	13.00	5.78	SY	1425
Fairgrounds	Crete 1400	23295	R/R Conc Pvmt 8"	46.00	30.30	154.87	SY	Intersection at LePage
Fairgrounds	Crete 1500	23296	R/R Conc Pvmt 8"	98.00	26.00	283.11	SY	1552
Fairgrounds	Crete 1500	23296	R/R Conc Pvmt 8"	86.00	26.00	248.44	SY	1519 to 1527
Fairgrounds	Crete 1500	23296	R/R Conc Pvmt 8"	38.00	26.00	109.78	SY	1555
Fairgrounds	Crete 1500	23296	R/R Conc SW 4"	25.00	5.00	13.89	SY	1502
Fairgrounds	Crete 1560	23297	R/R Conc SW 4"	25.00	4.00	11.11	SY	1563
Fairgrounds	Crete 1600	23298	R/R Conc SW 4"	28.00	4.00	12.44	SY	1617
Fairgrounds	Crete 1800	23446	R/R Conc SW 4"	31.00	4.00	13.78	SY	1837
Fairgrounds	Crete 1800	23446	R/R Asph 5.5"	6.00	2.00	1.33	SY	1833
Fairgrounds	Crete 1800	23446	R/R Conc SW 4"	57.00	4.00	25.33	SY	1831
Fairgrounds	Crete 1800	23446	R/R Conc SW 4"	7.00	4.00	3.11	SY	1833
Fairgrounds	D'Abadie 2600	23337	R/R Conc SW 4"	6.00	5.00	3.33	SY	2639
Fairgrounds	D'Abadie 2600	23337	R/R Conc SW 4"	29.00	5.00	16.11	SY	2611
Fairgrounds	D'Abadie 2700	23338	R/R Conc SW 4"	8.00	4.00	3.56	SY	2719
Fairgrounds	D'Abadie 2800	23339	R/R Conc SW 4"	5.00	5.00	2.78	SY	2801
Fairgrounds	D'Abadie 2800	23339	R/R Asph 5.5"	4.00	9.00	4.00	SY	2810
Fairgrounds	D'Abadie 2800	23339	R/R Conc SW 4"	59.00	5.00	32.78	SY	2836

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Derby Pl 3000	23425	R/R Conc SW 4"	13.00	4.00	5.78	SY	3000
Fairgrounds	Derby Pl 3100	23426	R/R Asph 5.5"	12.00	8.00	10.67	SY	3107
Fairgrounds	Derby Pl 3100	23426	R/R Conc SW 4"	7.00	4.00	3.11	SY	3132
Fairgrounds	Derby Pl 3100	23426	R/R Conc SW 4"	19.00	4.00	8.44	SY	3133
Fairgrounds	Derby Pl 3100	23426	R/R Conc DW 6"	9.00	3.00	3.00	SY	3133
Fairgrounds	Derby Pl 3100	23426	R/R Conc SW 4"	27.00	4.00	12.00	SY	3134
Fairgrounds	Derby Pl 3200	23427	R/R Conc SW 4"	7.00	4.00	3.11	SY	3207
Fairgrounds	Derby Pl 3200	23427	R/R Conc SW 4"	43.00	4.00	19.11	SY	3249
Fairgrounds	Derby Pl 3200	23427	R/R Conc SW 4"	31.00	4.00	13.78	SY	3242
Fairgrounds	Derby Pl 3200	23427	R/R Conc SW 4"	29.00	4.00	12.89	SY	3235
Fairgrounds	Derby Pl 3200	23427	R/R Conc SW 4"	17.00	4.00	7.56	SY	3227
Fairgrounds	Derby Pl 3200	23427	R/R Conc SW 4"	8.00	4.00	3.56	SY	3251
Fairgrounds	Derby Pl 3200	23427	R/R Conc SW 4"	20.00	4.00	8.89	SY	3215
Fairgrounds	Derby Pl 3400	23428	R/R Conc SW 4"	41.00	4.00	18.22	SY	3472
Fairgrounds	Derby Pl 3400	23428	R/R Conc SW 4"	26.00	4.00	11.56	SY	3469
Fairgrounds	Derby Pl 3400	23428	R/R Asph 5.5"	23.00	9.00	23.00	SY	3464
Fairgrounds	Derby Pl 3400	23428	R/R Asph 5.5"	29.00	8.00	25.78	SY	3432
Fairgrounds	Derby Pl 3400	23428	R/R Conc SW 4"	9.00	4.00	4.00	SY	3432
Fairgrounds	Derby Pl 3400	23428	R/R Conc SW 4"	8.00	4.00	3.56	SY	3431
Fairgrounds	Derby Pl 3400	23428	R/R Conc SW 4"	22.00	4.00	9.78	SY	3421
Fairgrounds	Derby Pl 3500	23429	R/R Conc SW 4"	29.00	4.00	12.89	SY	3516
Fairgrounds	Duels 1600	23456	R/R Conc SW 4"	21.00	4.00	9.33	SY	1623
Fairgrounds	Duels 1650	23457	R/R Conc SW 4"	8.00	4.00	3.56	SY	1651
Fairgrounds	Duels 1650	23457	R/R Conc SW 4"	4.00	4.00	1.78	SY	1663
Fairgrounds	Duels 1650	23457	R/R Asph 5.5"	6.00	5.00	3.33	SY	1660
Fairgrounds	Fortin 2810	23285	R/R Conc SW 4"	10.00	5.00	5.56	SY	2858
Fairgrounds	Fortin 2900	23286	R/R Conc SW 4"	10.00	4.00	4.44	SY	2960
Fairgrounds	Fortin 2900	23286	R/R Conc SW 4"	15.00	5.00	8.33	SY	2954
Fairgrounds	Fortin 3000	23287	R/R Conc SW 4"	64.00	4.00	28.44	SY	3001
Fairgrounds	Frey 3216	23390	R/R Conc Pvmt 8"	88.00	24.00	234.67	SY	3216
Fairgrounds	Frey 3216	23390	R/R Conc SW 4"	53.00	4.00	23.56	SY	3216
Fairgrounds	Frey 3224	23389	R/R Conc SW 4"	13.00	4.00	5.78	SY	3224
Fairgrounds	Frey 3224	23389	R/R Conc Pvmt 8"	10.00	12.00	13.33	SY	3233
Fairgrounds	Frey 3224	23389	R/R Conc Pvmt 8"	60.00	12.00	80.00	SY	3249
Fairgrounds	Frey 3252	23388	R/R Conc SW 4"	71.00	4.00	31.56	SY	3264
Fairgrounds	Frey 3252	23388	R/R Conc DW 6"	12.00	6.00	8.00	SY	3252
Fairgrounds	Frey 3252	23388	R/R Conc Pvmt 8"	169.00	24.00	450.67	SY	3252 to 3263
Fairgrounds	George Nick Connor Dr 2800	23486	R/R Conc SW 4"	19.00	4.00	8.44	SY	2800
Fairgrounds	George Nick Connor Dr 2800	23486	R/R Asph 5.5"	36.00	5.00	20.00	SY	Intersection at Agriculture

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	George Nick Connor Dr 2800	23486	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Agriculture
Fairgrounds	George Nick Connor Dr 2900	23487	R/R Conc SW 4"	5.00	4.00	2.22	SY	2922
Fairgrounds	George Nick Connor Dr 2900	23487	R/R Conc SW 4"	7.00	4.00	3.11	SY	2911
Fairgrounds	George Nick Connor Dr 2900	23487	R/R Conc SW 4"	14.00	4.00	6.22	SY	2900
Fairgrounds	Grand Rt St John 2816	23271	R/R Conc SW 4"	16.00	5.00	8.89	SY	2829
Fairgrounds	Grand Rt St John 2816	23271	R/R Conc SW 4"	20.00	5.00	11.11	SY	2817
Fairgrounds	Grand Rt St John 2900	23270	R/R Asph 5.5"	10.00	8.00	8.89	SY	2925
Fairgrounds	Grand Rt St John 2900	23270	R/R Conc SW 4"	5.00	5.00	2.78	SY	2908
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	11.00	4.00	4.89	SY	113
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	15.00	4.00	6.67	SY	126
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	79.00	4.00	35.11	SY	130
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	18.00	4.00	8.00	SY	114
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	19.00	4.00	8.44	SY	108
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	29.00	4.00	12.89	SY	102
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	44.00	4.00	19.56	SY	109
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	13.00	4.00	5.78	SY	101
Fairgrounds	Hathaway 0100	23392	R/R Conc SW 4"	25.00	4.00	11.11	SY	124
Fairgrounds	Hathaway 0100	12594	R/R Conc SW 4"	80.00	4.00	35.56	SY	112
Fairgrounds	Hathaway 0100	12594	R/R Conc SW 4"	20.00	4.00	8.89	SY	100
Fairgrounds	Hathaway 0100	12594	R/R Conc DW 6"	12.00	4.00	5.33	SY	100
Fairgrounds	Hathaway 0100	12594	R/R Conc SW 4"	70.00	4.00	31.11	SY	104 to 106
Fairgrounds	Industry 1500	23462	R/R Conc SW 4"	9.00	5.00	5.00	SY	1500
Fairgrounds	Industry 1500	23462	R/R Conc SW 4"	17.00	4.00	7.56	SY	1503
Fairgrounds	Industry 1600	23461	R/R Conc SW 4"	13.00	4.00	5.78	SY	1631
Fairgrounds	Industry 1600	23461	R/R Conc SW 4"	28.00	4.00	12.44	SY	1610
Fairgrounds	Industry 1600	23461	R/R Conc SW 4"	20.00	4.00	8.89	SY	1617
Fairgrounds	Industry 1600	23461	R/R Conc SW 4"	12.00	4.00	5.33	SY	1614
Fairgrounds	Industry 1600	23461	R/R Conc SW 4"	10.00	4.00	4.44	SY	1624
Fairgrounds	Industry 1600	23461	R/R Conc SW 4"	25.00	4.00	11.11	SY	1630
Fairgrounds	Industry 1600	23461	R/R Conc SW 4"	10.00	4.00	4.44	SY	1620
Fairgrounds	Industry 1650	23460	R/R Asph 5.5"	29.00	9.00	29.00	SY	1651
Fairgrounds	Industry 1650	23460	R/R Conc SW 4"	76.00	4.00	33.78	SY	1677
Fairgrounds	Industry 1650	23460	R/R Conc SW 4"	30.00	4.00	13.33	SY	1651
Fairgrounds	Industry 1650	23460	R/R Conc SW 4"	10.00	4.00	4.44	SY	1660
Fairgrounds	Industry 1650	23460	R/R Conc SW 4"	56.00	4.00	24.89	SY	1676
Fairgrounds	Industry 1700	23459	R/R Conc SW 4"	19.00	4.00	8.44	SY	1717
Fairgrounds	Industry 1700	23459	R/R Conc SW 4"	5.00	4.00	2.22	SY	1716
Fairgrounds	Industry 1700	23459	R/R Conc SW 4"	22.00	4.00	9.78	SY	1700

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Industry 1700	23459	R/R Conc SW 4"	13.00	4.00	5.78	SY	1704
Fairgrounds	Industry 1700	23459	R/R Conc SW 4"	15.00	4.00	6.67	SY	1706
Fairgrounds	Lapey Rouse 2600	23325	R/R Conc SW 4"	16.00	5.00	8.89	SY	2627
Fairgrounds	Lapey Rouse 2600	23325	R/R Conc SW 4"	8.00	5.00	4.44	SY	2617
Fairgrounds	Lapey Rouse 2600	23325	R/R Conc SW 4"	21.00	5.00	11.67	SY	2611
Fairgrounds	Lapey Rouse 2600	23325	R/R Conc SW 4"	22.00	5.00	12.22	SY	2637
Fairgrounds	Lapey Rouse 2600	23325	R/R Conc SW 4"	21.00	5.00	11.67	SY	2601
Fairgrounds	Lapey Rouse 2700	23326	R/R Conc SW 4"	10.00	5.00	5.56	SY	2703
Fairgrounds	Lapey Rouse 2700	23326	R/R Conc SW 4"	31.00	5.00	17.22	SY	2725
Fairgrounds	Leda 1400	23316	R/R Conc SW 4"	28.00	4.00	12.44	SY	1437
Fairgrounds	Leda 1400	23316	R/R Conc SW 4"	34.00	4.00	15.11	SY	1407
Fairgrounds	Leda 1500	23317	R/R Conc SW 4"	15.00	4.00	6.67	SY	1503
Fairgrounds	Leda 1500	23317	R/R Conc SW 4"	16.00	4.00	7.11	SY	1547
Fairgrounds	Marie St 3400	12602	R/R Conc SW 4"	20.00	4.00	8.89	SY	3400
Fairgrounds	Marie St 3400	12602	R/R Conc SW 4"	25.00	4.00	11.11	SY	3400
Fairgrounds	Maurepas 2900	23281	R/R Conc SW 4"	10.00	5.00	5.56	SY	2910
Fairgrounds	Maurepas 2900	23281	R/R Asph 5.5"	31.00	11.00	37.89	SY	2919
Fairgrounds	Maurepas 3100	23279	R/R Asph 5.5"	17.00	15.00	28.33	SY	3145
Fairgrounds	Maurepas 3100	23279	R/R Asph 5.5"	12.00	6.00	8.00	SY	3121
Fairgrounds	Maurepas 3100	23279	R/R Conc SW 4"	25.00	5.00	13.89	SY	3101
Fairgrounds	Maurepas 3100	23279	R/R Asph 5.5"	6.00	6.00	4.00	SY	3146
Fairgrounds	Moss 1700	23378	R/R Conc SW 4"	271.00	4.00	120.44	SY	1700 to 1750
Fairgrounds	Moss 1840	23376	R/R Conc SW 4"	29.00	4.00	12.89	SY	1844
Fairgrounds	Moss 1840	23376	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Parkview
Fairgrounds	Moss 1900	23381	R/R Conc SW 4"	10.00	4.00	4.44	SY	1942
Fairgrounds	N Dupre 1500	23314	R/R Conc SW 4"	38.00	5.00	21.11	SY	1521
Fairgrounds	N Dupre 1500	23314	R/R Asph 5.5"	24.00	10.00	26.67	SY	1525
Fairgrounds	N Dupre 1500	23314	R/R Asph 5.5"	58.00	20.00	128.89	SY	1511
Fairgrounds	N Dupre 1600	23370	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Lapey Rouse
Fairgrounds	N Dupre 1600	23370	R/R Conc SW 4"	27.00	5.00	15.00	SY	1624
Fairgrounds	N Dupre 1650	23371	R/R Conc SW 4"	61.00	4.00	27.11	SY	1650
Fairgrounds	N Dupre 1700	23372	R/R Conc SW 4"	27.00	4.00	12.00	SY	1735
Fairgrounds	N Dupre 1700	23372	R/R Conc SW 4"	8.00	4.00	3.56	SY	1738
Fairgrounds	N Dupre 1700	23372	R/R Conc SW 4"	23.00	4.00	10.22	SY	1711
Fairgrounds	N Dupre 1700	23372	R/R Conc SW 4"	12.00	4.00	5.33	SY	1727
Fairgrounds	N Dupre 1700	23372	R/R Conc DW 6"	14.00	8.00	12.44	SY	1729
Fairgrounds	N Dupre 1750	23373	R/R Conc SW 4"	51.00	4.00	22.67	SY	1751
Fairgrounds	N Dupre 1750	23373	R/R Conc SW 4"	20.00	5.00	11.11	SY	1779
Fairgrounds	N Dupre 1750	23373	R/R Conc SW 4"	15.00	5.00	8.33	SY	1775
Fairgrounds	N Dupre 1800	23374	R/R Conc SW 4"	67.00	4.00	29.78	SY	1800
Fairgrounds	N Dupre 1800	23374	R/R Conc SW 4"	26.00	4.00	11.56	SY	1805
Fairgrounds	N Dupre 1800	23374	R/R Conc SW 4"	28.00	4.00	12.44	SY	1801

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	N Dupre 1800	23374	R/R Conc SW 4"	17.00	4.00	7.56	SY	1825
Fairgrounds	N Dupre 1850	23375	R/R Conc SW 4"	27.00	4.00	12.00	SY	1869
Fairgrounds	N Dupre 1850	23375	R/R Conc SW 4"	37.00	4.00	16.44	SY	1850
Fairgrounds	N Gayoso 1660	23357	R/R Conc SW 4"	10.00	5.00	5.56	SY	1686
Fairgrounds	N Gayoso 1700	23356	R/R Asph 5.5"	21.00	5.00	11.67	SY	1738
Fairgrounds	N Gayoso 1700	23356	R/R Conc SW 4"	14.00	4.00	6.22	SY	1700
Fairgrounds	N Gayoso 1765	23355	R/R Conc SW 4"	12.00	4.00	5.33	SY	1765
Fairgrounds	N Gayoso 1800	23354	R/R Conc SW 4"	8.00	4.00	3.56	SY	1800
Fairgrounds	N Gayoso 1832	23353	R/R Conc SW 4"	8.00	4.00	3.56	SY	1858
Fairgrounds	N Gayoso 1832	23353	R/R Conc SW 4"	11.00	4.00	4.89	SY	1850
Fairgrounds	N Lopez 1500	23306	R/R Conc Pvmt 8"	51.00	15.76	89.31	SY	Intersection at Ponce de Leon
Fairgrounds	N Lopez 1500	23306	R/R Conc SW 4"	8.00	4.00	3.56	SY	1507
Fairgrounds	N Lopez 1625	23308	R/R Conc Pvmt 8"	5.00	7.00	3.89	SY	1635
Fairgrounds	N Rendon 1855	23441	R/R Conc SW 4"	33.00	4.00	14.67	SY	1860
Fairgrounds	N Rendon 1855	23441	R/R Conc SW 4"	12.00	4.00	5.33	SY	1863
Fairgrounds	N Rendon 1855	23441	R/R Conc Pvmt 8"	5.00	7.00	3.89	SY	Intersection at Trafalger
Fairgrounds	N Salcedo 1800	23451	R/R Conc SW 4"	17.00	4.00	7.56	SY	1800
Fairgrounds	N Salcedo 1860	23452	R/R Asph 5.5"	27.00	14.00	42.00	SY	1863
Fairgrounds	N Salcedo 1860	23452	R/R Conc SW 4"	17.00	4.00	7.56	SY	1870
Fairgrounds	N White 1300	23304	R/R Asph 5.5"	15.00	16.00	26.67	SY	1350
Fairgrounds	N White 1300	23304	R/R Conc SW 4"	6.00	4.00	2.67	SY	1350
Fairgrounds	N White 1300	23304	R/R Conc SW 4"	8.00	4.00	3.56	SY	1300
Fairgrounds	N White 1400	23303	R/R Asph 5.5"	116.00	19.00	244.89	SY	1436
Fairgrounds	N White 1400	23303	R/R Conc Pvmt 8"	24.00	11.00	29.33	SY	Intersection at LePage
Fairgrounds	N White 1500	23302	R/R Asph 5.5"	11.00	6.00	7.33	SY	1501
Fairgrounds	N White 1600	23301	R/R Conc SW 4"	8.00	4.00	3.56	SY	1600
Fairgrounds	N White 1600	23301	R/R Conc SW 4"	49.00	5.00	27.22	SY	1621
Fairgrounds	N White 1600	23301	R/R Conc SW 4"	33.00	4.00	14.67	SY	1620
Fairgrounds	Onzaga 2600	23343	R/R Conc SW 4"	28.00	4.00	12.44	SY	2615
Fairgrounds	Onzaga 2600	23343	R/R Conc SW 4"	20.00	4.00	8.89	SY	2637
Fairgrounds	Onzaga 2600	23343	R/R Conc SW 4"	16.00	4.00	7.11	SY	2631
Fairgrounds	Onzaga 2600	23343	R/R Conc SW 4"	21.00	4.00	9.33	SY	2609
Fairgrounds	Onzaga 2600	23343	R/R Conc SW 4"	42.00	4.00	18.67	SY	2626
Fairgrounds	Onzaga 2600	23343	R/R Conc SW 4"	16.00	4.00	7.11	SY	2627
Fairgrounds	O'Reilly 2600	23328	R/R Conc SW 4"	24.00	4.00	10.67	SY	2635
Fairgrounds	O'Reilly 2700	23329	R/R Conc SW 4"	30.00	4.00	13.33	SY	2735
Fairgrounds	O'Reilly 2800	23330	R/R Conc SW 4"	28.00	4.00	12.44	SY	2811
Fairgrounds	Paul Morphy 1500	23369	R/R Conc SW 4"	11.00	4.00	4.89	SY	1524
Fairgrounds	Paul Morphy 1500	23369	R/R Conc SW 4"	26.00	4.00	11.56	SY	1518
Fairgrounds	Paul Morphy 1500	23369	R/R Conc SW 4"	29.00	4.00	12.89	SY	1510
Fairgrounds	Paul Morphy 1550	23368	R/R Conc SW 4"	36.00	4.00	16.00	SY	1562
Fairgrounds	Paul Morphy 1600	23367	R/R Conc SW 4"	37.00	4.00	16.44	SY	1601

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Paul Morphy 1600	23367	R/R Conc SW 4"	18.00	4.00	8.00	SY	1622
Fairgrounds	Paul Morphy 1600	23367	R/R Conc SW 4"	28.00	4.00	12.44	SY	1636
Fairgrounds	Paul Morphy 1649	23366	R/R Asph 5.5"	6.00	6.00	4.00	SY	1649
Fairgrounds	Paul Morphy 1649	23366	R/R Conc SW 4"	27.00	4.00	12.00	SY	1675
Fairgrounds	Paul Morphy 1700	23365	R/R Conc SW 4"	30.00	4.00	13.33	SY	1732
Fairgrounds	Paul Morphy 1700	23365	R/R Conc SW 4"	21.00	4.00	9.33	SY	1726
Fairgrounds	Paul Morphy 1750	23364	R/R Conc SW 4"	16.00	4.00	7.11	SY	1756
Fairgrounds	Paul Morphy 1750	23364	R/R Conc SW 4"	25.00	4.00	11.11	SY	1769
Fairgrounds	Paul Morphy 1750	23364	R/R Asph 5.5"	9.00	4.00	4.00	SY	1756
Fairgrounds	Paul Morphy 1800	23363	R/R Conc SW 4"	16.00	4.00	7.11	SY	1820
Fairgrounds	Paul Morphy 1800	23363	R/R Asph 5.5"	5.00	5.00	2.78	SY	1809
Fairgrounds	Paul Morphy 1800	23363	R/R Asph 5.5"	6.00	6.00	4.00	SY	Intersection at O reilly
Fairgrounds	Paul Morphy 1800	23363	R/R Conc SW 4"	14.00	4.00	6.22	SY	1815
Fairgrounds	Ponce De Leon 2700	23273	R/R Conc Pvmt 8"	10.00	13.00	14.44	SY	2726
Fairgrounds	Ponce De Leon 2900	23275	R/R Asph 5.5"	27.00	10.00	30.00	SY	2940
Fairgrounds	Ponce De Leon 3000	23276	R/R Asph 5.5"	17.00	25.00	47.22	SY	3057
Fairgrounds	Ponce De Leon 3100	23277	R/R Asph 5.5"	9.00	7.00	7.00	SY	3101
Fairgrounds	Portage 0100	23382	R/R Conc SW 4"	34.00	4.00	15.11	SY	121
Fairgrounds	Portage 0100	23382	R/R Conc Pvmt 8"	464.00	24.00	1,237.33	SY	100 to 124
Fairgrounds	Portage 0100	23382	R/R Conc SW 4"	21.00	4.00	9.33	SY	119
Fairgrounds	Portage 0100	23382	R/R Conc SW 4"	47.00	4.00	20.89	SY	113
Fairgrounds	Portage 0100	23382	R/R Conc SW 4"	31.00	4.00	13.78	SY	120
Fairgrounds	Portage 0100	23382	R/R Conc Pvmt 8"	53.00	28.00	164.89	SY	Intersection at Frey
Fairgrounds	Portage 0100	23382	R/R Conc SW 4"	35.00	4.00	15.56	SY	101
Fairgrounds	Republic 2700	23485	R/R Conc SW 4"	26.00	4.00	11.56	SY	2734
Fairgrounds	Republic 2700	23485	R/R Conc SW 4"	11.00	4.00	4.89	SY	2721
Fairgrounds	Republic 2700	23485	R/R Conc SW 4"	38.00	4.00	16.89	SY	2700
Fairgrounds	Republic 2800	23484	R/R Conc SW 4"	80.00	4.00	35.56	SY	2830
Fairgrounds	Republic 2800	23484	R/R Conc SW 4"	17.00	4.00	7.56	SY	2820
Fairgrounds	Republic 2800	23484	R/R Conc SW 4"	21.00	4.00	9.33	SY	2815
Fairgrounds	Republic 2800	23484	R/R Conc SW 4"	56.00	4.00	24.89	SY	2800
Fairgrounds	Republic 2800	23484	R/R Conc SW 4"	11.00	4.00	4.89	SY	2801
Fairgrounds	Republic 2900	23483	R/R Conc SW 4"	107.00	4.00	47.56	SY	2930
Fairgrounds	Republic 2900	23483	R/R Asph 5.5"	16.00	5.00	8.89	SY	2930
Fairgrounds	Republic 2900	23483	R/R Conc SW 4"	7.00	4.00	3.11	SY	2918
Fairgrounds	Republic 2900	23483	R/R Conc SW 4"	3.00	4.00	1.33	SY	2915
Fairgrounds	Republic 2900	23483	R/R Conc SW 4"	40.00	4.00	17.78	SY	2926
Fairgrounds	Republic 3000	23482	R/R Conc SW 4"	4.00	4.00	1.78	SY	3041
Fairgrounds	Republic 3000	23482	HC Ramp @ Intersection	9.00	9.00	9.00	SY	3000
Fairgrounds	Republic 3000	23482	R/R Conc SW 4"	4.00	4.00	1.78	SY	3003
Fairgrounds	Republic 3000	23482	R/R Conc SW 4"	27.00	4.00	12.00	SY	3000
Fairgrounds	Republic 3000	23482	R/R Conc SW 4"	27.00	4.00	12.00	SY	3006

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Republic 3000	23482	R/R Conc SW 4"	9.00	4.00	4.00	SY	3008
Fairgrounds	Republic 3000	23482	R/R Conc SW 4"	4.00	4.00	1.78	SY	3014
Fairgrounds	Republic 3000	23482	R/R Conc SW 4"	6.00	4.00	2.67	SY	3040
Fairgrounds	Roger Williams 3300	23397	R/R Conc Pvmt 8"	6.00	13.00	8.67	SY	3363
Fairgrounds	Roger Williams 3300	23397	R/R Conc DW 6"	12.00	6.00	8.00	SY	3351
Fairgrounds	Roger Williams 3300	23397	R/R Conc SW 4"	9.00	4.00	4.00	SY	3363
Fairgrounds	Roger Williams 3300	23397	R/R Conc SW 4"	8.00	4.00	3.56	SY	3343
Fairgrounds	Roger Williams 3300	23397	R/R Conc SW 4"	8.00	4.00	3.56	SY	3375
Fairgrounds	Roger Williams 3300	23397	R/R Conc SW 4"	4.00	4.00	1.78	SY	3337
Fairgrounds	Roger Williams 3300	23397	R/R Conc SW 4"	4.00	4.00	1.78	SY	3346
Fairgrounds	Roger Williams 3300	23397	R/R Conc SW 4"	12.00	4.00	5.33	SY	3376
Fairgrounds	Roger Williams 3300	23397	R/R Conc SW 4"	12.00	4.00	5.33	SY	3351
Fairgrounds	Roger Williams 3400	23396	R/R Conc SW 4"	7.00	4.00	3.11	SY	3460
Fairgrounds	Roger Williams 3400	23396	R/R Conc SW 4"	9.00	4.00	4.00	SY	3443
Fairgrounds	Roger Williams 3400	23396	R/R Conc Pvmt 8"	33.00	26.00	95.33	SY	3443
Fairgrounds	Roger Williams 3400	23396	R/R Conc SW 4"	21.00	4.00	9.33	SY	3418
Fairgrounds	Roger Williams 3400	23396	R/R Conc SW 4"	5.00	4.00	2.22	SY	3426
Fairgrounds	Roger Williams 3400	12597	R/R Conc SW 4"	30.00	4.00	13.33	SY	3460
Fairgrounds	Roger Williams 3500	23395	R/R Conc SW 4"	23.00	4.00	10.22	SY	3554
Fairgrounds	Roger Williams 3500	23395	R/R Conc SW 4"	12.00	4.00	5.33	SY	3568
Fairgrounds	Roger Williams 3500	23395	R/R Conc SW 4"	16.00	4.00	7.11	SY	3501
Fairgrounds	Roger Williams 3500	12598	R/R Conc SW 4"	10.00	4.00	4.44	SY	3545
Fairgrounds	Roger Williams 3500	12598	R/R Curb	24.00	0.00	24.00	LF	3549
Fairgrounds	Roger Williams 3500	12598	R/R Conc SW 4"	15.00	4.00	6.67	SY	3562
Fairgrounds	Roger Williams 3500	12598	R/R Curb	6.00	0.00	6.00	LF	3555
Fairgrounds	Rosiere 1800	23359	R/R Conc SW 4"	9.00	4.00	4.00	SY	1833
Fairgrounds	Rosiere 1850	23360	R/R Conc SW 4"	6.00	4.00	2.67	SY	1856
Fairgrounds	Saltus 1830	23449	R/R Conc SW 4"	23.00	5.00	12.78	SY	1894
Fairgrounds	Sauvage 1600	23312	R/R Conc SW 4"	8.00	4.00	3.56	SY	1604
Fairgrounds	Sauvage 1626	23311	R/R Conc Pvmt 8"	27.00	4.00	12.00	SY	Intersection at Maurepas
Fairgrounds	Sauvage 1626	23311	R/R Conc SW 4"	40.00	4.00	17.78	SY	1637
Fairgrounds	Sauvage 1626	23311	R/R Conc Pvmt 8"	6.00	10.00	6.67	SY	Intersection at Maurepas
Fairgrounds	Serantine 2800	23351	R/R Conc DW 6"	12.00	6.00	8.00	SY	2828
Fairgrounds	Serantine 2800	23351	R/R Asph 5.5"	88.00	12.00	117.33	SY	2818 to 2822
Fairgrounds	Serantine 2900	23350	R/R Asph 5.5"	17.00	7.00	13.22	SY	2916
Fairgrounds	Serantine 3000	23349	R/R Conc SW 4"	9.00	4.00	4.00	SY	3001
Fairgrounds	Tensas 3100	23399	R/R Asph 5.5"	19.00	9.00	19.00	SY	3100
Fairgrounds	Tensas 3100	23399	R/R Conc SW 4"	4.00	4.00	1.78	SY	3101
Fairgrounds	Tensas 3100	23399	R/R Asph 5.5"	10.00	3.00	3.33	SY	3110
Fairgrounds	Trafalgar 3700	23415	R/R Conc SW 4"	17.00	4.00	7.56	SY	3712
Fairgrounds	Trafalgar 3900	23413	R/R Conc Pvmt 8"	60.00	36.00	240.00	SY	3988
Fairgrounds	Trafalgar 3900	23413	R/R Conc Pvmt 8"	30.00	18.00	60.00	SY	3901

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Trafalger 3000	23424	R/R Conc SW 4"	8.00	4.00	3.56	SY	3001
Fairgrounds	Trafalger 3200	23421	R/R Conc SW 4"	4.00	4.00	1.78	SY	3231
Fairgrounds	Trafalger 3200	23421	R/R Conc SW 4"	21.00	4.00	9.33	SY	3247
Fairgrounds	Trafalger 3300	23420	R/R Conc SW 4"	4.00	4.00	1.78	SY	3308
Fairgrounds	Trafalger 3300	23420	R/R Conc SW 4"	11.00	4.00	4.89	SY	3300
Fairgrounds	Trafalger 3400	23418	R/R Curb	3.00	0.00	3.00	LF	3432
Fairgrounds	Trafalger 3600	23417	R/R Conc Pvmt 8"	24.00	18.00	48.00	SY	3638
Fairgrounds	Treasure 1500	23473	R/R Conc SW 4"	6.00	5.00	3.33	SY	1504
Fairgrounds	Treasure 1500	23473	R/R Conc SW 4"	11.00	5.00	6.11	SY	1506
Fairgrounds	Treasure 1600	23474	R/R Asph 5.5"	5.00	6.00	3.33	SY	1600
Fairgrounds	Treasure 1600	23474	R/R Conc SW 4"	142.00	4.00	63.11	SY	1625
Fairgrounds	Treasure 1600	23474	R/R Conc SW 4"	20.00	4.00	8.89	SY	1602
Fairgrounds	Treasure 1600	23474	R/R Conc SW 4"	4.00	4.00	1.78	SY	1616
Fairgrounds	Treasure 1600	23474	R/R Conc SW 4"	33.00	4.00	14.67	SY	1626
Fairgrounds	Treasure 1650	23475	R/R Conc SW 4"	24.00	4.00	10.67	SY	1654A
Fairgrounds	Treasure 1650	23475	R/R Conc SW 4"	31.00	4.00	13.78	SY	1662
Fairgrounds	Treasure 1650	23475	R/R Conc SW 4"	23.00	4.00	10.22	SY	1667
Fairgrounds	Treasure 1650	23475	R/R Conc SW 4"	31.00	4.00	13.78	SY	1644
Fairgrounds	Treasure 1700	23476	R/R Conc SW 4"	11.00	4.00	4.89	SY	1714
Fairgrounds	Treasure 1700	23476	R/R Conc SW 4"	3.00	4.00	1.33	SY	1711
Fairgrounds	Tunica 3100	23398	R/R Asph 5.5"	62.00	9.00	62.00	SY	3109
Fairgrounds	Tunica 3100	23398	R/R Asph 5.5"	128.00	18.00	256.00	SY	3100
Fairgrounds	Tunica 3100	23398	R/R Conc SW 4"	11.00	4.00	4.89	SY	3101
Fairgrounds	Verna 1400	23320	R/R Conc SW 4"	24.00	4.00	10.67	SY	1459
Fairgrounds	Verna 1400	23320	R/R Conc SW 4"	16.00	4.00	7.11	SY	1441
Fairgrounds	Verna 1400	23320	R/R Conc SW 4"	16.00	4.00	7.11	SY	1451
Fairgrounds	Verna 1500	23319	R/R Conc SW 4"	15.00	4.00	6.67	SY	1515
Fairgrounds	Wilshire 0100	23384	R/R Conc Pvmt 8"	53.00	34.92	205.64	SY	Intersection at Frey
Fairgrounds	Wilshire 0100	23384	R/R Conc Pvmt 8"	10.00	24.00	26.67	SY	100
Fairgrounds	Wilshire 0100	23384	R/R Conc Pvmt 8"	80.00	24.00	213.33	SY	101 to 105
Fairgrounds	Wilshire 0100	23384	R/R Conc SW 4"	11.00	4.00	4.89	SY	105
Fairgrounds	Wilshire 0100	23384	R/R Conc Pvmt 8"	341.00	24.00	909.33	SY	106 to 132
Fairgrounds	Wilshire 0100	23384	R/R Conc SW 4"	4.00	4.00	1.78	SY	124
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	43.00	4.00	19.11	SY	114
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	53.00	4.00	23.56	SY	100
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	35.00	4.00	15.56	SY	131
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	93.00	4.00	41.33	SY	130
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	27.00	4.00	12.00	SY	113
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	17.00	4.00	7.56	SY	120
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	145.00	4.00	64.44	SY	107
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	27.00	4.00	12.00	SY	108
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	15.00	4.00	6.67	SY	106

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Fairgrounds Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Fairgrounds	Winthrop 0100	23391	R/R Conc DW 6"	12.00	6.00	8.00	SY	101
Fairgrounds	Winthrop 0100	23391	R/R Conc SW 4"	12.00	4.00	5.33	SY	100
Fairgrounds	Winthrop 0100	12595	R/R Conc SW 4"	70.00	4.00	31.11	SY	128
Fairgrounds	Winthrop 0100	12595	R/R Conc SW 4"	18.00	4.00	8.00	SY	122
Fairgrounds	Winthrop 0100	12595	R/R Conc DW 6"	9.00	6.00	6.00	SY	131
Fairgrounds	Winthrop 0100	12595	R/R Conc SW 4"	33.00	4.00	14.67	SY	118
Fairgrounds	Winthrop 0100	12595	R/R Conc SW 4"	100.00	4.00	44.44	SY	111
Fairgrounds	Winthrop 0100	12595	R/R Conc SW 4"	20.00	4.00	8.89	SY	131
Fairgrounds	Winthrop 0100	12595	R/R Conc SW 4"	160.00	4.00	71.11	SY	110
Fairgrounds	Yupon 3100	23393	R/R Conc DW 6"	8.00	3.00	2.67	SY	3131
Fairgrounds	Yupon 3100	23393	R/R Conc SW 4"	6.00	4.00	2.67	SY	3131
Fairgrounds	Yupon 3100	23393	R/R Conc SW 4"	19.00	4.00	8.44	SY	3100
Fairgrounds	Yupon 3100	23393	R/R Asph 5.5"	320.00	18.00	640.00	SY	3100 to 3131
Fairgrounds	Yupon 3100	23393	R/R Asph 5.5"	53.00	29.92	176.20	SY	Intersection at Roger Williams
Fairgrounds	Yupon 3143	23394	R/R Conc SW 4"	4.00	4.00	1.78	SY	3143
Fairgrounds	Yupon 3143	23394	R/R Asph 5.5"	105.00	18.00	210.00	SY	3143 to 3151

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 12 of 12

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole