

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Alvar St 2100	R/R Conc SW 4"	30.00	4.00	13.33	SY	2137
Florida Area	Alvar St 2100	R/R Conc SW 4"	28.00	4.00	12.44	SY	2115
Florida Area	Alvar St 2100	R/R Conc SW 4"	40.00	4.00	17.78	SY	2109
Florida Area	Alvar St 2100	R/R Conc SW 4"	24.00	4.00	10.67	SY	2101
Florida Area	Alvar St 2200	R/R Conc Pvmt 8"	328.00	12.00	437.33	SY	2201 to 2245
Florida Area	Alvar St 2200	R/R Conc Pvmt 8"	7.00	30.00	23.33	SY	2201
Florida Area	Alvar St 2200	R/R Conc SW 4"	12.00	4.00	5.33	SY	2207
Florida Area	Alvar St 2200	R/R Conc SW 4"	9.00	4.00	4.00	SY	2215
Florida Area	Alvar St 2200	R/R Conc SW 4"	12.00	4.00	5.33	SY	2221
Florida Area	Alvar St 2200	R/R Conc SW 4"	16.00	4.00	7.11	SY	2245
Florida Area	Alvar St 2200	R/R Conc Pvmt 8"	30.00	5.00	16.67	SY	2245
Florida Area	Alvar St 2200	R/R Conc Pvmt 8"	6.00	6.00	4.00	SY	2220
Florida Area	Alvar St 2300	R/R Conc SW 4"	12.00	4.00	5.33	SY	2335
Florida Area	Alvar St 2300	R/R Conc Pvmt 8"	250.00	15.00	416.67	SY	2300 to 2340
Florida Area	Alvar St 2300	R/R Conc SW 4"	26.00	4.00	11.56	SY	2300
Florida Area	Alvar St 2300	R/R Conc SW 4"	13.00	4.00	5.78	SY	2314
Florida Area	Alvar St 2300	R/R Conc SW 4"	23.00	4.00	10.22	SY	2316
Florida Area	Alvar St 2300	R/R Conc SW 4"	13.00	4.00	5.78	SY	2319
Florida Area	Alvar St 2300	R/R Conc SW 4"	32.00	4.00	14.22	SY	2332
Florida Area	Alvar St 2300	R/R Conc SW 4"	12.00	4.00	5.33	SY	2321
Florida Area	Alvar St 2300	R/R Conc Pvmt 8"	33.00	30.00	110.00	SY	2335
Florida Area	Alvar St 2300	R/R Conc SW 4"	23.00	4.00	10.22	SY	2344
Florida Area	Alvar St 2300	R/R Conc SW 4"	28.00	4.00	12.44	SY	2315
Florida Area	Alvar St 2400	R/R Conc Pvmt 8"	131.00	30.00	436.67	SY	2400 to 2421
Florida Area	Alvar St 2400	R/R Conc Pvmt 8"	206.00	15.00	343.33	SY	2421 to 2438
Florida Area	Alvar St 2400	R/R Conc Pvmt 8"	125.00	15.00	208.33	SY	2420 to 2438
Florida Area	Alvar St 2400	R/R Conc SW 4"	21.00	4.00	9.33	SY	2441
Florida Area	Alvar St 2400	R/R Conc SW 4"	59.00	4.00	26.22	SY	2438
Florida Area	Alvar St 2600	R/R Conc SW 4"	77.00	5.00	42.78	SY	2600
Florida Area	Bartholomew St 2100	R/R Conc SW 4"	28.00	4.00	12.44	SY	2115
Florida Area	Bartholomew St 2100	R/R Conc SW 4"	20.00	4.00	8.89	SY	2135
Florida Area	Bartholomew St 2100	R/R Conc SW 4"	42.00	4.00	18.67	SY	2108
Florida Area	Bartholomew St 2100	R/R Conc SW 4"	28.00	4.00	12.44	SY	2116
Florida Area	Bartholomew St 2100	R/R Conc Pvmt 8"	20.00	20.00	44.44	SY	2125
Florida Area	Bartholomew St 2100	R/R Conc Pvmt 8"	4.00	4.00	1.78	SY	2134

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Bartholomew St 2100	R/R Conc SW 4"	54.00	4.00	24.00	SY	2101
Florida Area	Bartholomew St 2200	R/R Conc SW 4"	26.00	4.00	11.56	SY	2223
Florida Area	Bartholomew St 2200	R/R Conc SW 4"	20.00	4.00	8.89	SY	2228
Florida Area	Bartholomew St 2200	R/R Conc SW 4"	28.00	4.00	12.44	SY	2233
Florida Area	Bartholomew St 2300	R/R Conc DW 6"	11.00	9.00	11.00	SY	2319
Florida Area	Bartholomew St 2300	R/R Conc SW 4"	9.00	4.00	4.00	SY	2309
Florida Area	Bartholomew St 2300	R/R Curb	4.00	0.00	4.00	LF	2309
Florida Area	Bartholomew St 2300	R/R Conc SW 4"	14.00	4.00	6.22	SY	2308
Florida Area	Bartholomew St 2300	R/R Conc SW 4"	62.00	4.00	27.56	SY	2338
Florida Area	Bartholomew St 2300	R/R Conc SW 4"	32.00	4.00	14.22	SY	2327
Florida Area	Bartholomew St 2300	R/R Conc SW 4"	20.00	4.00	8.89	SY	2332
Florida Area	Bartholomew St 2400	R/R Conc DW 6"	12.00	7.00	9.33	SY	2409
Florida Area	Bartholomew St 2400	R/R Conc SW 4"	25.00	4.00	11.11	SY	2418
Florida Area	Bartholomew St 2400	R/R Conc SW 4"	18.00	4.00	8.00	SY	2417
Florida Area	Bartholomew St 2400	R/R Conc SW 4"	11.00	4.00	4.89	SY	2440
Florida Area	Bartholomew St 2400	R/R Conc SW 4"	20.00	4.00	8.89	SY	2429
Florida Area	Bartholomew St 2400	R/R Conc SW 4"	22.00	4.00	9.78	SY	2408
Florida Area	Bartholomew St 2400	R/R Conc DW 6"	12.00	7.00	9.33	SY	2417
Florida Area	Bartholomew St 2400	R/R Conc SW 4"	19.00	4.00	8.44	SY	2401
Florida Area	Bartholomew St 2400	R/R Conc SW 4"	33.00	4.00	14.67	SY	2409
Florida Area	Clovet St 2200	R/R Conc SW 4"	16.00	4.00	7.11	SY	Opposite 2226
Florida Area	Clovet St 2200	R/R Conc SW 4"	10.00	4.00	4.44	SY	2216
Florida Area	Clovet St 2300	R/R Conc SW 4"	23.00	4.00	10.22	SY	2326
Florida Area	Clovet St 2300	R/R Conc SW 4"	16.00	4.00	7.11	SY	2345
Florida Area	Clovet St 2300	R/R Conc SW 4"	22.00	4.00	9.78	SY	2315
Florida Area	Clovet St 2300	R/R Conc SW 4"	16.00	4.00	7.11	SY	2317
Florida Area	Clovet St 2300	R/R Conc SW 4"	59.00	4.00	26.22	SY	2314
Florida Area	Clovet St 2400	R/R Conc SW 4"	14.00	4.00	6.22	SY	2407
Florida Area	Clovet St 2400	R/R Conc SW 4"	9.00	4.00	4.00	SY	2419
Florida Area	Clovet St 2400	R/R Conc SW 4"	49.00	4.00	21.78	SY	2430
Florida Area	Clovet St 2400	R/R Conc SW 4"	8.00	4.00	3.56	SY	2430
Florida Area	Clovet St 2400	R/R Conc SW 4"	11.00	4.00	4.89	SY	2439
Florida Area	Clovet St 2400	R/R Asph 5.5"	30.00	19.00	63.33	SY	2439
Florida Area	Clovet St 2400	R/R Asph 5.5"	8.00	6.00	5.33	SY	2401
Florida Area	Clovet St 2500	R/R Conc SW 4"	121.00	4.00	53.78	SY	2501
Florida Area	Clovet St 2500	R/R Asph 5.5"	24.00	18.00	48.00	SY	2501

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Clovet St 2500	R/R Conc SW 4"	8.00	4.00	3.56	SY	2504
Florida Area	Clovet St 2500	R/R Conc SW 4"	32.00	4.00	14.22	SY	2520
Florida Area	Clovet St 2500	R/R Asph 5.5"	57.00	18.00	114.00	SY	2539
Florida Area	Clovet St 2500	R/R Asph 5.5"	30.00	9.00	30.00	SY	2501
Florida Area	Clovet St 2600	R/R Asph 5.5"	18.00	21.00	42.00	SY	2601
Florida Area	Clovet St 2600	R/R Conc SW 4"	40.00	4.00	17.78	SY	2600
Florida Area	Clovet St 2600	R/R Asph 5.5"	70.00	11.00	85.56	SY	2639
Florida Area	Clovet St 2700	R/R Asph 5.5"	70.00	14.00	108.89	SY	2738
Florida Area	Clovet St 2700	R/R Conc SW 4"	32.00	4.00	14.22	SY	2701 to 2739
Florida Area	Congress St 2100	R/R Conc SW 4"	15.00	4.00	6.67	SY	2123
Florida Area	Congress St 2100	R/R Conc SW 4"	12.00	4.00	5.33	SY	2125
Florida Area	Congress St 2100	R/R Conc SW 4"	10.00	4.00	4.44	SY	2114
Florida Area	Congress St 2100	R/R Conc SW 4"	4.00	4.00	1.78	SY	2107
Florida Area	Congress St 2100	R/R Conc DW 6"	10.00	10.00	11.11	SY	2107
Florida Area	Congress St 2100	R/R Conc SW 4"	11.00	4.00	4.89	SY	2100
Florida Area	Congress St 2100	R/R Asph 5.5"	253.00	18.00	506.00	SY	2100 to 2140
Florida Area	Congress St 2100	R/R Conc SW 4"	11.00	4.00	4.89	SY	2140
Florida Area	Congress St 2300	R/R Conc SW 4"	3.00	4.00	1.33	SY	2316
Florida Area	Congress St 2300	R/R Conc SW 4"	33.00	4.00	14.67	SY	2323
Florida Area	Congress St 2300	R/R Conc Pvmt 8"	40.00	13.00	57.78	SY	2326
Florida Area	Congress St 2300	R/R Conc Pvmt 8"	55.00	13.00	79.44	SY	2326
Florida Area	Congress St 2400	R/R Conc SW 4"	21.00	4.00	9.33	SY	2401
Florida Area	Congress St 2400	R/R Conc SW 4"	11.00	4.00	4.89	SY	2420
Florida Area	Congress St 2400	R/R Conc SW 4"	45.00	4.00	20.00	SY	2437
Florida Area	Congress St 2500	R/R Conc SW 4"	5.00	4.00	2.22	SY	2526
Florida Area	Congress St 2500	R/R Conc SW 4"	13.00	4.00	5.78	SY	2524
Florida Area	Congress St 2500	R/R Curb	5.00	0.00	5.00	LF	2536
Florida Area	Desire St 2400	R/R Conc SW 4"	3.00	4.00	1.33	SY	2438
Florida Area	Desire St 2500	R/R Conc SW 4"	36.00	4.00	16.00	SY	2536
Florida Area	Desire St 2500	R/R Conc Pvmt 8"	25.00	26.00	72.22	SY	2545
Florida Area	Desire St 2500	R/R Conc SW 4"	19.00	4.00	8.44	SY	2526
Florida Area	Desire St 2500	R/R Conc SW 4"	21.00	4.00	9.33	SY	2517
Florida Area	Desire St 2500	R/R Conc SW 4"	6.00	4.00	2.67	SY	2508
Florida Area	Desire St 2500	R/R Conc SW 4"	60.00	4.00	26.67	SY	2501
Florida Area	Desire St 2500	R/R Conc Pvmt 8"	261.00	26.00	754.00	SY	2501 to 2536
Florida Area	Desire St 2600	R/R Conc SW 4"	15.00	4.00	6.67	SY	2601

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Desire St 2600	R/R Conc SW 4"	30.00	4.00	13.33	SY	2619
Florida Area	Desire St 2600	R/R Conc SW 4"	33.00	4.00	14.67	SY	2629
Florida Area	Desire St 2600	R/R Conc SW 4"	24.00	4.00	10.67	SY	2633
Florida Area	Desire St 2600	R/R Conc Pvmt 8"	49.00	13.00	70.78	SY	2644
Florida Area	Desire St 2600	R/R Conc Pvmt 8"	36.00	13.00	52.00	SY	2643
Florida Area	Desire St 2600	R/R Conc SW 4"	29.00	4.00	12.89	SY	2611
Florida Area	Desire St 2700	R/R Conc Pvmt 8"	10.00	26.00	28.89	SY	2700
Florida Area	Feliciana St 2100	R/R Conc SW 4"	23.00	4.00	10.22	SY	2122
Florida Area	Feliciana St 2100	R/R Conc SW 4"	37.00	4.00	16.44	SY	2138
Florida Area	Feliciana St 2100	R/R Conc SW 4"	9.00	4.00	4.00	SY	2100
Florida Area	Feliciana St 2200	Adjust CB/MH	0.00	0.00	1.00	EA	2216
Florida Area	Feliciana St 2200	R/R Conc SW 4"	55.00	4.00	24.44	SY	2236
Florida Area	Feliciana St 2200	R/R Conc SW 4"	11.00	4.00	4.89	SY	2201
Florida Area	Feliciana St 2200	R/R Conc SW 4"	4.00	4.00	1.78	SY	2200
Florida Area	Feliciana St 2200	R/R Conc SW 4"	30.00	4.00	13.00	SY	2216
Florida Area	Feliciana St 2200	R/R Conc SW 4"	28.00	4.00	12.44	SY	2229
Florida Area	Feliciana St 2200	R/R Conc SW 4"	19.00	4.00	8.44	SY	2226
Florida Area	Feliciana St 2200	R/R Curb	9.00	0.00	9.00	LF	2217
Florida Area	Feliciana St 2200	R/R Conc SW 4"	38.00	4.00	16.89	SY	2209
Florida Area	Feliciana St 2200	R/R Conc SW 4"	5.00	4.00	2.22	SY	2208
Florida Area	Feliciana St 2200	R/R Curb	5.00	0.00	5.00	LF	2205
Florida Area	Feliciana St 2200	R/R Conc SW 4"	22.00	4.00	9.78	SY	2205
Florida Area	Feliciana St 2200	R/R Curb	6.00	0.00	6.00	LF	2218
Florida Area	Feliciana St 2200	R/R Curb	3.00	0.00	3.00	LF	2208
Florida Area	Feliciana St 2300	R/R Conc SW 4"	15.00	4.00	6.67	SY	2313
Florida Area	Feliciana St 2300	R/R Curb	8.00	0.00	8.00	LF	2314
Florida Area	Feliciana St 2300	R/R Curb	9.00	0.00	9.00	LF	2335
Florida Area	Feliciana St 2300	R/R Conc SW 4"	29.00	4.00	12.89	SY	2335
Florida Area	Feliciana St 2400	R/R Conc Pvmt 8"	5.00	12.00	6.67	SY	Opposite 2408
Florida Area	Feliciana St 2400	R/R Curb	12.00	0.00	12.00	LF	2419
Florida Area	Feliciana St 2400	R/R Conc SW 4"	15.00	4.00	6.67	SY	2408
Florida Area	Feliciana St 2400	R/R Conc SW 4"	24.00	4.00	10.67	SY	2434
Florida Area	Feliciana St 2400	R/R Conc Pvmt 8"	7.00	9.00	7.00	SY	2401
Florida Area	Feliciana St 2400	R/R Conc SW 4"	9.00	4.00	4.00	SY	2413
Florida Area	Feliciana St 2400	R/R Conc SW 4"	5.00	4.00	2.22	SY	2421
Florida Area	Feliciana St 2400	R/R Conc SW 4"	9.00	4.00	9.00	SY	2427

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Feliciana St 2400	R/R Curb	10.00	0.00	10.00	LF	2410
Florida Area	Feliciana St 2400	R/R Conc SW 4"	57.00	4.00	25.33	SY	2429
Florida Area	Feliciana St 2500	R/R Conc SW 4"	9.00	4.00	4.00	SY	2631
Florida Area	Feliciana St 2500	R/R Conc SW 4"	11.00	4.00	4.89	SY	2636
Florida Area	Feliciana St 2500	R/R Conc SW 4"	90.00	4.00	40.00	SY	2601 to 2619
Florida Area	Feliciana St 2700	R/R Conc SW 4"	127.00	4.00	56.44	SY	2700
Florida Area	France 2100	R/R Conc Pvmt 8"	39.00	26.00	112.67	SY	2142
Florida Area	France 2100	R/R Conc Pvmt 8"	193.00	13.00	278.78	SY	2112
Florida Area	France 2100	R/R Conc SW 4"	18.00	4.00	8.00	SY	2136
Florida Area	France 2100	R/R Conc SW 4"	28.00	4.00	12.44	SY	2139
Florida Area	France 2100	R/R Conc SW 4"	34.00	4.00	15.11	SY	2112
Florida Area	France 2100	R/R Conc Pvmt 8"	46.00	13.00	66.44	SY	2111
Florida Area	France 2100	R/R Conc SW 4"	54.00	4.00	24.00	SY	2124
Florida Area	France 2100	R/R Conc SW 4"	142.00	4.00	63.11	SY	Opposite 2128
Florida Area	France 2200	R/R Conc SW 4"	36.00	4.00	16.00	SY	2228
Florida Area	France 2200	R/R Conc SW 4"	20.00	4.00	8.89	SY	2226
Florida Area	France 2200	R/R Conc Pvmt 8"	64.00	13.00	92.44	SY	2227
Florida Area	France 2200	R/R Conc SW 4"	174.00	4.00	77.33	SY	Opposite 2230
Florida Area	Gallier St 2200	R/R Conc SW 4"	57.00	5.00	31.67	SY	2202 to 2240
Florida Area	Gallier St 2200	R/R Asph 5.5"	224.00	20.00	497.78	SY	2220 to 2240
Florida Area	Gallier St 2200	R/R Conc SW 4"	4.00	3.00	1.33	SY	2240
Florida Area	Gallier St 2200	R/R Conc SW 4"	15.00	4.00	6.67	SY	2228
Florida Area	Gallier St 2200	R/R Conc SW 4"	45.00	4.00	20.00	SY	2214
Florida Area	Gallier St 2200	R/R Asph 5.5"	33.00	20.00	73.33	SY	2210
Florida Area	Gallier St 2200	R/R Conc DW 6"	12.00	5.00	6.67	SY	2210
Florida Area	Gallier St 2200	R/R Conc SW 4"	12.00	4.00	5.33	SY	2210
Florida Area	Gallier St 2200	R/R Conc SW 4"	18.00	4.00	8.00	SY	2202
Florida Area	Gallier St 2200	R/R Asph 5.5"	20.00	10.00	22.22	SY	2202
Florida Area	Gallier St 2200	R/R Conc DW 6"	12.00	10.00	13.33	SY	2220
Florida Area	Gallier St 2300	R/R Asph 5.5"	310.00	20.00	688.89	SY	2301 to 2344
Florida Area	Gallier St 2300	R/R Conc SW 4"	19.00	3.00	6.33	SY	2344
Florida Area	Gallier St 2300	R/R Conc SW 4"	35.00	4.00	15.56	SY	Opposite 2331
Florida Area	Gallier St 2300	R/R Conc SW 4"	35.00	4.00	15.56	SY	2313
Florida Area	Gallier St 2300	R/R Conc SW 4"	28.00	4.00	12.44	SY	2325
Florida Area	Gallier St 2300	R/R Conc SW 4"	19.00	4.00	8.44	SY	2300
Florida Area	Gallier St 2300	R/R Conc SW 4"	30.00	4.00	13.33	SY	2308

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Gallier St 2300	R/R Conc SW 4"	21.00	4.00	9.33	SY	2301
Florida Area	Gallier St 2400	R/R Conc SW 4"	38.00	4.00	16.89	SY	2425
Florida Area	Gallier St 2400	R/R Conc SW 4"	9.00	4.00	4.00	SY	2426
Florida Area	Gallier St 2400	R/R Conc SW 4"	16.00	4.00	7.11	SY	2436
Florida Area	Gallier St 2400	R/R Asph 5.5"	347.00	20.00	771.11	SY	2400 to 2441
Florida Area	Gallier St 2400	R/R Conc SW 4"	13.00	4.00	5.78	SY	2414
Florida Area	Gallier St 2400	R/R Conc SW 4"	6.00	3.00	2.00	SY	2402
Florida Area	Gallier St 2400	R/R Conc SW 4"	18.00	4.00	8.00	SY	2431
Florida Area	Gallier St 2400	R/R Conc DW 6"	11.00	10.00	12.22	SY	2414
Florida Area	Gallier St 2400	R/R Conc SW 4"	3.00	4.00	1.33	SY	2411
Florida Area	Gallier St 2500	R/R Conc SW 4"	27.00	4.00	12.00	SY	2526
Florida Area	Gallier St 2500	R/R Conc SW 4"	10.00	4.00	4.44	SY	2515
Florida Area	Gallier St 2500	R/R Conc SW 4"	16.00	4.00	7.11	SY	2509
Florida Area	Gallier St 2500	R/R Conc SW 4"	71.00	4.00	31.56	SY	2527
Florida Area	Gallier St 2500	R/R Asph 5.5"	290.00	19.00	612.22	SY	2501 to 2536
Florida Area	Gallier St 2500	R/R Conc SW 4"	54.00	4.00	24.00	SY	2536
Florida Area	Gallier St 2600	R/R Conc SW 4"	38.00	4.00	16.89	SY	2612
Florida Area	Independence St 2100	R/R Conc Pvmt 8"	5.00	10.00	5.56	SY	2131
Florida Area	Independence St 2100	R/R Conc SW 4"	8.00	4.00	3.56	SY	2127
Florida Area	Independence St 2100	R/R Conc SW 4"	24.00	4.00	10.67	SY	2128
Florida Area	Independence St 2100	R/R Conc Pvmt 8"	25.00	24.00	66.67	SY	2127
Florida Area	Independence St 2100	R/R Conc SW 4"	35.00	4.00	15.56	SY	2122
Florida Area	Independence St 2100	R/R Conc Pvmt 8"	10.00	6.00	6.67	SY	2101
Florida Area	Independence St 2200	R/R Conc SW 4"	17.00	4.00	7.56	SY	2201
Florida Area	Independence St 2200	R/R Conc SW 4"	40.00	4.00	17.78	SY	2210
Florida Area	Independence St 2300	R/R Conc Pvmt 8"	37.00	13.00	53.44	SY	2301
Florida Area	Independence St 2300	R/R Conc SW 4"	6.00	4.00	2.67	SY	2337
Florida Area	Independence St 2300	R/R Conc SW 4"	15.00	4.00	6.67	SY	2338
Florida Area	Independence St 2300	R/R Conc SW 4"	16.00	4.00	7.11	SY	2331
Florida Area	Independence St 2300	R/R Conc SW 4"	4.00	4.00	1.78	SY	2321
Florida Area	Independence St 2300	R/R Conc SW 4"	13.00	4.00	5.78	SY	2301
Florida Area	Independence St 2300	R/R Conc SW 4"	4.00	4.00	1.78	SY	2316
Florida Area	Independence St 2400	R/R Conc SW 4"	6.00	4.00	2.67	SY	2403
Florida Area	Independence St 2400	R/R Conc SW 4"	51.00	4.00	22.67	SY	2435
Florida Area	Independence St 2400	R/R Conc DW 6"	12.00	6.00	8.00	SY	2425
Florida Area	Independence St 2400	R/R Conc SW 4"	24.00	4.00	10.67	SY	2418

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Laussat PI 2800	R/R Conc SW 4"	62.00	4.00	27.56	SY	2831
Florida Area	Laussat PI 2800	R/R Conc SW 4"	59.00	4.00	26.62	SY	2843
Florida Area	Laussat PI 2800	R/R Asph 5.5"	52.00	16.00	92.44	SY	2843
Florida Area	Laussat PI 2800	HC Ramp @ Intersection	11.00	11.00	13.44	SY	Intersection at Press
Florida Area	Laussat PI 2900	HC Ramp @ Intersection	11.00	11.00	13.44	SY	Intersection at Montegut
Florida Area	Laussat PI 2900	R/R Conc SW 4"	44.00	4.00	19.56	SY	2905
Florida Area	Laussat PI 2900	R/R Asph 5.5"	50.00	16.00	88.89	SY	2905
Florida Area	Laussat PI 2900	R/R Conc SW 4"	30.00	4.00	13.33	SY	2911
Florida Area	Laussat PI 2900	R/R Conc SW 4"	187.00	4.00	83.11	SY	2900 to 2920
Florida Area	Laussat PI 2900	R/R Conc SW 4"	81.00	4.00	36.00	SY	2939
Florida Area	Laussat PI 2900	R/R Asph 5.5"	47.00	12.00	62.67	SY	2939
Florida Area	Laussat PI 2900	Adjust CB/MH	0.00	0.00	1.00	EA	Opposite 2939
Florida Area	Laussat PI 2900	R/R Asph 5.5"	5.00	6.00	3.33	SY	2939
Florida Area	Laussat PI 3000	Adjust CB/MH	0.00	0.00	1.00	EA	3000
Florida Area	Laussat PI 3000	R/R Asph 5.5"	44.00	18.00	88.00	SY	3056
Florida Area	Laussat PI 3000	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Feliciana
Florida Area	Laussat PI 3000	R/R Conc SW 4"	31.00	4.00	13.78	SY	Intersection at Feliciana
Florida Area	Laussat PI 3000	R/R Conc SW 4"	156.00	4.00	69.33	SY	3000
Florida Area	Laussat PI 3000	R/R Conc SW 4"	39.00	4.00	17.33	SY	3001
Florida Area	Laussat PI 3000	R/R Asph 5.5"	250.00	16.00	444.44	SY	3000 to 3039
Florida Area	Laussat PI 3000	R/R Conc SW 4"	22.00	4.00	9.78	SY	3023
Florida Area	Laussat PI 3000	R/R Conc SW 4"	20.00	4.00	8.89	SY	3025
Florida Area	Laussat PI 3000	R/R Conc SW 4"	10.00	4.00	4.44	SY	3020
Florida Area	Laussat PI 3000	R/R Conc SW 4"	4.00	4.00	1.78	SY	3024
Florida Area	Laussat PI 3000	R/R Conc SW 4"	50.00	4.00	22.22	SY	3030
Florida Area	Laussat PI 3000	R/R Conc SW 4"	32.00	4.00	14.22	SY	3043
Florida Area	Laussat PI 3000	R/R Conc SW 4"	13.00	4.00	5.78	SY	3042
Florida Area	Laussat PI 3000	R/R Conc SW 4"	73.00	4.00	32.44	SY	3049
Florida Area	Laussat PI 3000	Adjust CB/MH	0.00	0.00	1.00	EA	3001
Florida Area	Laussat PI 3100	R/R Conc SW 4"	60.00	4.00	26.67	SY	3146
Florida Area	Laussat PI 3100	R/R Asph 5.5"	19.00	9.00	19.00	SY	3165
Florida Area	Laussat PI 3100	R/R Conc SW 4"	54.00	4.00	24.00	SY	3165
Florida Area	Laussat PI 3100	R/R Conc SW 4"	44.00	4.00	19.56	SY	3154
Florida Area	Laussat PI 3100	R/R Conc SW 4"	13.00	4.00	5.78	SY	3152
Florida Area	Laussat PI 3100	R/R Conc SW 4"	17.00	4.00	7.56	SY	3127
Florida Area	Laussat PI 3100	R/R Conc SW 4"	87.00	4.00	38.67	SY	3124

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Laussat Pl 3100	R/R Conc SW 4"	39.00	4.00	17.33	SY	3106
Florida Area	Laussat Pl 3100	R/R Conc SW 4"	126.00	4.00	56.00	SY	3101
Florida Area	Laussat Pl 3100	R/R Conc SW 4"	28.00	4.00	12.44	SY	3139
Florida Area	Laussat Pl 3100	R/R Asph 5.5"	28.00	16.00	49.78	SY	3145
Florida Area	Law St 2900	R/R Asph 5.5"	19.00	26.00	54.89	SY	2960
Florida Area	Law St 2900	R/R Conc SW 4"	22.00	4.00	9.78	SY	2963
Florida Area	Law St 2900	R/R Asph 5.5"	26.00	13.00	37.56	SY	Opposite 2979
Florida Area	Law St 2900	R/R Conc SW 4"	20.00	4.00	8.89	SY	2960
Florida Area	Law St 2900	R/R Asph 5.5"	47.00	26.00	135.78	SY	2963
Florida Area	Law St 3000	R/R Conc SW 4"	55.00	4.00	24.44	SY	Opposite 3007
Florida Area	Law St 3000	R/R Asph 5.5"	43.00	12.00	57.33	SY	3007
Florida Area	Law St 3000	R/R Conc SW 4"	41.00	4.00	18.22	SY	3011
Florida Area	Law St 3000	R/R Asph 5.5"	10.00	8.00	8.89	SY	Intersection at Feliciana
Florida Area	Law St 3000	R/R Conc SW 4"	16.00	4.00	7.11	SY	3040
Florida Area	Law St 3000	R/R Conc SW 4"	8.00	4.00	3.56	SY	3051
Florida Area	Law St 3000	HC Ramp @ Intersection	11.00	11.00	13.44	SY	Intersection at Clouet
Florida Area	Law St 3000	R/R Asph 5.5"	8.00	7.00	6.22	SY	Intersection at Clouet
Florida Area	Law St 3000	R/R Conc SW 4"	32.00	4.00	14.22	SY	Opposite 3064
Florida Area	Law St 3000	R/R Asph 5.5"	15.00	26.00	43.33	SY	3058
Florida Area	Law St 3000	R/R Conc SW 4"	9.00	4.00	4.00	SY	Intersection at Clouet
Florida Area	Law St 3100	R/R Conc SW 4"	18.00	4.00	8.00	SY	3120
Florida Area	Law St 3100	R/R Conc SW 4"	18.00	4.00	8.00	SY	3111
Florida Area	Law St 3100	R/R Conc SW 4"	28.00	4.00	12.44	SY	3105
Florida Area	Law St 3100	R/R Conc SW 4"	16.00	4.00	7.11	SY	3106
Florida Area	Law St 3100	R/R Conc SW 4"	17.00	4.00	7.56	SY	3150
Florida Area	Law St 3100	R/R Conc SW 4"	20.00	4.00	8.89	SY	Opposite 3105
Florida Area	Law St 3100	R/R Conc SW 4"	33.00	4.00	14.67	SY	Opposite 3158
Florida Area	Law St 3100	R/R Conc SW 4"	33.00	4.00	14.67	SY	3151
Florida Area	Law St 3100	R/R Conc SW 4"	8.00	4.00	3.56	SY	3166
Florida Area	Law St 3100	R/R Conc SW 4"	86.00	4.00	38.22	SY	3132
Florida Area	Law St 3100	R/R Asph 5.5"	8.00	20.00	17.78	SY	3132
Florida Area	Law St 3100	R/R Conc SW 4"	12.00	4.00	5.33	SY	3146
Florida Area	Law St 3200	R/R Conc SW 4"	32.00	4.00	14.22	SY	3241
Florida Area	Law St 3200	R/R Asph 5.5"	7.00	20.00	15.56	SY	3255
Florida Area	Law St 3200	R/R Conc SW 4"	21.00	4.00	9.33	SY	3257
Florida Area	Law St 3200	R/R Conc SW 4"	52.00	5.00	28.89	SY	3200

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Law St 3300	R/R Asph 5.5"	7.00	8.00	6.22	SY	3317
Florida Area	Law St 3300	R/R Asph 5.5"	2.00	15.00	3.33	SY	3317
Florida Area	Law St 3300	R/R Asph 5.5"	18.00	8.00	16.00	SY	3325
Florida Area	Law St 3300	R/R Asph 5.5"	55.00	26.00	158.89	SY	Intersection at Desire
Florida Area	Law St 3400	R/R Conc SW 4"	150.00	4.00	66.67	SY	3401
Florida Area	Law St 3400	R/R Asph 5.5"	8.00	9.00	8.00	SY	3401
Florida Area	Law St 4100	R/R Asph 5.5"	133.00	29.00	428.56	SY	4100
Florida Area	Mazant 2100	R/R Conc SW 4"	24.00	5.00	13.33	SY	2142
Florida Area	Mazant 2100	R/R Conc SW 4"	63.00	4.00	28.00	SY	2137
Florida Area	Mazant 2100	R/R Conc SW 4"	63.00	4.00	28.00	SY	2132
Florida Area	Mazant 2100	R/R Conc Pvmt 8"	100.00	13.00	144.44	SY	2133
Florida Area	Mazant 2100	R/R Conc SW 4"	28.00	4.00	12.44	SY	2125
Florida Area	Mazant 2100	R/R Conc Pvmt 8"	17.00	26.00	49.11	SY	2125
Florida Area	Mazant 2100	R/R Conc SW 4"	60.00	4.00	26.67	SY	2133
Florida Area	Mazant 2200	R/R Conc SW 4"	12.00	4.00	5.33	SY	2236
Florida Area	Mazant 2200	R/R Conc SW 4"	11.00	4.00	4.89	SY	2207
Florida Area	Mazant 2200	R/R Conc SW 4"	19.00	4.00	8.44	SY	2245
Florida Area	Mazant 2200	R/R Conc SW 4"	13.00	4.00	5.78	SY	2240
Florida Area	Mazant 2200	R/R Conc SW 4"	5.00	4.00	2.22	SY	2226
Florida Area	Mazant 2200	R/R Conc SW 4"	10.00	4.00	4.44	SY	2223
Florida Area	Mazant 2200	R/R Conc SW 4"	4.00	4.00	1.78	SY	2215
Florida Area	Mazant 2200	R/R Conc Pvmt 8"	51.00	16.00	90.67	SY	2230
Florida Area	Mazant 2200	R/R Conc SW 4"	19.00	4.00	8.44	SY	2214
Florida Area	Mazant 2300	R/R Conc SW 4"	25.00	4.00	11.11	SY	2317
Florida Area	Mazant 2300	R/R Conc SW 4"	4.00	4.00	1.78	SY	2349
Florida Area	Mazant 2300	R/R Conc Pvmt 8"	41.00	14.00	63.78	SY	2349
Florida Area	Mazant 2300	Adjust CB/MH	0.00	0.00	1.00	EA	2349
Florida Area	Mazant 2300	R/R Conc SW 4"	16.00	4.00	7.11	SY	2343
Florida Area	Mazant 2300	R/R Conc SW 4"	36.00	4.00	16.00	SY	2329
Florida Area	Mazant 2300	R/R Conc SW 4"	8.00	4.00	3.56	SY	2338
Florida Area	Mazant 2300	R/R Conc SW 4"	12.00	4.00	5.33	SY	2321
Florida Area	Mazant 2300	R/R Conc SW 4"	19.00	4.00	8.44	SY	2305
Florida Area	Mazant 2300	R/R Conc SW 4"	15.00	4.00	6.67	SY	2300
Florida Area	Mazant 2300	R/R Conc SW 4"	8.00	4.00	3.56	SY	2328
Florida Area	Mazant 2300	R/R Conc Pvmt 8"	21.00	17.00	39.67	SY	2320
Florida Area	Mazant 2400	R/R Conc Pvmt 8"	4.00	5.00	2.22	SY	2444

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Mazant 2400	R/R Conc Pvmt 8"	11.00	9.00	11.00	SY	2444
Florida Area	Mazant 2400	R/R Conc SW 4"	8.00	4.00	3.56	SY	2406
Florida Area	Mazant 2400	R/R Conc SW 4"	8.00	4.00	3.56	SY	2401
Florida Area	Mazant 2400	R/R Conc Pvmt 8"	36.00	15.00	60.00	SY	2416
Florida Area	Mazant 2400	R/R Conc SW 4"	6.00	4.00	2.67	SY	2426
Florida Area	Mazant 2400	R/R Conc SW 4"	12.00	4.00	5.33	SY	2437
Florida Area	Mazant 2400	Adjust CB/MH	0.00	0.00	1.00	EA	2444
Florida Area	Mazant 2400	R/R Conc SW 4"	25.00	4.00	11.11	SY	2400
Florida Area	Mazant 2400	R/R Conc SW 4"	49.00	4.00	21.78	SY	2444
Florida Area	Mazant 2500	R/R Conc Pvmt 8"	78.00	15.00	130.00	SY	2529
Florida Area	Mazant 2500	R/R Conc SW 4"	36.00	4.00	16.00	SY	2529
Florida Area	Mazant 2500	R/R Conc SW 4"	24.00	4.00	10.67	SY	2515
Florida Area	Mazant 2500	R/R Conc SW 4"	41.00	4.00	18.22	SY	2521
Florida Area	Mazant 2600	R/R Conc Pvmt 8"	6.00	11.00	7.33	SY	2620
Florida Area	Mazant 2600	R/R Conc SW 4"	18.00	4.00	8.00	SY	2607
Florida Area	Mazant 2600	R/R Conc Pvmt 8"	9.00	12.00	12.00	SY	2614
Florida Area	Mazant 2600	R/R Conc Pvmt 8"	12.00	5.00	6.67	SY	2614
Florida Area	Mazant 2600	R/R Conc SW 4"	64.00	4.00	28.44	SY	2613
Florida Area	Mazant 2600	R/R Conc SW 4"	12.00	4.00	5.33	SY	2600
Florida Area	Mazant 2600	R/R Conc SW 4"	22.00	4.00	9.78	SY	2614
Florida Area	Montegut St 2100	R/R Asph 5.5"	47.00	8.00	41.78	SY	2101
Florida Area	Montegut St 2100	R/R Conc SW 4"	55.00	4.00	24.44	SY	2107
Florida Area	Montegut St 2100	R/R Asph 5.5"	7.00	26.00	20.22	SY	2107
Florida Area	Montegut St 2100	R/R Asph 5.5"	32.00	9.00	32.00	SY	2111
Florida Area	Montegut St 2100	R/R Conc SW 4"	24.00	4.00	10.67	SY	2137
Florida Area	Montegut St 2100	R/R Asph 5.5"	24.00	9.00	24.00	SY	2137
Florida Area	Montegut St 2100	R/R Asph 5.5"	7.00	26.00	20.22	SY	2143
Florida Area	Montegut St 2200	R/R Conc SW 4"	6.00	4.00	2.67	SY	2223
Florida Area	Montegut St 2200	R/R Asph 5.5"	10.00	12.00	13.33	SY	2241
Florida Area	Montegut St 2200	R/R Conc SW 4"	35.00	4.00	15.56	SY	2241
Florida Area	Montegut St 2200	R/R Asph 5.5"	64.00	8.00	56.89	SY	2241
Florida Area	Montegut St 2200	R/R Conc SW 4"	27.00	4.00	12.00	SY	2221
Florida Area	Montegut St 2200	R/R Asph 5.5"	13.00	8.00	11.56	SY	2201
Florida Area	Montegut St 2300	R/R Conc SW 4"	20.00	4.00	8.89	SY	2301
Florida Area	Montegut St 2300	R/R Asph 5.5"	19.00	17.00	35.89	SY	2301
Florida Area	Montegut St 2300	R/R Asph 5.5"	41.00	7.00	31.89	SY	2301

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	Montegut St 2300	R/R Conc SW 4"	37.00	4.00	16.44	SY	2311
Florida Area	Montegut St 2300	R/R Conc SW 4"	18.00	4.00	8.00	SY	2325
Florida Area	Montegut St 2300	R/R AspH 5.5"	44.00	4.00	19.56	SY	2341
Florida Area	Montegut St 2300	R/R Conc SW 4"	18.00	4.00	8.00	SY	2349
Florida Area	Montegut St 2400	R/R AspH 5.5"	12.00	18.00	24.00	SY	2401
Florida Area	Montegut St 2400	R/R Conc SW 4"	22.00	4.00	9.78	SY	2427
Florida Area	Montegut St 2400	R/R Conc SW 4"	48.00	4.00	21.33	SY	2401
Florida Area	Montegut St 2400	R/R Conc SW 4"	41.00	4.00	18.22	SY	2421
Florida Area	Montegut St 2500	R/R Conc SW 4"	39.00	4.00	17.33	SY	2501
Florida Area	Montegut St 2500	R/R Conc SW 4"	45.00	4.00	20.00	SY	2500
Florida Area	Montegut St 2500	R/R AspH 5.5"	54.00	10.00	60.00	SY	2500
Florida Area	Montegut St 2500	R/R AspH 5.5"	57.00	15.00	95.00	SY	2501
Florida Area	Montegut St 2600	R/R Conc SW 4"	28.00	4.00	12.44	SY	2621
Florida Area	Montegut St 2600	R/R AspH 5.5"	7.00	11.00	8.56	SY	2620
Florida Area	Montegut St 2600	R/R AspH 5.5"	20.00	14.00	31.11	SY	2601
Florida Area	Montegut St 2700	R/R Conc SW 4"	23.00	4.00	10.22	SY	2740
Florida Area	Montegut St 2700	R/R AspH 5.5"	9.00	26.00	26.00	SY	2740
Florida Area	Montegut St 2700	R/R Conc SW 4"	109.00	4.00	48.44	SY	2700
Florida Area	N Dorgenois St 3050	R/R Conc SW 4"	67.00	4.00	29.78	SY	3072
Florida Area	N Dorgenois St 3050	R/R Conc SW 4"	93.00	4.00	41.33	SY	3060
Florida Area	N Dorgenois St 3050	R/R Conc SW 4"	30.00	4.00	13.33	SY	3071
Florida Area	N Dorgenois St 3050	R/R AspH 5.5"	20.00	10.00	22.22	SY	3068
Florida Area	N Dorgenois St 3050	R/R AspH 5.5"	45.00	47.00	235.00	SY	Intersection at Clouet
Florida Area	N Dorgenois St 3050	R/R Conc SW 4"	25.00	4.00	11.11	SY	3059
Florida Area	N Dorgenois St 3100	R/R Conc SW 4"	178.00	4.00	79.11	SY	3144
Florida Area	N Dorgenois St 3100	R/R AspH 5.5"	67.00	5.00	37.22	SY	3144
Florida Area	N Dorgenois St 3100	R/R Conc SW 4"	100.00	4.00	44.44	SY	3100
Florida Area	N Dorgenois St 3100	R/R Conc SW 4"	253.00	4.00	112.44	SY	3103 to 3123
Florida Area	N Dorgenois St 3200	R/R Conc SW 4"	127.00	4.00	56.44	SY	3200
Florida Area	N Dorgenois St 3300	R/R Conc SW 4"	28.00	4.00	12.44	SY	3317
Florida Area	N Dorgenois St 3300	R/R Conc SW 4"	30.00	4.00	13.33	SY	3301
Florida Area	N Dorgenois St 3300	R/R Conc SW 4"	49.00	4.00	21.78	SY	3300
Florida Area	N Dorgenois St 3400	R/R Conc SW 4"	19.00	4.00	8.44	SY	3430
Florida Area	N Dorgenois St 3500	R/R AspH 5.5"	12.00	10.00	13.33	SY	3501
Florida Area	N Dorgenois St 3500	R/R Conc SW 4"	9.00	4.00	4.00	SY	3500
Florida Area	N Dorgenois St 3500	R/R AspH 5.5"	14.00	8.00	12.44	SY	3523

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	N Dorgenois St 3500	R/R Asph 5.5"	16.00	12.00	21.33	SY	3525
Florida Area	N Dorgenois St 3500	R/R Conc Pvmt 8"	54.00	14.00	84.00	SY	Intersection at Congress
Florida Area	N Dorgenois St 3500	R/R Asph 5.5"	48.00	38.00	202.67	SY	Intersection at Gallier
Florida Area	N Dorgenois St 3600	R/R Asph 5.5"	113.00	12.00	150.67	SY	3609
Florida Area	N Dorgenois St 3600	R/R Conc Pvmt 8"	49.00	18.59	101.21	SY	Intersection at N Dorgenios
Florida Area	N Dorgenois St 3600	R/R Conc SW 4"	99.00	4.00	44.00	SY	3620
Florida Area	N Dorgenois St 3700	R/R Conc SW 4"	50.00	4.00	22.22	SY	3720
Florida Area	N Dorgenois St 3700	R/R Asph 5.5"	105.00	12.00	140.00	SY	3709
Florida Area	N Dorgenois St 3800	R/R Asph 5.5"	36.00	14.00	56.00	SY	3820
Florida Area	N Dorgenois St 3800	HC Ramp @ Intersection	11.00	11.00	13.44	SY	Intersection at Pauline
Florida Area	N Dorgenois St 3800	R/R Curb	16.00	0.00	16.00	LF	3820
Florida Area	N Dorgenois St 3800	R/R Conc SW 4"	214.00	4.00	95.11	SY	3830
Florida Area	N Dorgenois St 3900	R/R Conc Pvmt 8"	147.00	25.00	408.33	SY	3920
Florida Area	N Dorgenois St 3900	R/R Asph 5.5"	59.00	34.34	225.12	SY	Intersection at Alvar
Florida Area	N Dorgenois St 3900	R/R Conc SW 4"	32.00	4.00	14.22	SY	3900
Florida Area	N Dorgenois St 4000	R/R Conc Pvmt 8"	50.00	12.00	66.67	SY	Intersection at Bartholomew
Florida Area	N Dorgenois St 4000	R/R Conc SW 4"	24.00	4.00	10.67	SY	4000
Florida Area	N Dorgenois St 4000	R/R Conc Pvmt 8"	27.00	25.00	75.00	SY	4000
Florida Area	N Dorgenois St 4000	R/R Curb	13.00	0.00	13.00	LF	Opposite 4018
Florida Area	N Dorgenois St 4000	R/R Conc Pvmt 8"	18.00	15.00	30.00	SY	4018
Florida Area	N Dorgenois St 4000	R/R Conc Pvmt 8"	12.00	12.00	16.00	SY	4030
Florida Area	N Dorgenois St 4000	R/R Conc Pvmt 8"	12.00	12.00	16.00	SY	4020
Florida Area	N Dorgenois St 4100	R/R Conc SW 4"	30.00	4.00	13.33	SY	4117
Florida Area	N Dorgenois St 4100	R/R Asph 5.5"	36.00	25.00	100.00	SY	4117
Florida Area	N Dorgenois St 4100	R/R Asph 5.5"	10.00	20.00	22.22	SY	4116
Florida Area	N Dorgenois St 4100	R/R Asph 5.5"	14.00	14.00	21.78	SY	4100
Florida Area	N Miro 3050	R/R Asph 5.5"	75.00	24.00	200.00	SY	3051
Florida Area	N Miro 3050	HC Ramp @ Intersection	11.00	11.00	13.44	SY	Intersection at Feliciana
Florida Area	N Miro 3050	R/R Asph 5.5"	32.00	24.00	85.33	SY	3060
Florida Area	N Miro 3100	R/R Conc SW 4"	17.00	4.00	7.56	SY	3103
Florida Area	N Miro 3100	R/R Asph 5.5"	37.00	27.00	111.00	SY	3150
Florida Area	N Miro 3100	R/R Asph 5.5"	10.00	5.00	5.56	SY	3147
Florida Area	N Miro 3100	R/R Conc SW 4"	16.00	4.00	7.11	SY	3100
Florida Area	N Miro 3100	R/R Conc SW 4"	31.00	4.00	13.78	SY	3107
Florida Area	N Miro 3200	R/R Conc SW 4"	16.00	4.00	7.11	SY	3231
Florida Area	N Miro 3200	R/R Conc SW 4"	16.00	4.00	7.11	SY	3217

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	N Miro 3200	R/R Conc SW 4"	16.00	4.00	7.11	SY	3200
Florida Area	N Miro 3200	R/R Conc Pvmt 8"	34.00	26.00	98.22	SY	3203
Florida Area	N Miro 3300	R/R Conc SW 4"	20.00	4.00	8.89	SY	3300
Florida Area	N Miro 3300	R/R Conc SW 4"	61.00	4.00	27.11	SY	3318
Florida Area	N Miro 3300	R/R Conc SW 4"	28.00	4.00	12.44	SY	3330
Florida Area	N Miro 3400	R/R Conc Pvmt 8"	19.00	12.00	25.33	SY	3401
Florida Area	N Miro 3400	R/R Conc SW 4"	16.00	4.00	7.11	SY	3401
Florida Area	N Miro 3400	R/R Conc SW 4"	12.00	4.00	5.33	SY	3431
Florida Area	N Miro 3500	R/R Conc Pvmt 8"	30.00	12.00	40.00	SY	3501
Florida Area	N Miro 3500	R/R Conc Pvmt 8"	32.00	12.00	42.67	SY	3501
Florida Area	N Miro 3600	R/R Conc SW 4"	24.00	4.00	10.67	SY	3600
Florida Area	N Miro 3600	R/R Asph 5.5"	65.00	53.00	382.78	SY	Intersection at Congress
Florida Area	N Miro 3600	R/R Conc SW 4"	30.00	4.00	13.33	SY	3606
Florida Area	N Miro 3600	R/R Conc SW 4"	50.00	4.00	22.22	SY	3630
Florida Area	N Miro 3700	R/R Conc SW 4"	40.00	4.00	17.78	SY	3701
Florida Area	N Miro 3700	R/R Conc SW 4"	30.00	4.00	13.33	SY	3730
Florida Area	N Miro 3700	R/R Curb	6.00	0.00	6.00	LF	3730
Florida Area	N Miro 3900	R/R Conc SW 4"	90.00	4.00	40.00	SY	3931
Florida Area	N Miro 4000	R/R Conc DW 6"	15.00	7.00	11.67	SY	4006
Florida Area	N Miro 4000	R/R Conc SW 4"	8.00	4.00	3.56	SY	4020
Florida Area	N Miro 4100	R/R Conc SW 4"	18.00	4.00	8.00	SY	4139
Florida Area	N Miro 4100	R/R Conc Pvmt 8"	34.00	26.00	98.22	SY	4139
Florida Area	N Miro 4100	R/R Conc SW 4"	28.00	4.00	12.44	SY	4132
Florida Area	N Miro 4100	R/R Conc SW 4"	43.00	4.00	19.11	SY	4133
Florida Area	N Miro 4100	HC Ramp @ Intersection	11.00	11.00	13.44	SY	4141
Florida Area	N Miro 4100	R/R Conc SW 4"	103.00	4.00	45.78	SY	4100
Florida Area	N Rocheblave 3000	R/R Conc SW 4"	100.00	4.00	44.44	SY	3000
Florida Area	N Rocheblave 3000	R/R Asph 5.5"	261.00	24.00	696.00	SY	3000 to 3020
Florida Area	N Rocheblave 3000	R/R Conc SW 4"	24.00	4.00	10.67	SY	3007
Florida Area	N Rocheblave 3000	R/R Conc SW 4"	30.00	4.00	13.33	SY	3001
Florida Area	N Rocheblave 3000	R/R Asph 5.5"	34.69	26.00	100.22	SY	Intersection at Montegut
Florida Area	N Rocheblave 3000	R/R Conc SW 4"	108.00	4.00	48.00	SY	3020
Florida Area	N Rocheblave 3050	R/R Conc SW 4"	117.00	4.00	52.00	SY	3051
Florida Area	N Rocheblave 3050	R/R Asph 5.5"	205.00	24.00	546.67	SY	3050 Block
Florida Area	N Rocheblave 3050	R/R Conc SW 4"	231.00	4.00	102.67	SY	3050
Florida Area	N Rocheblave 3100	R/R Conc SW 4"	8.00	4.00	3.56	SY	3151

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	N Rocheblave 3100	R/R Conc SW 4"	50.00	4.00	22.22	SY	3149
Florida Area	N Rocheblave 3100	R/R AspH 5.5"	44.00	37.19	181.82	SY	Intersection at Clouet
Florida Area	N Rocheblave 3100	R/R Conc SW 4"	26.00	4.00	11.56	SY	3145
Florida Area	N Rocheblave 3100	R/R Curb	4.00	0.00	4.00	LF	3134
Florida Area	N Rocheblave 3100	R/R Conc SW 4"	41.00	4.00	18.22	SY	3135
Florida Area	N Rocheblave 3200	R/R Conc SW 4"	100.00	4.00	44.44	SY	3230
Florida Area	N Rocheblave 3200	R/R AspH 5.5"	60.00	22.00	146.67	SY	3230
Florida Area	N Rocheblave 3200	R/R AspH 5.5"	10.00	10.00	11.11	SY	3200
Florida Area	N Rocheblave 3200	R/R AspH 5.5"	10.00	10.00	11.11	SY	3201
Florida Area	N Rocheblave 3300	R/R Conc SW 4"	296.00	4.00	131.56	SY	3330
Florida Area	N Rocheblave 3300	R/R AspH 5.5"	266.00	22.00	650.22	SY	3300
Florida Area	N Rocheblave 3300	R/R Conc SW 4"	87.00	4.00	38.67	SY	3331
Florida Area	N Rocheblave 3400	R/R AspH 5.5"	207.00	22.00	506.00	SY	3400
Florida Area	N Rocheblave 3400	R/R Conc SW 4"	100.00	4.00	44.44	SY	3430
Florida Area	N Rocheblave 3500	R/R Conc SW 4"	101.00	4.00	44.89	SY	3530
Florida Area	N Rocheblave 3500	R/R AspH 5.5"	78.00	22.00	190.67	SY	3500
Florida Area	N Rocheblave 3500	R/R Conc SW 4"	101.00	4.00	44.89	SY	3531
Florida Area	N Rocheblave 3500	R/R AspH 5.5"	35.00	12.00	46.67	SY	3519
Florida Area	N Rocheblave 3500	R/R AspH 5.5"	45.00	35.40	177.00	SY	Intersection at Grazier
Florida Area	N Rocheblave 3700	R/R Conc Pvmt 8"	30.00	13.00	43.33	SY	3709
Florida Area	N Rocheblave 3700	R/R Conc SW 4"	12.00	4.00	5.33	SY	3730
Florida Area	N Rocheblave 3800	R/R AspH 5.5"	34.00	42.65	161.12	SY	Intersection at Alvar
Florida Area	N Rocheblave 3800	R/R Conc SW 4"	16.00	4.00	7.11	SY	3830
Florida Area	N Rocheblave 3800	R/R Conc SW 4"	8.00	4.00	3.56	SY	3831
Florida Area	N Rocheblave 3800	R/R Conc SW 4"	32.00	4.00	14.22	SY	3810
Florida Area	N Rocheblave 3900	R/R AspH 5.5"	49.00	24.00	130.67	SY	3930
Florida Area	N Rocheblave 3900	R/R AspH 5.5"	20.00	12.00	26.67	SY	3918
Florida Area	N Rocheblave 4000	R/R AspH 5.5"	126.00	24.00	336.00	SY	4025
Florida Area	N Rocheblave 4000	R/R Conc SW 4"	117.00	4.00	52.00	SY	4031
Florida Area	N Rocheblave 4000	HC Ramp @ Intersection	11.00	11.00	13.44	SY	4031
Florida Area	N Rocheblave 4000	HC Ramp @ Intersection	11.00	11.00	13.44	SY	4001
Florida Area	N Rocheblave 4000	R/R AspH 5.5"	52.00	52.00	300.44	SY	Intersection at Mazant
Florida Area	N Rocheblave 4000	R/R Conc SW 4"	86.00	4.00	38.22	SY	4001
Florida Area	N Rocheblave 4000	R/R AspH 5.5"	109.00	24.00	290.67	SY	4001
Florida Area	N Rocheblave 4100	R/R AspH 5.5"	171.00	23.00	437.00	SY	4123
Florida Area	N Rocheblave 4100	R/R Conc SW 4"	10.00	4.00	4.44	SY	4115

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	N Tonti 3000	R/R Conc SW 4"	117.00	4.00	52.00	SY	3000
Florida Area	N Tonti 3000	R/R Conc Pvmt 8"	25.00	8.00	22.22	SY	Intersection at Feliciana
Florida Area	N Tonti 3000	R/R Asph 5.5"	87.00	24.00	232.00	SY	3000
Florida Area	N Tonti 3000	R/R Conc SW 4"	117.00	4.00	52.00	SY	3001
Florida Area	N Tonti 3000	R/R Asph 5.5"	142.00	24.00	378.67	SY	3014
Florida Area	N Tonti 3000	R/R Conc SW 4"	78.00	4.00	34.67	SY	3017
Florida Area	N Tonti 3000	R/R Conc SW 4"	20.00	4.00	8.89	SY	3041
Florida Area	N Tonti 3000	R/R Conc SW 4"	112.00	4.00	49.78	SY	3040
Florida Area	N Tonti 3000-1	R/R Conc SW 4"	113.00	4.00	50.22	SY	3040
Florida Area	N Tonti 3000-1	R/R Conc SW 4"	60.00	4.00	26.67	SY	3000
Florida Area	N Tonti 3000-1	R/R Asph 5.5"	260.00	24.00	693.33	SY	3040
Florida Area	N Tonti 3050	R/R Asph 5.5"	36.00	36.00	144.00	SY	Intersection at Clouet
Florida Area	N Tonti 3050	R/R Asph 5.5"	232.00	24.00	618.67	SY	3050 Block
Florida Area	N Tonti 3100	R/R Conc SW 4"	38.00	4.00	15.11	SY	3130
Florida Area	N Tonti 3100	R/R Conc SW 4"	27.00	4.00	12.00	SY	3124
Florida Area	N Tonti 3100	R/R Conc SW 4"	32.00	4.00	14.22	SY	3154
Florida Area	N Tonti 3100	R/R Conc SW 4"	38.00	4.00	16.89	SY	3146
Florida Area	N Tonti 3100	R/R Asph 5.5"	11.00	7.00	8.56	SY	3142
Florida Area	N Tonti 3100	R/R Asph 5.5"	12.00	10.00	13.33	SY	3131
Florida Area	N Tonti 3100	R/R Conc SW 4"	12.00	4.00	5.33	SY	3122
Florida Area	N Tonti 3200	R/R Asph 5.5"	62.00	22.00	151.56	SY	3200
Florida Area	N Tonti 3200	R/R Conc SW 4"	90.00	4.00	40.00	SY	3220
Florida Area	N Tonti 3300	R/R Conc SW 4"	128.00	4.00	56.89	SY	3320
Florida Area	N Tonti 3300	R/R Conc SW 4"	129.00	4.00	57.33	SY	3301
Florida Area	N Tonti 3300	R/R Asph 5.5"	48.00	12.00	64.00	SY	3301
Florida Area	N Tonti 3300	R/R Asph 5.5"	66.00	12.00	88.00	SY	3318
Florida Area	N Tonti 3400	R/R Asph 5.5"	184.00	12.00	245.33	SY	3411
Florida Area	N Tonti 3400	R/R Asph 5.5"	40.00	12.00	53.33	SY	3430
Florida Area	N Tonti 3400	R/R Conc SW 4"	60.00	4.00	26.67	SY	3411
Florida Area	N Tonti 3400	R/R Conc SW 4"	78.00	4.00	34.67	SY	3400
Florida Area	N Tonti 3500	R/R Conc SW 4"	34.00	4.00	15.11	SY	3521
Florida Area	N Tonti 3700	R/R Conc SW 4"	60.00	4.00	26.67	SY	3711
Florida Area	N Tonti 3700	Adjust CB/MH	0.00	0.00	1.00	EA	3711
Florida Area	N Tonti 3700	Adjust CB/MH	0.00	0.00	1.00	EA	3710
Florida Area	N Tonti 3800	R/R Conc SW 4"	8.00	4.00	3.56	SY	3831
Florida Area	N Tonti 3900	R/R Conc Pvmt 8"	60.00	60.00	400.00	SY	Intersection at Alvar

Florida Area

Neighborhood	Address in PW	Repair Type	Length (ft)	Width (ft)	Qty	Unit	Damage Address
Florida Area	N Tonti 3900	R/R Asph 5.5"	116.00	24.00	309.33	SY	3930
Florida Area	N Tonti 3900	R/R Conc SW 4"	100.00	4.00	44.44	SY	3930
Florida Area	N Tonti 3900	R/R Conc SW 4"	6.00	4.00	2.67	SY	3922
Florida Area	N Tonti 3900	R/R Asph 5.5"	65.00	12.00	86.67	SY	3901
Florida Area	N Tonti 3900	R/R Conc SW 4"	40.00	4.00	17.78	SY	3901
Florida Area	N Tonti 4000	R/R Asph 5.5"	35.00	12.00	46.67	SY	4030
Florida Area	N Tonti 4000	R/R Conc SW 4"	28.00	4.00	12.44	SY	4021
Florida Area	N Tonti 4000	R/R Asph 5.5"	47.00	24.00	125.33	SY	4000
Florida Area	N Tonti 4100	R/R Conc SW 4"	90.00	24.00	240.00	SY	4121
Florida Area	N Tonti 4100	R/R Conc SW 4"	32.00	4.00	14.22	SY	4125
Florida Area	N Tonti 4100	R/R Conc SW 4"	60.00	4.00	26.67	SY	4121
Florida Area	N Tonti 4100	R/R Conc SW 4"	21.00	4.00	9.33	SY	4124
Florida Area	Pauline St 2100	R/R Conc SW 4"	4.00	4.00	1.78	SY	2114
Florida Area	Pauline St 2100	R/R Conc SW 4"	20.00	4.00	8.89	SY	2120
Florida Area	Pauline St 2200	R/R Conc SW 4"	20.00	4.00	8.89	SY	2238
Florida Area	Pauline St 2200	R/R Conc SW 4"	8.00	4.00	3.56	SY	2209
Florida Area	Pauline St 2200	R/R Conc Pvmt 8"	55.00	26.00	158.89	SY	2227
Florida Area	Pauline St 2200	R/R Conc Pvmt 8"	60.00	9.00	60.00	SY	2238
Florida Area	Pauline St 2200	R/R Conc SW 4"	8.00	4.00	3.56	SY	2209
Florida Area	Pauline St 2300	R/R Conc SW 4"	5.00	4.00	2.22	SY	2315
Florida Area	Pauline St 2300	R/R Conc SW 4"	16.00	4.00	7.11	SY	2321
Florida Area	Pauline St 2300	R/R Conc SW 4"	8.00	4.00	3.56	SY	2339
Florida Area	Pauline St 2400	R/R Conc SW 4"	4.00	4.00	1.78	SY	2400
Florida Area	Pauline St 2400	R/R Conc SW 4"	24.00	4.00	10.67	SY	2409
Florida Area	Pauline St 2400	R/R Conc SW 4"	24.00	4.00	10.67	SY	2409
Florida Area	Press St 2600	R/R Conc SW 4"	64.00	4.00	28.44	SY	2600
Florida Area	Press St 2700	Adjust CB/MH	0.00	0.00	1.00	EA	2700
Florida Area	Press St 2700	R/R Asph 5.5"	44.00	11.00	53.78	SY	2700
Florida Area	Press St 2700	R/R Conc SW 4"	32.00	4.00	14.22	SY	2700
Florida Area	Press St 2700	R/R Conc SW 4"	120.00	4.00	53.33	SY	2701