

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Audubon 3400	26993	R/R Asph 5.5"	200.00	24.00	533.33	SY	3400 to 3450
Gert Town	Audubon 3500	26992	R/R Asph 5.5"	43.00	18.00	86.00	SY	3600
Gert Town	Audubon 3500	26992	R/R Asph 5.5"	18.00	18.00	36.00	SY	3539
Gert Town	Audubon 3500	26992	R/R Conc SW 4"	10.00	4.00	4.44	SY	3528
Gert Town	Audubon 3500	26992	R/R Asph 5.5"	30.00	18.00	60.00	SY	3524
Gert Town	Audubon 3500	26992	R/R Asph 5.5"	81.00	8.00	72.00	SY	3516 to 08
Gert Town	Audubon 3500	26992	R/R Conc SW 4"	58.00	4.00	25.78	SY	3600
Gert Town	Audubon Ct 3200/3300	26989	R/R Asph 5.5"	65.00	14.00	101.11	SY	3333
Gert Town	Audubon Ct 3200/3300	26989	R/R Asph 5.5"	168.00	14.00	261.33	SY	3243 to 3321
Gert Town	Audubon Ct 3200/3300	26989	R/R Asph 5.5"	17.00	5.00	9.44	SY	3223
Gert Town	Audubon Ct 3200/3300	26989	R/R Conc SW 4"	13.00	4.00	5.78	SY	3333
Gert Town	Audubon Ct 3300	26994	R/R Asph 5.5"	52.00	28.00	161.78	SY	3305
Gert Town	Audubon Ct 3400	26990	R/R Asph 5.5"	114.00	10.00	126.67	SY	3409 to 25
Gert Town	Audubon Ct 3400	26990	R/R Asph 5.5"	75.00	14.00	116.67	SY	3441 to 61
Gert Town	Audubon Ct 3500	26991	R/R Asph 5.5"	19.00	4.00	8.44	SY	3523
Gert Town	Audubon Ct 3500	26991	R/R Asph 5.5"	46.00	4.00	20.44	SY	3513
Gert Town	Bloomington Ct 3200	26988	R/R Conc SW 4"	64.00	4.00	28.44	SY	3260
Gert Town	Bloomington Ct 3200	26988	R/R Asph 5.5"	15.00	5.00	8.33	SY	3257
Gert Town	Bloomington Ct 3200	26988	R/R Asph 5.5"	80.00	7.00	62.22	SY	3270 to 80
Gert Town	Bloomington Ct 3200	26988	R/R Conc SW 4"	12.00	4.00	5.33	SY	3246
Gert Town	Broadway 3100	26968	R/R Conc SW 4"	24.00	4.00	10.67	SY	3114
Gert Town	Broadway 3100	26968	R/R Asph 5.5"	15.00	19.00	31.67	SY	3103
Gert Town	Broadway 3100	26968	R/R Curb	55.00	0.00	55.00	LF	Intersection at Colapissa
Gert Town	Broadway 3300	27048	R/R Conc Pvmt 8"	29.00	28.00	90.22	SY	3308
Gert Town	Broadway 3300	27048	R/R Conc SW 4"	19.00	4.00	8.44	SY	3302
Gert Town	Broadway 3300	27048	R/R Conc Pvmt 8"	9.00	28.00	28.00	SY	3328
Gert Town	Broadway 3300	27048	R/R Conc Pvmt 8"	7.00	4.00	3.11	SY	3324
Gert Town	Broadway 3300	27048	R/R Conc SW 4"	49.00	4.00	21.78	SY	3341
Gert Town	Broadway 3400	27050	R/R Conc Pvmt 8"	140.00	28.00	435.56	SY	3412 to 32
Gert Town	Broadway 3400	27050	R/R Conc SW 4"	10.00	4.00	4.44	SY	3436
Gert Town	Broadway 3500	27051	R/R Conc Pvmt 8"	38.00	4.00	16.89	SY	3510 to 16
Gert Town	Broadway 3500	27051	R/R Conc SW 4"	45.00	4.00	20.00	SY	3501
Gert Town	Broadway 3500	27051	R/R Conc SW 4"	37.00	4.00	16.44	SY	3511 to 19
Gert Town	Broadway 3500	27051	R/R Conc SW 4"	6.00	4.00	2.67	SY	3535
Gert Town	Broadway 3500	27051	R/R Conc Pvmt 8"	7.00	28.00	21.78	SY	3519
Gert Town	Broadway 3500	27051	R/R Conc SW 4"	58.00	4.00	25.78	SY	3525
Gert Town	Broadway 3600	27052	R/R Conc SW 4"	12.00	4.00	5.33	SY	3601
Gert Town	Broadway 3700	27053	R/R Conc SW 4"	7.00	4.00	3.11	SY	3700
Gert Town	Burdette 3200	27041	R/R Asph 5.5"	19.00	11.00	23.22	SY	3221
Gert Town	Calliope 4600	26904	R/R Asph 5.5"	31.00	44.00	151.56	SY	Intersection at S Clark
Gert Town	Cambronne 3000	27040	R/R Asph 5.5"	49.00	15.00	81.67	SY	3000
Gert Town	Cambronne 3000	27040	R/R Conc SW 4"	26.00	4.00	11.56	SY	3000

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Cambronne 3100	27039	R/R Asph 5.5"	15.00	9.00	15.00	SY	3120
Gert Town	Cambronne 3100	27039	R/R Conc SW 4"	23.00	3.00	7.67	SY	3128
Gert Town	Cambronne 3100	27039	R/R Asph 5.5"	50.00	20.00	111.11	SY	3129
Gert Town	Cambronne 3100	27039	R/R Asph 5.5"	47.00	10.00	52.22	SY	3100
Gert Town	Cambronne 3200	27038	R/R Asph 5.5"	48.00	12.00	64.00	SY	3201
Gert Town	Cambronne 3200	27038	R/R Conc Pvmt 8"	28.00	15.00	46.67	SY	Intersection at Oleander
Gert Town	Cambronne 3200	27038	R/R Asph 5.5"	20.00	8.00	17.78	SY	3229
Gert Town	Cambronne 3200	27038	R/R Asph 5.5"	20.00	10.00	22.22	SY	3206
Gert Town	Clio 4000	26822	R/R Conc Pvmt 8"	10.00	28.00	31.11	SY	4060
Gert Town	Clio 4000	26822	R/R Conc Pvmt 8"	20.00	10.00	22.22	SY	Intersection at S White
Gert Town	Clio 4000	26822	R/R Conc Pvmt 8"	6.00	28.00	18.67	SY	4010
Gert Town	Clio 4000	26822	R/R Conc Pvmt 8"	6.00	14.00	9.33	SY	4030
Gert Town	Clio 4100	26823	R/R Conc Pvmt 8"	12.00	14.00	18.67	SY	4115
Gert Town	Clio 4100	26823	R/R Conc Pvmt 8"	64.00	14.00	99.56	SY	4108
Gert Town	Clio 4100	26823	R/R Conc Pvmt 8"	105.00	14.00	163.33	SY	4126 to 32
Gert Town	Clio 4100	26823	R/R Curb	12.00	0.00	12.00	LF	4115
Gert Town	Clio 4100	26823	R/R Curb	105.00	0.00	105.00	LF	4126 to 32
Gert Town	Clio 4100	26823	R/R Asph 5.5"	48.00	50.00	266.67	SY	Intersection at S Dupre
Gert Town	Clio 4100	26823	R/R Conc SW 4"	60.00	4.00	26.67	SY	4104
Gert Town	Clio 4200	26824	R/R Asph 5.5"	10.00	12.00	13.33	SY	4200
Gert Town	Clio 4200	26824	R/R Asph 5.5"	16.00	22.00	39.11	SY	4208
Gert Town	Clio 4200	26824	R/R Conc SW 4"	74.00	3.00	24.67	SY	4238
Gert Town	Clio 4200	26824	R/R Asph 5.5"	6.00	6.00	4.00	SY	Intersection at S Gayoso
Gert Town	Clio 4200	26824	R/R Asph 5.5"	10.00	22.00	24.44	SY	4230
Gert Town	Clio 4300	26843	R/R Conc Pvmt 8"	50.00	47.68	264.89	SY	Intersection at S Salcedo
Gert Town	Clio 4300	26843	R/R Asph 5.5"	70.00	10.00	77.78	SY	4324 to 4330
Gert Town	Clio 4300	26843	R/R Conc SW 4"	11.00	4.00	4.89	SY	4325
Gert Town	Clio 4300	26843	R/R Asph 5.5"	12.00	12.00	16.00	SY	4314
Gert Town	Clio 4300	26843	R/R Conc SW 4"	89.00	4.00	39.56	SY	4314 to 24
Gert Town	Clio 4300	26843	HC Ramp @ Intersection	11.00	8.00	9.78	SY	Intersection at S Salcedo
Gert Town	Clio 4300	26843	R/R Asph 5.5"	28.00	20.00	62.22	SY	4336
Gert Town	Clio 4400	26844	R/R Conc SW 4"	63.00	4.00	28.00	SY	4400
Gert Town	Clio 4400	26844	R/R Asph 5.5"	43.00	11.00	52.56	SY	4420
Gert Town	Clio 46000	27000	R/R Asph 5.5"	10.00	10.00	11.11	SY	4611
Gert Town	Clio 4700	26999	R/R Conc SW 4"	28.00	4.00	12.44	SY	4718
Gert Town	Clio 4700	26999	R/R Conc SW 4"	20.00	5.00	11.11	SY	4700
Gert Town	Clio 4800	26998	R/R Conc SW 4"	102.00	4.00	45.33	SY	4820
Gert Town	Clio 4800	26998	R/R Conc SW 4"	7.00	4.00	3.11	SY	4800
Gert Town	Clio 4900/5000	26997	R/R Asph 5.5"	12.00	8.00	10.67	SY	4901
Gert Town	Clio 4900/5000	26997	R/R Conc SW 4"	33.00	4.00	14.67	SY	4900
Gert Town	Colapissa 7200	26978	R/R Conc SW 4"	66.00	4.00	29.33	SY	7221 to 7213
Gert Town	Colapissa 7500	26977	R/R Asph 5.5"	213.00	25.00	591.67	SY	7500

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Colapissa 7500	26977	R/R Conc SW 4"	120.00	4.00	53.33	SY	7500
Gert Town	Colapissa 7500	26977	R/R Conc SW 4"	35.00	4.00	15.56	SY	7520
Gert Town	Colapissa 7800	26975	R/R Conc SW 4"	71.00	4.00	31.56	SY	7808 to 7800
Gert Town	Coolidge Ct 7700	27026	HC Ramp @ Intersection	8.00	8.00	7.11	SY	Intersection at Lowerline, Southeast Corner
Gert Town	Coolidge Ct 7700	27026	R/R Asph 5.5"	111.00	17.00	209.67	SY	7709 to 27
Gert Town	Coolidge Ct 7700	27026	R/R Asph 5.5"	25.00	18.00	50.00	SY	Intersection at Lowerline
Gert Town	Dante 3100	26827	R/R Conc SW 4"	22.00	4.00	9.78	SY	3110
Gert Town	Dante 3100	26827	R/R Conc Pvmt 8"	13.00	29.00	41.89	SY	11 at NE Corner
Gert Town	Dante 3100	26827	R/R Conc Pvmt 8"	13.00	29.00	41.89	SY	Intersection at Oleander
Gert Town	Dante 3500	26874	R/R Asph 5.5"	240.00	22.00	586.67	SY	3500
Gert Town	Dixon 4400	26921	R/R Conc SW 4"	13.00	4.00	5.78	SY	4431
Gert Town	Dixon 4900	26887	R/R Conc SW 4"	23.00	4.00	10.22	SY	Opposite 4921
Gert Town	Drexel 4700	26895	R/R Asph 5.5"	19.00	9.00	19.00	SY	4730
Gert Town	Drexel 4700	26895	HC Ramp @ Intersection	7.00	7.00	5.44	SY	Intersection at S Genois
Gert Town	Drexel 4700	26895	R/R Asph 5.5"	5.00	15.00	8.33	SY	4700
Gert Town	Drexel 4700	26895	R/R Conc SW 4"	30.00	4.00	13.33	SY	4730
Gert Town	Edinburgh 7100	27025	R/R Asph 5.5"	27.00	9.00	27.00	SY	7100
Gert Town	Edinburgh 7100	27025	R/R Asph 5.5"	16.00	6.00	10.67	SY	7109
Gert Town	Edinburgh 7100	27025	R/R Conc SW 4"	48.00	4.00	21.33	SY	7125
Gert Town	Edinburgh 7100	27025	R/R Asph 5.5"	12.00	6.00	8.00	SY	7100
Gert Town	Edinburgh 7500	27024	R/R Conc SW 4"	20.00	4.00	8.89	SY	7520
Gert Town	Edinburgh 7500	27024	R/R Asph 5.5"	18.00	19.00	38.00	SY	7500
Gert Town	Edinburgh 7500	27024	HC Ramp @ Intersection	8.00	8.00	7.11	SY	Intersection at Broadway, Northwest Corner
Gert Town	Edinburgh 7500	27024	HC Ramp @ Intersection	8.00	8.00	7.11	SY	Intersection at Broadway, Southeast Corner
Gert Town	Edinburgh 7500	27024	R/R Asph 5.5"	12.00	4.00	5.33	SY	7530
Gert Town	Edinburgh 7800	27023	R/R Asph 5.5"	13.00	9.00	13.00	SY	7800
Gert Town	Edinburgh 7800	27023	R/R Asph 5.5"	20.00	6.00	13.33	SY	7801
Gert Town	Edinburgh 7800	27023	R/R Asph 5.5"	19.00	15.00	31.67	SY	Intersection at Lowerline
Gert Town	Edinburgh 7900	27022	R/R Asph 5.5"	59.00	9.00	59.00	SY	7901
Gert Town	Edinburgh 8000	27021	R/R Asph 5.5"	162.00	10.00	180.00	SY	8000
Gert Town	Edinburgh 8300	26862	R/R Conc SW 4"	23.00	4.00	10.22	SY	8300
Gert Town	Erato 3900	26821	R/R Curb	136.00	0.00	136.00	LF	3900
Gert Town	Erato 3900	26821	R/R Conc Pvmt 8"	8.00	28.00	24.89	SY	3931
Gert Town	Erato 3900	26821	R/R Curb	8.00	0.00	8.00	LF	3931
Gert Town	Erato 3900	26821	R/R Conc Pvmt 8"	24.00	14.00	37.33	SY	3925
Gert Town	Erato 4000	26820	R/R Conc Pvmt 8"	16.00	9.00	16.00	SY	Intersection at S White
Gert Town	Erato 4000	26820	R/R Conc SW 4"	34.00	4.00	15.11	SY	4032
Gert Town	Erato 4000	26820	R/R Curb	12.00	0.00	12.00	LF	Intersection at S White
Gert Town	Erato 4000	26820	R/R Conc SW 4"	30.00	4.00	13.33	SY	4004
Gert Town	Erato 4100	26819	R/R Conc Pvmt 8"	8.00	6.00	5.33	SY	Intersection at S Dupre

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Erato 4100	26819	R/R Curb	51.00	0.00	51.00	LF	4133
Gert Town	Erato 4100	26819	R/R Conc Pvmt 8"	51.00	14.00	79.33	SY	4133
Gert Town	Erato 4200	26818	R/R Conc Pvmt 8"	57.00	14.00	88.67	SY	4226
Gert Town	Erato 4200	26818	R/R Conc SW 4"	8.00	4.00	3.56	SY	4208
Gert Town	Erato 4200	26818	R/R Conc SW 4"	6.00	4.00	2.67	SY	4227
Gert Town	Erato 4200	26818	R/R Curb	12.00	0.00	12.00	LF	Intersection at S Gayoso
Gert Town	Erato 4200	26818	R/R Curb	57.00	0.00	57.00	LF	4226
Gert Town	Erato 4200	26818	R/R Conc SW 4"	12.00	4.00	5.33	SY	4223
Gert Town	Erato 4300	26817	R/R Conc Pvmt 8"	60.00	14.00	93.33	SY	4336
Gert Town	Erato 4300	26817	R/R Conc Pvmt 8"	67.00	14.00	104.22	SY	4331
Gert Town	Erato 4300	26817	R/R Conc Pvmt 8"	22.00	12.00	29.33	SY	Intersection at S Salcedo
Gert Town	Erato 4300	26817	HC Ramp @ Intersection	8.00	8.00	7.11	SY	Intersection at S Salcedo
Gert Town	Erato 4300	26817	R/R Curb	60.00	0.00	60.00	LF	4336
Gert Town	Erato 4600	27002	R/R Conc Pvmt 8"	60.00	8.00	53.33	SY	4600
Gert Town	Erato 4600	27002	R/R Conc Pvmt 8"	4.00	6.00	2.67	SY	4602
Gert Town	Erato 4900	27005	R/R Conc SW 4"	64.00	4.00	28.44	SY	4900
Gert Town	Erato 4900	27005	R/R Conc SW 4"	8.00	4.00	3.56	SY	4911
Gert Town	Erato 4900	27005	HC Ramp @ Intersection	8.00	8.00	7.11	SY	Intersection at Bloomingdale Ct
Gert Town	Erato 5000	27006	R/R Conc Pvmt 8"	6.00	24.00	16.00	SY	5020
Gert Town	Erato 5000	27006	R/R Conc SW 4"	16.00	4.00	7.11	SY	5021
Gert Town	Erato 5000	27006	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Audubon Ct
Gert Town	Euphrosine 3900	26917	R/R Conc SW 4"	26.00	5.00	14.44	SY	3924
Gert Town	Euphrosine 3900	26917	R/R Conc SW 4"	25.00	5.00	13.89	SY	3930
Gert Town	Euphrosine 4100	26915	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at S Dupre
Gert Town	Euphrosine 4100	26915	R/R Conc SW 4"	16.00	5.00	8.89	SY	4128
Gert Town	Euphrosine 4200	26914	R/R Conc Pvmt 8"	5.00	22.00	12.22	SY	Intersection at S Gayoso
Gert Town	Euphrosine 4330	26913	R/R Conc Pvmt 8"	47.00	14.00	73.11	SY	4333
Gert Town	Euphrosine 4400	26912	R/R Conc Pvmt 8"	5.00	24.00	13.33	SY	4431
Gert Town	Euphrosine 4440	26911	R/R Conc Pvmt 8"	24.00	10.00	26.67	SY	4440
Gert Town	Euphrosine 4819	26903	R/R Asph 5.5"	44.00	7.00	34.22	SY	4819
Gert Town	Euphrosine 4819	26903	R/R Asph 5.5"	85.00	16.00	151.11	SY	4827
Gert Town	Eve 4100	26942	Adjust CB/MH	0.00	0.00	1.00	EA	4124
Gert Town	Eve 4300	26940	R/R Conc SW 4"	6.00	4.00	2.67	SY	4331
Gert Town	Eve 4300	26940	R/R Conc SW 4"	24.00	4.00	10.67	SY	4301
Gert Town	Eve 4400	26939	R/R Conc SW 4"	58.00	4.00	25.78	SY	4430 to 26
Gert Town	Eve 4400	26939	R/R Conc SW 4"	25.00	4.00	11.11	SY	4434
Gert Town	Eve 4500	26938	R/R Conc Pvmt 8"	8.00	12.00	10.67	SY	4556
Gert Town	Eve 4500	26938	R/R Conc SW 4"	7.00	4.00	3.11	SY	4546
Gert Town	Fern 3200	27043	R/R Asph 5.5"	182.00	22.00	444.89	SY	3209 to 39
Gert Town	Fern 3200	27043	R/R Conc SW 4"	25.00	4.00	11.11	SY	3213
Gert Town	Fern 3300	27044	R/R Asph 5.5"	190.00	11.00	232.22	SY	3316 to 34
Gert Town	Fern 3300	27044	R/R Conc SW 4"	51.00	4.00	22.67	SY	3315

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Fern 3300	27044	R/R Asph 5.5"	110.00	22.00	268.89	SY	3301 to 15
Gert Town	Fern 3419	27045	R/R Conc SW 4"	66.00	4.00	29.33	SY	3419
Gert Town	Forshey 7000	27008	R/R Asph 5.5"	24.00	10.00	26.67	SY	7012
Gert Town	Forshey 7000	27008	R/R Conc SW 4"	10.00	4.00	4.44	SY	7013
Gert Town	Forshey 7200	26983	R/R Conc SW 4"	30.00	5.00	16.67	SY	7221
Gert Town	Forshey 7700	26982	R/R Conc SW 4"	48.00	5.00	26.67	SY	7708
Gert Town	Forshey 7700	26982	R/R Conc SW 4"	29.00	5.00	16.11	SY	7701
Gert Town	Forshey 7700	26982	Adjust CB/MH	0.00	0.00	1.00	EA	7701
Gert Town	Forshey 7900	26980	R/R Conc SW 4"	9.00	4.00	4.00	SY	7910
Gert Town	Gayoso 1400	26854	R/R Conc SW 4"	23.00	4.00	10.22	SY	1118
Gert Town	Gayoso 1400	26854	R/R Conc SW 4"	8.00	4.00	3.56	SY	1127
Gert Town	Gayoso 1400	26854	R/R Conc SW 4"	46.00	4.00	20.44	SY	1107
Gert Town	Gayoso 1400	26854	R/R Conc SW 4"	58.00	4.00	25.78	SY	1119
Gert Town	Gayoso 1400	26854	R/R Conc SW 4"	30.00	5.00	16.67	SY	1133
Gert Town	High Ct 7300	27046	R/R Asph 5.5"	136.00	20.00	302.22	SY	7301
Gert Town	High Ct 7300	27046	R/R Conc SW 4"	136.00	4.00	60.44	SY	7301
Gert Town	Howard 3900	26926	R/R Conc SW 4"	60.00	4.00	26.67	SY	3900
Gert Town	Howard 3900	26926	R/R Conc Pvmt 8"	12.00	5.00	6.67	SY	3900
Gert Town	Howard 4000	26925	R/R Conc Pvmt 8"	3.00	15.00	5.00	SY	Intersection at S White
Gert Town	Howard 4200	26924	R/R Conc SW 4"	7.00	4.00	3.11	SY	4220
Gert Town	Howard 4200	26924	R/R Conc Pvmt 8"	3.00	10.00	3.33	SY	4212
Gert Town	Howard 4200	26924	R/R Conc Pvmt 8"	42.00	6.00	28.00	SY	Intersection at S Dupre
Gert Town	Howard 4400	26922	R/R Conc SW 4"	131.00	4.00	58.22	SY	4400
Gert Town	Howard 4400	26922	R/R Conc SW 4"	4.00	4.00	1.78	SY	4404
Gert Town	Howard 4400	26922	R/R Conc SW 4"	7.00	5.00	3.89	SY	4430
Gert Town	Howard 4800	26880	R/R Conc SW 4"	22.00	4.00	9.78	SY	4836
Gert Town	Howard 4900	26881	R/R Conc SW 4"	41.00	4.00	18.22	SY	4934
Gert Town	Lowerline 3200	27060	R/R Asph 5.5"	11.00	9.00	11.00	SY	3226
Gert Town	Lowerline 3200	27060	R/R Conc SW 4"	25.00	4.00	11.11	SY	3217 to 11
Gert Town	Lowerline 3200	27060	R/R Asph 5.5"	60.00	4.00	26.67	SY	3208 to 16
Gert Town	Lowerline 3300	27061	R/R Asph 5.5"	25.00	10.00	27.78	SY	3311
Gert Town	Lowerline 3300	27061	R/R Conc SW 4"	65.00	4.00	28.89	SY	3305 to 15
Gert Town	Lowerline 3300	27061	R/R Asph 5.5"	29.00	20.00	64.44	SY	3306
Gert Town	Lowerline 3300	27061	R/R Conc SW 4"	27.00	4.00	12.00	SY	3301
Gert Town	Lowerline 3300	27061	R/R Conc SW 4"	98.00	4.00	43.56	SY	3318
Gert Town	Lowerline 3300	27061	R/R Conc SW 4"	42.00	4.00	18.67	SY	3338
Gert Town	Lowerline 3300	27061	R/R Conc SW 4"	10.00	4.00	4.44	SY	3339
Gert Town	Lowerline 3300	27061	R/R Conc SW 4"	29.00	4.00	12.89	SY	3317
Gert Town	Lowerline 3400	27062	R/R Asph 5.5"	13.00	8.00	11.56	SY	3410
Gert Town	Lowerline 3400	27062	R/R Conc SW 4"	26.00	4.00	11.56	SY	3428 to 34
Gert Town	Lowerline 3500	27063	R/R Asph 5.5"	4.00	7.00	3.11	SY	3520
Gert Town	Lowerline 3600	27064	R/R Conc SW 4"	120.00	4.00	53.33	SY	3601

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Mars Pl 0000/30	27042	R/R Asph 5.5"	279.00	17.00	527.00	SY	0 to 30
Gert Town	Martin Luther King 4100	26812	R/R Asph 5.5"	30.00	28.00	93.33	SY	Intersection at S White
Gert Town	Martin Luther King 4100	26812	R/R Asph 5.5"	8.00	9.00	8.00	SY	4109
Gert Town	Martin Luther King 4100	26812	R/R Asph 5.5"	16.00	6.00	10.67	SY	4139
Gert Town	Martin Luther King 4200	26811	R/R Asph 5.5"	161.00	10.00	178.89	SY	4207 to 01
Gert Town	Martin Luther King 4200	26811	R/R Conc SW 4"	133.00	4.00	59.11	SY	4207
Gert Town	Martin Luther King 4200	26811	R/R Asph 5.5"	17.00	3.00	5.67	SY	Intersection at Dupre
Gert Town	MLK 4000	27014	R/R Conc SW 4"	6.00	4.00	2.67	SY	4028
Gert Town	MLK 4100	27013	R/R Conc SW 4"	35.00	4.00	15.56	SY	4134
Gert Town	MLK 4100	27013	R/R Conc SW 4"	20.00	4.00	8.89	SY	4128
Gert Town	MLK 4100	27013	R/R Conc SW 4"	45.00	4.00	20.00	SY	4106
Gert Town	MLK 4300	26943	R/R Conc Pvmt 8"	12.00	6.00	8.00	SY	Intersection at S Salcedo
Gert Town	MLK 4400	26944	R/R Asph 5.5"	54.00	6.00	36.00	SY	4420
Gert Town	MLK 4500	26946	R/R Conc SW 4"	20.00	4.00	8.89	SY	Intersection at S Rendon
Gert Town	MLK 4500	26946	R/R Asph 5.5"	20.00	4.00	8.89	SY	4531
Gert Town	MLK 4500	26946	R/R Conc Pvmt 8"	22.00	12.00	29.33	SY	4521
Gert Town	MLK 4500	26946	R/R Conc SW 4"	10.00	4.00	4.44	SY	4524
Gert Town	Oleander 7800	26891	R/R Conc SW 4"	11.00	4.00	4.89	SY	7813
Gert Town	Oleander 7900	26890	R/R Conc SW 4"	76.00	4.00	33.78	SY	7930
Gert Town	Oleander 7900	26890	R/R Conc SW 4"	30.00	4.00	13.33	SY	7928
Gert Town	Oleander 8300	26831	R/R Conc SW 4"	28.00	4.00	12.44	SY	8328
Gert Town	Olive 7100	27015	R/R Conc SW 4"	60.00	4.00	26.67	SY	7120
Gert Town	Olive 7100	27015	R/R Conc Pvmt 8"	48.00	26.00	138.67	SY	7108
Gert Town	Olive 7100	27015	HC Ramp @ Intersection	11.00	11.00	13.44	SY	Intersection at Audubon Ct
Gert Town	Olive 7100	27015	R/R Asph 5.5"	18.00	22.00	44.00	SY	Intersection at Broadway
Gert Town	Olive 7200	27016	R/R Conc SW 4"	61.00	4.00	27.11	SY	7210
Gert Town	Olive 7200	27016	R/R Conc SW 4"	27.00	4.00	12.00	SY	7211
Gert Town	Olive 7700	27017	R/R Conc SW 4"	53.00	4.00	23.56	SY	7700
Gert Town	Olive 7700	27017	R/R Conc SW 4"	29.00	4.00	12.89	SY	7725
Gert Town	Olive 7800	27018	R/R Conc Pvmt 8"	16.00	24.00	42.67	SY	7813
Gert Town	Olive 7800	27018	R/R Conc Pvmt 8"	12.00	24.00	32.00	SY	7832
Gert Town	Olive 7900	27019	R/R Conc Pvmt 8"	16.00	24.00	42.67	SY	7901
Gert Town	Olive 7900	27019	R/R Conc SW 4"	34.00	4.00	15.11	SY	7900
Gert Town	Olive 8100	26841	R/R Asph 5.5"	13.00	9.00	13.00	SY	8100
Gert Town	Olive 8200	26840	R/R Asph 5.5"	51.00	17.00	96.33	SY	8200
Gert Town	Olive 8200	26840	R/R Conc SW 4"	20.00	4.00	8.89	SY	8200
Gert Town	Olive 8200	26840	R/R Asph 5.5"	36.00	9.00	36.00	SY	8201
Gert Town	Palm 7100	27027	R/R Asph 5.5"	124.00	11.00	151.56	SY	7114 to 20
Gert Town	Palm 7300	27028	R/R Asph 5.5"	284.00	22.00	694.22	SY	7300
Gert Town	Palm 7300	27028	R/R Conc SW 4"	63.00	4.00	28.00	SY	7301
Gert Town	Palm 7300	27028	R/R Conc Pvmt 8"	42.00	36.00	168.00	SY	Intersection at Lowerline
Gert Town	Palm 7300	27028	R/R Conc SW 4"	20.00	4.00	8.89	SY	7329

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Palm 7800	27029	Adjust CB/MH	0.00	0.00	1.00	EA	7820
Gert Town	Palm 8000	27031	R/R Asph 5.5"	25.00	6.00	16.67	SY	8021
Gert Town	Palm 8300	26866	R/R Conc SW 4"	18.00	5.00	10.00	SY	8322
Gert Town	Palm 8300	26866	R/R Conc Pvmt 8"	16.00	12.00	21.33	SY	Opposite 8338
Gert Town	Pine 3100	26969	R/R Conc SW 4"	61.00	4.00	27.11	SY	3125
Gert Town	Pine 3100	26969	R/R Conc SW 4"	21.00	4.00	9.33	SY	3121
Gert Town	Pine 3100	26969	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Colapissa
Gert Town	Pine 3100	26969	R/R Conc SW 4"	13.00	4.00	5.78	SY	3101
Gert Town	Pine 3200	27054	R/R Conc SW 4"	19.00	4.00	8.44	SY	3212
Gert Town	Pine 3200	27054	R/R Conc Pvmt 8"	3.00	28.00	9.33	SY	3216
Gert Town	Pine 3200	27054	R/R Conc Pvmt 8"	8.00	7.00	6.22	SY	3224
Gert Town	Pine 3400	27056	R/R Conc SW 4"	32.00	4.00	14.22	SY	3406
Gert Town	Pine 3400	27056	R/R Conc SW 4"	17.00	4.00	7.56	SY	3413
Gert Town	Pine 3400	27056	R/R Conc Pvmt 8"	15.00	6.00	10.00	SY	3433
Gert Town	Pine 3400	27056	R/R Conc SW 4"	17.00	4.00	7.56	SY	3415
Gert Town	Pine 3500	27057	R/R Conc Pvmt 8"	4.00	14.00	6.22	SY	3501
Gert Town	Pine 3600	27058	R/R Conc Pvmt 8"	37.00	28.00	115.11	SY	3640
Gert Town	Pine 3600	27058	R/R Conc SW 4"	22.00	4.00	9.78	SY	3620
Gert Town	Pine 3600	27058	R/R Conc Pvmt 8"	14.00	28.00	43.56	SY	Intersection at High Ct
Gert Town	Pine 3600	27058	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at High Ct
Gert Town	S Clark 1200	26955	R/R Conc Pvmt 8"	30.00	14.00	46.67	SY	1234
Gert Town	S Cortez 0900	26910	R/R Conc SW 4"	52.00	4.00	23.11	SY	900
Gert Town	S Cortez 0900	26910	R/R Conc SW 4"	17.00	4.00	7.56	SY	946
Gert Town	S Dupre 1100	26855	R/R Conc SW 4"	8.00	4.00	3.56	SY	1129
Gert Town	S Dupre 1100	26855	R/R Asph 5.5"	6.00	6.00	4.00	SY	1123
Gert Town	S Dupre 1100	26855	R/R Asph 5.5"	32.00	20.00	71.11	SY	1111
Gert Town	S Dupre 1100-1	26936	R/R Conc Pvmt 8"	12.00	12.00	16.00	SY	1100
Gert Town	S Dupre 1200	26856	R/R Asph 5.5"	104.00	12.00	138.67	SY	1200
Gert Town	S Dupre 1300	26857	R/R Conc SW 4"	55.00	4.00	24.44	SY	1301 to 1319
Gert Town	S Dupre 1300	26857	R/R Conc SW 4"	256.00	4.00	113.78	SY	1300
Gert Town	S Dupre 1300	26857	R/R Asph 5.5"	19.00	20.00	42.22	SY	1310
Gert Town	S Dupre 1400	26858	R/R Asph 5.5"	12.00	9.00	12.00	SY	1408
Gert Town	S Dupre 1400	26858	R/R Conc SW 4"	54.00	4.00	24.00	SY	1411
Gert Town	S Dupre 1400	26858	R/R Asph 5.5"	40.00	10.00	44.44	SY	1411
Gert Town	S Dupre 900	26934	R/R Conc Pvmt 8"	29.00	13.00	41.89	SY	At Driveway
Gert Town	S Gayoso 1200	26853	R/R Asph 5.5"	25.00	20.00	55.56	SY	1231
Gert Town	S Gayoso 1200	26853	R/R Conc SW 4"	60.00	4.00	26.67	SY	1231
Gert Town	S Gayoso 1300	26852	R/R Conc SW 4"	13.00	4.00	5.78	SY	1300
Gert Town	S Gayoso 1300	26852	R/R Conc SW 4"	123.00	4.00	54.67	SY	1303 to 11
Gert Town	S Gayoso 1300	26852	R/R Asph 5.5"	4.00	6.00	2.67	SY	1330
Gert Town	S Gayoso 1400	26851	R/R Conc SW 4"	27.00	4.00	12.00	SY	1426
Gert Town	S Gayoso 1400	26851	R/R Asph 5.5"	24.00	10.00	26.67	SY	1417

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	S Gayoso 1400	26851	R/R Asph 5.5"	59.00	20.00	131.11	SY	1400
Gert Town	S Gayoso 1400	26851	Adjust CB/MH	0.00	0.00	1.00	EA	1401
Gert Town	S Gayoso 1400	26851	R/R Asph 5.5"	122.00	20.00	271.11	SY	1412 to 26
Gert Town	S Genios 1001/37	26907	R/R Asph 5.5"	12.00	10.00	13.33	SY	1002
Gert Town	S Genios 1300	26959	R/R Asph 5.5"	5.00	5.00	2.78	SY	1328
Gert Town	S Genios 1300	26959	R/R Asph 5.5"	22.00	7.00	17.11	SY	1328
Gert Town	S Genios 1300	26959	R/R Asph 5.5"	13.00	8.00	11.56	SY	1306
Gert Town	S Genois 0953/79	26908	R/R Curb	14.00	0.00	14.00	LF	Opposite 979
Gert Town	S Genois 1000	26906	R/R Conc SW 4"	38.00	5.00	21.11	SY	Opposite 1056
Gert Town	S Genois 1000	26906	R/R Asph 5.5"	124.00	24.00	330.67	SY	1056 to 1048
Gert Town	S Genois 1100	26957	R/R Conc SW 4"	12.00	4.00	5.33	SY	1135
Gert Town	S Genois 1100	26957	R/R Conc SW 4"	39.00	4.00	17.33	SY	1124
Gert Town	S Lopez 1100	26845	R/R Asph 5.5"	27.00	20.00	60.00	SY	1128
Gert Town	S Lopez 1200	26846	R/R Asph 5.5"	8.00	12.00	10.67	SY	1204
Gert Town	S Lopez 1200	26846	R/R Asph 5.5"	15.00	20.00	33.33	SY	1226
Gert Town	S Lopez 1300	26847	R/R Asph 5.5"	103.00	20.00	228.89	SY	1300
Gert Town	S Lopez 1400	26952	R/R Conc SW 4"	6.00	4.00	2.67	SY	1400
Gert Town	S Rendon 1000	26927	R/R Asph 5.5"	30.00	10.00	33.33	SY	1010
Gert Town	S Rendon 1000	26927	R/R Conc SW 4"	5.00	5.00	2.78	SY	1004
Gert Town	S Rendon 1300	26948	R/R Asph 5.5"	104.00	26.00	300.44	SY	1313
Gert Town	S Rendon 1400	26949	R/R Asph 5.5"	30.00	13.00	43.33	SY	1401
Gert Town	S Rendon 1500	26950	R/R Conc SW 4"	10.00	5.00	5.56	SY	1531
Gert Town	S Salcedo 1100	26848	R/R Conc SW 4"	13.00	4.00	5.78	SY	1119
Gert Town	S Salcedo 1100	26848	R/R Conc SW 4"	12.00	4.00	5.33	SY	1100
Gert Town	S Salcedo 1100	26848	R/R Conc Pvmt 8"	5.00	6.00	3.33	SY	1125
Gert Town	S Salcedo 1200	26849	R/R Conc SW 4"	12.00	4.00	5.33	SY	1210
Gert Town	S Salcedo 1200	26849	R/R Conc Pvmt 8"	49.00	28.00	152.44	SY	1217
Gert Town	S Salcedo 1200	26849	R/R Conc Pvmt 8"	18.00	17.00	34.00	SY	1201
Gert Town	S Salcedo 1200	26849	R/R Conc SW 4"	58.00	5.00	32.22	SY	1230
Gert Town	S Salcedo 1200	26849	R/R Conc SW 4"	22.00	4.00	9.78	SY	1200
Gert Town	S Salcedo 1200	26849	R/R Conc SW 4"	11.00	4.00	4.89	SY	1217
Gert Town	S Salcedo 1300	26850	R/R Conc SW 4"	6.00	4.00	2.67	SY	1334
Gert Town	S Salcedo 1300	26850	R/R Conc SW 4"	12.00	4.00	5.33	SY	1326
Gert Town	S Salcedo 1300	26850	R/R Conc SW 4"	16.00	4.00	7.11	SY	1300
Gert Town	S Salcedo 1300	26850	R/R Conc Pvmt 8"	10.00	8.00	8.89	SY	1333
Gert Town	S Salcedo 1500	26953	R/R Conc Pvmt 8"	6.00	26.00	17.33	SY	1500
Gert Town	S Telemachus 0900/39	26961	R/R Conc SW 4"	13.00	4.00	5.78	SY	924
Gert Town	S Telemachus 0955/85	26962	R/R Asph 5.5"	14.00	18.00	28.00	SY	975
Gert Town	S Telemachus 0955/85	26962	R/R Conc SW 4"	39.00	4.00	17.33	SY	943
Gert Town	S Telemachus 0955/85	26962	R/R Conc SW 4"	30.00	4.00	13.33	SY	9059 to 9069
Gert Town	S Telemachus 0955/85	26962	R/R Asph 5.5"	14.00	13.00	20.22	SY	958
Gert Town	S Telemachus 0955/85	26962	R/R Asph 5.5"	10.00	8.00	8.89	SY	964

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	S Telemachus 0955/85	26962	R/R Asph 5.5"	10.00	10.00	11.11	SY	956
Gert Town	S Telemachus 1000	26963	R/R Asph 5.5"	7.00	7.00	5.44	SY	1001
Gert Town	S Telemachus 1000	26963	R/R Asph 5.5"	12.00	8.00	10.67	SY	1030
Gert Town	S Telemachus 1000	26963	R/R Conc SW 4"	41.00	4.00	18.22	SY	Opposite 1005
Gert Town	S Telemachus 1100	26960	R/R Asph 5.5"	30.00	20.00	66.67	SY	1115
Gert Town	S Telemachus 1100	26960	R/R Asph 5.5"	30.00	16.00	53.33	SY	1125
Gert Town	S Telemachus 1200	26985	R/R Conc Pvmt 8"	75.00	24.00	200.00	SY	1204 to 18
Gert Town	S Telemachus 1200	26985	R/R Conc Pvmt 8"	26.00	24.00	69.33	SY	1242
Gert Town	S Telemachus 1200	26985	R/R Conc SW 4"	6.00	4.00	2.67	SY	1242
Gert Town	S Telemachus 1200	26985	R/R Conc SW 4"	35.00	4.00	15.56	SY	1241
Gert Town	S Telemachus 1200	26985	R/R Conc Pvmt 8"	65.00	24.00	173.33	SY	1224
Gert Town	S Telemachus 1300	26986	R/R Asph 5.5"	76.00	24.00	202.67	SY	1308 to 16
Gert Town	S Telemachus 1300	26986	R/R Asph 5.5"	28.00	24.00	74.67	SY	1304
Gert Town	S White 0900	26937	R/R Conc Pvmt 8"	14.00	12.00	18.67	SY	910
Gert Town	S White 0900	26937	R/R Conc Pvmt 8"	8.00	8.00	7.11	SY	902
Gert Town	S White 0900	26937	R/R Conc DW 6"	15.00	26.00	43.33	SY	900
Gert Town	S White 1200	26861	R/R Conc SW 4"	40.00	4.00	17.78	SY	1205
Gert Town	S White 1200	26861	R/R Asph 5.5"	71.00	7.00	55.22	SY	1241
Gert Town	S White 1200	26861	R/R Asph 5.5"	45.00	7.00	35.00	SY	1224
Gert Town	S White 1200	26861	R/R Conc SW 4"	37.00	5.00	20.56	SY	1240
Gert Town	S White 1400	26859	R/R Asph 5.5"	197.00	17.00	372.11	SY	1400
Gert Town	Short 3100	27066	R/R Conc SW 4"	44.00	4.00	19.56	SY	3139
Gert Town	Short 3200	27067	R/R Conc SW 4"	65.00	4.00	28.89	SY	3220
Gert Town	Short 3400	27069	R/R Conc SW 4"	58.00	3.00	19.33	SY	3409
Gert Town	Short 3400	27069	R/R Asph 5.5"	8.00	8.00	7.11	SY	3421
Gert Town	Stroelitz 7200	27033	R/R Asph 5.5"	10.00	20.00	22.22	SY	7231
Gert Town	Stroelitz 7200	27033	R/R Asph 5.5"	19.00	11.00	23.22	SY	7200
Gert Town	Stroelitz 7200	27033	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Broadway
Gert Town	Stroelitz 7200	27033	R/R Asph 5.5"	202.00	6.00	134.67	SY	7201 to 31
Gert Town	Stroelitz 7200	27033	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Pine
Gert Town	Stroelitz 7200	27033	R/R Conc SW 4"	14.00	5.00	7.78	SY	7201
Gert Town	Stroelitz 7300	27034	R/R Asph 5.5"	64.00	21.00	149.33	SY	7300 to 08
Gert Town	Stroelitz 7300	27034	R/R Conc SW 4"	26.00	3.00	8.67	SY	7304
Gert Town	Stroelitz 7300	27034	R/R Asph 5.5"	42.00	21.00	98.00	SY	7312 to 18
Gert Town	Stroelitz 7300	27034	R/R Conc SW 4"	25.00	4.00	11.11	SY	7320
Gert Town	Stroelitz 7500	27036	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Short
Gert Town	Stroelitz 8000	27037	R/R Conc SW 4"	57.00	4.00	25.33	SY	8020
Gert Town	Thalia 4000	26813	R/R Conc Pvmt 8"	38.00	30.00	126.67	SY	Intersection at S White
Gert Town	Thalia 4000	26813	R/R Conc Pvmt 8"	20.00	15.00	33.33	SY	4015
Gert Town	Thalia 4000	26813	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at S White
Gert Town	Thalia 4000	26813	R/R Conc Pvmt 8"	23.00	12.00	30.67	SY	4001
Gert Town	Thalia 4000	26813	R/R Conc Pvmt 8"	22.00	13.00	31.78	SY	4011

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Gert Town Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Gert Town	Thalia 4000	26813	R/R Conc Pvmt 8"	10.00	5.00	5.56	SY	4029
Gert Town	Thalia 4100	26814	R/R Conc SW 4"	33.00	4.00	14.67	SY	4129
Gert Town	Thalia 4100	26814	R/R Asph 5.5"	124.00	22.00	303.11	SY	4104 to 26
Gert Town	Thalia 4100	26814	R/R Conc SW 4"	15.00	4.00	6.67	SY	4104
Gert Town	Thalia 4100	26814	R/R Conc SW 4"	24.00	4.00	10.67	SY	4118
Gert Town	Thalia 4100	26814	R/R Asph 5.5"	18.00	18.00	36.00	SY	4127
Gert Town	Thalia 4100	26814	R/R Asph 5.5"	18.00	22.00	44.00	SY	4140
Gert Town	Thalia 4200	26815	R/R Conc SW 4"	40.00	5.00	22.22	SY	4201
Gert Town	Thalia 4200	26815	R/R Conc Pvmt 8"	40.00	22.00	97.78	SY	4201
Gert Town	Thalia 4200	26815	R/R Conc SW 4"	25.00	5.00	13.89	SY	4200
Gert Town	Thalia 4200	26815	R/R Conc Pvmt 8"	60.00	22.00	146.67	SY	4208
Gert Town	Thalia 4200	26815	R/R Conc Pvmt 8"	62.00	28.00	192.89	SY	4228 to 30
Gert Town	Thalia 4200	26815	R/R Conc Pvmt 8"	14.00	6.20	9.64	SY	Intersection at S Gayoso
Gert Town	Thalia 4200	26815	HC Ramp @ Intersection	8.00	8.00	7.11	SY	Intersection at S Gayoso
Gert Town	Thalia 4200	26815	R/R Conc SW 4"	55.00	5.00	30.56	SY	4231
Gert Town	Thalia 4300	26816	R/R Conc Pvmt 8"	6.00	24.00	16.00	SY	4319
Gert Town	Thalia 4300	26816	R/R Conc SW 4"	27.00	5.00	15.00	SY	4334
Gert Town	Thalia 4300	26816	R/R Conc Pvmt 8"	70.00	24.00	186.67	SY	4305 to 17
Gert Town	Thalia 4500	26947	R/R Asph 5.5"	20.00	10.00	22.22	SY	4530
Gert Town	Thalia 4500	26947	R/R Asph 5.5"	10.00	10.00	11.11	SY	4526
Gert Town	Thalia 4500	26947	R/R Asph 5.5"	40.00	6.00	26.67	SY	4518
Gert Town	Thalia 4800	27011	R/R Conc SW 4"	24.00	4.00	10.67	SY	4806
Gert Town	Thalia 4800	27011	R/R Conc SW 4"	13.00	4.00	5.78	SY	4818
Gert Town	Thalia 4800	27011	R/R Conc SW 4"	28.00	5.00	15.56	SY	4823
Gert Town	Thalia 5000	27009	R/R Asph 5.5"	160.00	16.00	284.44	SY	5000
Gert Town	Washington 4300	26810	R/R Asph 5.5"	5.00	5.00	2.78	SY	4301
Gert Town	Washington 4300	26810	R/R Conc SW 4"	25.00	4.00	11.11	SY	4301
Gert Town	Washington 4300	26810	R/R Asph 5.5"	70.00	6.00	46.67	SY	4307
Gert Town	Washington 4400	26809	R/R Asph 5.5"	13.00	10.00	14.44	SY	4401
Gert Town	Washington 4400	26809	R/R Conc SW 4"	12.00	4.00	5.33	SY	4423

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 10 of 10

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole