

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Apple 8600	26593	R/R Conc SW 4"	35.00	4.00	15.56	SY	8605
Hollygrove	Apple 8800	26595	R/R Asph 5.5"	27.00	14.00	42.00	SY	8833
Hollygrove	Apple 8800	26595	R/R Conc SW 4"	16.00	4.00	7.11	SY	8801
Hollygrove	Apple 8800	26595	R/R Conc SW 4"	6.00	4.00	2.67	SY	8833
Hollygrove	Apple 8800	12845	R/R Asph 5.5"	75.00	10.00	83.33	SY	8800
Hollygrove	Apple 8900	26589	R/R Asph 5.5"	114.00	12.00	152.00	SY	8926 to 8912
Hollygrove	Apple 8900	26589	R/R Conc SW 4"	22.00	4.00	9.78	SY	8913
Hollygrove	Apple 9000	26588	R/R Asph 5.5"	272.00	23.00	695.11	SY	9027 to 01
Hollygrove	Apple 9000	26588	R/R Conc SW 4"	16.00	4.00	7.11	SY	9019
Hollygrove	Apple 9100	26587	R/R Asph 5.5"	59.00	13.00	85.22	SY	9122
Hollygrove	Apple 9200	26586	R/R Asph 5.5"	29.00	10.00	32.22	SY	9200
Hollygrove	Apple 9200	26586	R/R Conc SW 4"	5.00	4.00	2.22	SY	9229
Hollygrove	Apple 9300	26585	R/R Conc SW 4"	37.00	4.00	16.44	SY	9301
Hollygrove	Apricot 8600	26555	R/R Asph 5.5"	51.00	25.00	141.67	SY	8615
Hollygrove	Apricot 8600	26555	R/R Conc SW 4"	29.00	4.00	12.89	SY	8619
Hollygrove	Apricot 8600	26555	R/R Asph 5.5"	47.00	25.00	130.56	SY	8625 to 21
Hollygrove	Apricot 8700	26554	R/R Asph 5.5"	8.00	12.00	10.67	SY	8713
Hollygrove	Apricot 8800	26553	R/R Asph 5.5"	17.00	7.00	13.22	SY	8862
Hollygrove	Apricot 9000	26551	R/R Asph 5.5"	101.00	20.00	224.44	SY	9000 to 12
Hollygrove	Belfast 8600	26556	R/R Asph 5.5"	86.00	20.00	191.11	SY	8601 to 11
Hollygrove	Belfast 8700	26557	R/R Asph 5.5"	35.00	20.00	77.78	SY	8732
Hollygrove	Belfast 8700	26557	R/R Asph 5.5"	114.00	20.00	253.33	SY	8710 to 26
Hollygrove	Belfast 8700	26557	R/R Conc DW 6"	11.00	10.00	12.22	SY	8702
Hollygrove	Belfast 8700	26557	R/R Conc SW 4"	99.00	4.00	44.00	SY	8710 to 26
Hollygrove	Belfast 8800	26558	R/R Asph 5.5"	16.00	7.00	12.44	SY	8811
Hollygrove	Belfast 8800	26558	R/R Conc SW 4"	59.00	4.00	26.22	SY	8823 to 33
Hollygrove	Belfast 8800	26558	R/R Asph 5.5"	107.00	7.00	83.22	SY	8823 to 37
Hollygrove	Belfast 8900	26559	R/R Asph 5.5"	49.00	10.00	54.44	SY	8901
Hollygrove	Belfast 8900	26559	R/R Asph 5.5"	22.00	10.00	24.44	SY	8937
Hollygrove	Belfast 9000	26560	R/R Conc SW 4"	18.00	4.00	8.00	SY	9035
Hollygrove	Belfast 9000	26560	R/R Conc SW 4"	6.00	4.00	2.67	SY	9001
Hollygrove	Belfast 9100	26561	R/R Conc SW 4"	22.00	4.00	9.78	SY	9103
Hollygrove	Belfast 9200	26562	R/R Asph 5.5"	57.00	14.00	88.67	SY	9229
Hollygrove	Belfast 9300	26563	R/R Conc SW 4"	23.00	4.00	10.22	SY	9307
Hollygrove	Belfast 9300	26563	R/R Asph 5.5"	117.00	20.00	260.00	SY	9312 to 22
Hollygrove	Cambronne 3000	26550	R/R Asph 5.5"	44.00	41.00	200.44	SY	Intersection at Fig
Hollygrove	Cambronne 3000	26550	R/R Asph 5.5"	19.00	12.00	25.33	SY	3004
Hollygrove	Cambronne 3400	26493	R/R Asph 5.5"	94.00	16.00	167.11	SY	3400
Hollygrove	Cambronne 3500	26492	R/R Asph 5.5"	9.00	9.00	9.00	SY	Intersection at Edinburgh
Hollygrove	Cambronne 3500	3966	R/R Asph 5.5"	90.00	18.00	180.00	SY	3524
Hollygrove	Cambronne 3500	3966	R/R Curb	15.00	0.00	15.00	LF	3518
Hollygrove	Cambronne 3500	3966	R/R Curb	10.00	0.00	10.00	LF	3524

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Cambronne 3600	26491	R/R Asph 5.5"	28.00	14.00	43.56	SY	Intersection at Palm
Hollygrove	Cambronne 3600	26491	R/R Asph 5.5"	36.00	13.00	52.00	SY	3624
Hollygrove	Cambronne 3600	26491	R/R Asph 5.5"	38.00	26.00	109.78	SY	3602
Hollygrove	Cambronne 3600	26491	R/R Asph 5.5"	84.00	26.00	242.67	SY	3618 to 04
Hollygrove	Cambronne 3700	26490	R/R Asph 5.5"	121.00	26.00	349.56	SY	3700
Hollygrove	Camphor 3400	26719	R/R Asph 5.5"	147.00	28.00	457.33	SY	3418 to 28
Hollygrove	Camphor 3400	26719	R/R Conc SW 4"	51.00	4.00	22.67	SY	3404
Hollygrove	Camphor 3500	26718	R/R Asph 5.5"	285.00	28.00	886.67	SY	3500
Hollygrove	Cecil 3500	26725	R/R Conc SW 4"	30.00	4.00	13.33	SY	3517
Hollygrove	Cherry 2800	26576	R/R Conc SW 4"	35.00	4.00	15.56	SY	2801
Hollygrove	Cherry 2900	26575	R/R Conc SW 4"	60.00	4.00	26.67	SY	2906
Hollygrove	Cherry 2900	26575	R/R Asph 5.5"	52.00	11.00	63.56	SY	2915
Hollygrove	Cherry 2900	26575	R/R Asph 5.5"	35.00	22.00	85.56	SY	2906
Hollygrove	Cherry 2900	12885	R/R Conc SW 4"	12.00	4.00	5.33	SY	2900
Hollygrove	Cherry 3000	26574	R/R Conc SW 4"	30.00	4.00	13.33	SY	3019
Hollygrove	Cherry 3100	26573	R/R Asph 5.5"	55.00	22.00	134.44	SY	3133
Hollygrove	Cherry 3100	26573	R/R Asph 5.5"	50.00	50.00	277.78	SY	Intersection at Colapissa
Hollygrove	Cherry 3100	26573	R/R Asph 5.5"	145.00	22.00	354.44	SY	3129 to 05
Hollygrove	Cherry 3200	26572	R/R Curb	176.00	0.00	176.00	LF	3233
Hollygrove	Cherry 3200	26572	R/R Conc Pvmt 8"	88.00	28.00	273.78	SY	3233
Hollygrove	Cherry 3200	26572	R/R Conc Pvmt 8"	56.00	28.00	174.22	SY	3213
Hollygrove	Cherry 3200	26572	R/R Curb	112.00	0.00	112.00	LF	3213
Hollygrove	Cherry 3300	26571	R/R Conc Pvmt 8"	52.00	30.00	173.33	SY	Intersection at Forshey
Hollygrove	Cherry 3400	26516	R/R Conc SW 4"	65.00	4.00	28.89	SY	3403
Hollygrove	Cherry 3500	26709	R/R Asph 5.5"	52.00	48.00	277.33	SY	Intersection at Palm
Hollygrove	Colapissa @ Cherry	12866	R/R Asph 5.5"	30.00	20.00	66.67	SY	Colapissa @ Cherry
Hollygrove	Colapissa 8400	26684	R/R Asph 5.5"	35.00	24.00	93.33	SY	8405 to 01
Hollygrove	Colapissa 8500	26683	R/R Asph 5.5"	296.00	28.00	920.89	SY	8500
Hollygrove	Colapissa 8725	12867	R/R Conc SW 4"	6.00	4.00	2.67	SY	8725
Hollygrove	Colapissa 9000	26678	R/R Conc SW 4"	175.00	4.00	77.78	SY	9008 to 26
Hollygrove	Colapissa 9000	26678	R/R Asph 5.5"	42.00	10.00	46.67	SY	9036
Hollygrove	Colapissa 9100	26629	R/R Asph 5.5"	150.00	22.00	366.67	SY	9145 to 33
Hollygrove	Colapissa 9200	26628	R/R Conc SW 4"	106.00	4.00	47.11	SY	9201
Hollygrove	Colapissa 9200	26628	R/R Asph 5.5"	308.00	22.00	752.89	SY	9200
Hollygrove	Colapissa 9300	26627	R/R Asph 5.5"	297.00	22.00	726.00	SY	9300
Hollygrove	Colapissa 9400	26626	R/R Asph 5.5"	280.00	22.00	684.44	SY	9400
Hollygrove	Eagle 2500	26647	R/R Asph 5.5"	17.00	15.00	28.33	SY	Intersection at Nelson
Hollygrove	Eagle 2500	26647	R/R Asph 5.5"	17.00	4.00	7.56	SY	2520
Hollygrove	Eagle 2500	26647	R/R Conc SW 4"	28.00	4.00	12.44	SY	2537
Hollygrove	Eagle 2600	26646	R/R Asph 5.5"	36.00	12.00	48.00	SY	2637
Hollygrove	Eagle 2600	26646	R/R Conc SW 4"	31.00	4.00	13.78	SY	2637
Hollygrove	Eagle 2600	26646	R/R Asph 5.5"	26.00	7.00	20.22	SY	2621

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 2 of 10

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Eagle 2600	26646	R/R Asph 5.5"	81.00	7.00	63.00	SY	2609
Hollygrove	Eagle 2600	26646	R/R Conc SW 4"	16.00	4.00	7.11	SY	2610
Hollygrove	Eagle 2600	26646	R/R Asph 5.5"	26.00	7.00	20.22	SY	Intersection at Apple
Hollygrove	Eagle 2600	12846	R/R Asph 5.5"	19.00	4.00	8.44	SY	2600
Hollygrove	Eagle 2700	26645	R/R Conc SW 4"	17.00	4.00	7.56	SY	2729
Hollygrove	Eagle 2700	26645	R/R Asph 5.5"	36.00	19.00	76.00	SY	2729
Hollygrove	Eagle 2700	26645	R/R Conc SW 4"	34.00	5.00	18.89	SY	2730
Hollygrove	Eagle 2700	26645	R/R Asph 5.5"	163.00	19.00	344.11	SY	2717 to 01
Hollygrove	Eagle 2700	26645	R/R Asph 5.5"	29.00	16.00	51.56	SY	At Belfast
Hollygrove	Eagle 2800	26644	R/R Asph 5.5"	164.00	19.00	346.22	SY	2823 to 2819
Hollygrove	Eagle 2800	26644	R/R Conc SW 4"	15.00	4.00	6.67	SY	2821
Hollygrove	Eagle 2900	26643	R/R Asph 5.5"	8.00	13.00	11.56	SY	Intersection at Pritchard
Hollygrove	Eagle 3100	26735	R/R Conc SW 4"	49.00	4.00	21.78	SY	3100
Hollygrove	Eagle 3100	26735	R/R Conc SW 4"	24.00	4.00	10.67	SY	3112
Hollygrove	Eagle 3700	26502	R/R Asph 5.5"	44.00	18.00	88.00	SY	3739
Hollygrove	Edinburgh 8500	26537	R/R Conc SW 4"	150.00	4.00	66.67	SY	8511 to 01
Hollygrove	Edinburgh 8500	26537	R/R Asph 5.5"	46.00	26.00	132.89	SY	8534
Hollygrove	Edinburgh 8500	26537	R/R Conc SW 4"	148.00	4.00	65.78	SY	8524 to 08
Hollygrove	Edinburgh 8600	26536	R/R Asph 5.5"	160.00	21.00	373.33	SY	8621 to 00
Hollygrove	Edinburgh 8700	26522	R/R Conc SW 4"	51.00	4.00	22.67	SY	8720
Hollygrove	Edinburgh 8700	26522	R/R Asph 5.5"	117.00	20.00	260.00	SY	8732 to 14
Hollygrove	Edinburgh 8700	26522	R/R Conc SW 4"	30.00	4.00	13.33	SY	8704
Hollygrove	Edinburgh 8700	26522	R/R Asph 5.5"	30.00	20.00	66.67	SY	8704
Hollygrove	Edinburgh 8800	26521	R/R Asph 5.5"	90.00	20.00	200.00	SY	8817 to 11
Hollygrove	Edinburgh 8800	26521	R/R Asph 5.5"	68.00	20.00	151.11	SY	8822 to 24
Hollygrove	Edinburgh 8900	26520	R/R Conc SW 4"	28.00	4.00	12.44	SY	8904
Hollygrove	Edinburgh 8900	26520	R/R Conc SW 4"	36.00	4.00	16.00	SY	8934
Hollygrove	Edinburgh 8900	26520	R/R Asph 5.5"	68.00	20.00	151.11	SY	8932 to 34
Hollygrove	Edinburgh 9000	26519	R/R Conc SW 4"	25.00	4.00	11.11	SY	9012
Hollygrove	Edinburgh 9000	26519	R/R Conc SW 4"	32.00	4.00	14.22	SY	9016
Hollygrove	Edinburgh 9000	26519	R/R Asph 5.5"	126.00	20.00	280.00	SY	9022 to 12
Hollygrove	Edinburgh 9100	26518	R/R Asph 5.5"	48.00	20.00	106.67	SY	9121
Hollygrove	Edinburgh 9100	26518	R/R Asph 5.5"	48.00	20.00	106.67	SY	9135 to 33
Hollygrove	Edinburgh 9200	26517	R/R Asph 5.5"	61.00	18.00	122.00	SY	9214 to 22
Hollygrove	Edinburgh 9400	26721	R/R Asph 5.5"	179.00	20.00	397.78	SY	9427
Hollygrove	Fig 8400	26549	R/R Asph 5.5"	178.00	23.00	454.89	SY	8432 to 16
Hollygrove	Fig 8500	26548	R/R Asph 5.5"	109.00	23.00	278.56	SY	8514 to 00
Hollygrove	Fig 8500	26548	R/R Asph 5.5"	112.00	23.00	286.22	SY	8532 to 22
Hollygrove	Fig 8800	26624	R/R Conc SW 4"	92.00	4.00	40.89	SY	8810 to 20
Hollygrove	Fig 8800	26624	R/R Asph 5.5"	100.00	20.00	222.22	SY	8823 to 27
Hollygrove	Fig 8800	26624	R/R Asph 5.5"	132.00	20.00	293.33	SY	8801 to 19
Hollygrove	Fig 8800	26624	R/R Conc SW 4"	46.00	4.00	20.44	SY	8828

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Fig 8832	12854	R/R Conc SW 4"	4.00	4.00	1.78	SY	8832
Hollygrove	Fig 8900	26625	R/R Asph 5.5"	158.00	20.00	351.11	SY	8925 to 37
Hollygrove	Fig 8900	26625	R/R Asph 5.5"	86.00	20.00	191.11	SY	8901
Hollygrove	Fig 9100	26613	R/R Conc SW 4"	51.00	4.00	22.67	SY	9127
Hollygrove	Fig 9100	26613	R/R Asph 5.5"	159.00	22.00	388.67	SY	9117 to 35
Hollygrove	Fig 9200	26614	R/R Asph 5.5"	175.00	22.00	427.78	SY	9201 to 21
Hollygrove	Fig 9200	26614	R/R Conc SW 4"	192.00	4.00	85.33	SY	9200 to 24
Hollygrove	Fig 9300	26615	R/R Asph 5.5"	270.00	22.00	660.00	SY	9307 to 35
Hollygrove	Fig 9400	26616	R/R Asph 5.5"	166.00	22.00	405.78	SY	9403 to 23
Hollygrove	Fig 9413	12861	R/R Conc SW 4"	16.00	4.00	7.11	SY	9413
Hollygrove	Forshey 8600	26742	R/R Conc SW 4"	24.00	4.00	10.67	SY	8641
Hollygrove	Forshey 8800	26740	R/R Conc SW 4"	32.00	4.00	14.22	SY	8800
Hollygrove	Forshey 8800	26740	R/R Conc SW 4"	34.00	4.00	15.11	SY	8830
Hollygrove	Forshey 8900	26739	R/R Asph 5.5"	45.00	12.00	60.00	SY	8926 to 22
Hollygrove	Forshey 9000	26676	R/R Conc Pvmt 8"	32.00	28.00	99.56	SY	9021
Hollygrove	Forshey 9000	26676	R/R Curb	250.00	0.00	250.00	LF	9000 to 20
Hollygrove	Forshey 9000	26676	R/R Curb	28.00	0.00	28.00	LF	9021
Hollygrove	Forshey 9000	26676	R/R Conc Pvmt 8"	125.00	28.00	388.89	SY	9000 to 20
Hollygrove	Forshey 9100	26633	R/R Conc Pvmt 8"	60.00	28.00	186.67	SY	9100 to 08
Hollygrove	Forshey 9100	26633	R/R Curb	120.00	0.00	120.00	LF	9100 to 08
Hollygrove	Forshey 9100	26633	R/R Conc Pvmt 8"	35.00	28.00	108.89	SY	9126
Hollygrove	Forshey 9100	26633	R/R Curb	70.00	0.00	70.00	LF	9126
Hollygrove	Forshey 9100	26633	R/R Conc Pvmt 8"	30.00	28.00	93.33	SY	9134
Hollygrove	Forshey 9100	26633	R/R Curb	60.00	0.00	60.00	LF	9134
Hollygrove	Forshey 9200	26634	R/R Conc Pvmt 8"	143.00	28.00	444.89	SY	9220 to 36
Hollygrove	Forshey 9200	26634	R/R Curb	286.00	0.00	286.00	LF	9220 to 36
Hollygrove	Forshey 9300	26635	R/R Conc Pvmt 8"	44.00	14.00	68.44	SY	9327
Hollygrove	Forshey 9300	26635	R/R Curb	96.00	0.00	96.00	LF	9301 to 15
Hollygrove	Forshey 9300	26635	R/R Curb	44.00	0.00	44.00	LF	9327
Hollygrove	Forshey 9300	26635	R/R Conc Pvmt 8"	96.00	14.00	149.33	SY	9301 to 15
Hollygrove	Forshey 9400	26636	R/R Conc SW 4"	22.00	4.00	9.78	SY	9407
Hollygrove	Forshey 9400	26636	R/R Conc SW 4"	14.00	4.00	6.22	SY	9432
Hollygrove	Gen Ogden 2600	26657	R/R Asph 5.5"	91.00	20.00	202.22	SY	2629
Hollygrove	Gen Ogden 2900	26691	R/R Asph 5.5"	211.00	21.00	492.33	SY	2900
Hollygrove	Gen Ogden 3318	12873	R/R Conc SW 4"	73.00	4.00	32.44	SY	3318
Hollygrove	Gen Ogden 3318	12873	R/R Conc DW 6"	22.00	10.00	24.44	SY	3318
Hollygrove	Gen Ogden 3400	26506	R/R Asph 5.5"	23.00	20.00	51.11	SY	3401
Hollygrove	Gen Ogden 3400	26506	R/R Asph 5.5"	17.00	12.00	22.67	SY	3411
Hollygrove	Gen Ogden 3400	26506	R/R Conc SW 4"	104.00	4.00	46.22	SY	3431
Hollygrove	Gen Ogden 3500	26507	R/R Conc SW 4"	65.00	4.00	28.89	SY	3501
Hollygrove	Gen Ogden 3600	26508	R/R Conc SW 4"	28.00	4.00	12.44	SY	3626
Hollygrove	Gen Ogden 3600	26508	R/R Conc SW 4"	76.00	4.00	33.78	SY	3601

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole



**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Gen Ogden 3600	26508	R/R Conc SW 4"	67.00	4.00	29.78	SY	3636
Hollygrove	Gen Ogden 3600	26508	R/R Asph 5.5"	52.00	24.00	138.67	SY	3601
Hollygrove	Gen Ogden 3700	26509	R/R Conc SW 4"	43.00	4.00	19.11	SY	3700
Hollygrove	Hamilton 2500	26667	R/R Conc SW 4"	17.00	4.00	7.56	SY	2501
Hollygrove	Hamilton 2800	26605	R/R Asph 5.5"	199.00	22.00	486.44	SY	2800 to 35
Hollygrove	Hamilton 2800	26605	R/R Conc SW 4"	26.00	4.00	11.56	SY	2836
Hollygrove	Hamilton 3025	12857	R/R Conc SW 4"	12.00	4.00	5.33	SY	3025
Hollygrove	Hamilton 3200	26601	R/R Asph 5.5"	146.00	22.00	356.89	SY	3200 to 16
Hollygrove	Hamilton 3300	26600	R/R Asph 5.5"	60.00	30.00	200.00	SY	Intersection at Forshey
Hollygrove	Hamilton 3300	26600	R/R Conc Pvmt 8"	54.00	50.00	300.00	SY	Intersection at Olive
Hollygrove	Hamilton 3300	26600	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Olive
Hollygrove	Hamilton 3300	26600	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Olive
Hollygrove	Hamilton 3300	26600	R/R Conc SW 4"	139.00	4.00	61.78	SY	3301
Hollygrove	Hamilton 3300	26600	R/R Asph 5.5"	210.00	26.00	606.67	SY	3300 to 24
Hollygrove	Hamilton 3400	26513	R/R Conc SW 4"	77.00	5.00	42.78	SY	3421
Hollygrove	Hamilton 3400	26513	R/R Asph 5.5"	29.00	14.00	45.11	SY	3421
Hollygrove	Hamilton 3500	26514	HC Ramp @ Intersection	10.00	10.00	11.11	SY	3534
Hollygrove	Hamilton 3500	26514	R/R Conc SW 4"	38.00	5.00	21.11	SY	3512
Hollygrove	Hollgrove 3600	26510	R/R Asph 5.5"	28.00	20.00	62.22	SY	3620
Hollygrove	Hollgrove 3600	26510	R/R Asph 5.5"	33.00	20.00	73.33	SY	3600
Hollygrove	Hollygrove 2400	26660	R/R Conc SW 4"	29.00	4.00	12.89	SY	2423
Hollygrove	Hollygrove 2400	26660	R/R Asph 5.5"	87.00	11.00	106.33	SY	2423
Hollygrove	Hollygrove 2400	26660	R/R Asph 5.5"	46.00	50.00	255.56	SY	Intersection at Nelson
Hollygrove	Hollygrove 2500	26661	R/R Conc SW 4"	47.00	4.00	20.89	SY	2529
Hollygrove	Hollygrove 2700	26663	R/R Asph 5.5"	85.00	20.00	188.89	SY	2719 to 2725
Hollygrove	Hollygrove 2700	26663	R/R Conc SW 4"	116.00	4.00	51.56	SY	2700
Hollygrove	Hollygrove 2700	26663	R/R Asph 5.5"	99.00	10.00	110.00	SY	2700
Hollygrove	Hollygrove 2800	26622	R/R Asph 5.5"	49.00	12.00	65.33	SY	2800
Hollygrove	Hollygrove 2900	26621	R/R Asph 5.5"	45.00	22.00	110.00	SY	2940
Hollygrove	Hollygrove 2900	26621	R/R Asph 5.5"	17.00	14.00	26.44	SY	Intersection at Fig
Hollygrove	Hollygrove 3000	26620	R/R Conc SW 4"	21.00	4.00	9.33	SY	3024
Hollygrove	Hollygrove 3000	26620	R/R Asph 5.5"	33.00	22.00	80.67	SY	3017
Hollygrove	Hollygrove 3100	26619	R/R Asph 5.5"	9.00	8.00	8.00	SY	3101
Hollygrove	Hollygrove 3200	26618	R/R Asph 5.5"	302.00	22.00	738.22	SY	3200
Hollygrove	Hollygrove 3200	26618	R/R Conc SW 4"	42.00	4.00	18.67	SY	3201
Hollygrove	Hollygrove 3200	26618	R/R Conc SW 4"	41.00	4.00	18.22	SY	3230
Hollygrove	Hollygrove 3300	26617	R/R Asph 5.5"	46.00	46.00	235.11	SY	Intersection at Olive
Hollygrove	Hollygrove 3300	26617	R/R Asph 5.5"	151.00	22.00	369.11	SY	3323 to 33
Hollygrove	Hollygrove 3300	26617	R/R Asph 5.5"	147.00	11.00	179.67	SY	3321 to 01
Hollygrove	Hollygrove 3300	26617	R/R Conc SW 4"	45.00	4.00	20.00	SY	3301
Hollygrove	Hollygrove 3400	26512	R/R Conc SW 4"	115.00	4.00	51.11	SY	3400
Hollygrove	Hollygrove 3400	26512	R/R Conc SW 4"	99.00	4.00	44.00	SY	3431

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Hollygrove 3400	26512	R/R Conc SW 4"	99.00	4.00	44.00	SY	3430
Hollygrove	Hollygrove 3400	26512	R/R Asph 5.5"	160.00	20.00	355.56	SY	3431 to 21
Hollygrove	Hollygrove 3400	26512	R/R Asph 5.5"	54.00	20.00	120.00	SY	3400
Hollygrove	Hollygrove 3400	26512	R/R Conc SW 4"	115.00	4.00	51.11	SY	3401
Hollygrove	Hollygrove 3500	26511	R/R Conc SW 4"	74.00	4.00	32.89	SY	3534
Hollygrove	Hollygrove 3500	26511	R/R Conc SW 4"	110.00	4.00	48.89	SY	3531
Hollygrove	Hollygrove 3500	26511	R/R Asph 5.5"	54.00	10.00	60.00	SY	3519 to 23
Hollygrove	Hollygrove 3500	26511	R/R Asph 5.5"	100.00	20.00	222.22	SY	3534
Hollygrove	Joilet 3500	26495	R/R Conc SW 4"	43.00	4.00	19.11	SY	3525
Hollygrove	Joilet 3500	26495	R/R Conc SW 4"	36.00	4.00	16.00	SY	3531
Hollygrove	Joilet 3500	26495	R/R Conc SW 4"	24.00	4.00	10.67	SY	3519
Hollygrove	Joliet 3200	26680	R/R Asph 5.5"	55.00	22.00	134.44	SY	3200
Hollygrove	Joliet 3200	26680	R/R Conc SW 4"	70.00	4.00	31.11	SY	3200
Hollygrove	Joliet 3600	26496	R/R Conc SW 4"	60.00	4.00	26.67	SY	3639
Hollygrove	Joliet 3600	26496	R/R Conc SW 4"	43.00	4.00	19.11	SY	3616
Hollygrove	Joliet 3600	26496	R/R Asph 5.5"	43.00	21.00	100.33	SY	3636
Hollygrove	Joliet 3600	26496	R/R Asph 5.5"	145.00	8.00	128.89	SY	3600 to 16
Hollygrove	Joliet 3600	26496	R/R Asph 5.5"	50.00	20.00	111.11	SY	Intersection at Storlitz
Hollygrove	Joliet 3600	26496	R/R Asph 5.5"	145.00	6.00	96.67	SY	3600 to 17
Hollygrove	Joliet 3600	26496	R/R Conc SW 4"	39.00	4.00	17.33	SY	3600
Hollygrove	Joliet 3700	26497	R/R Asph 5.5"	86.00	8.00	76.44	SY	3701
Hollygrove	Joliet 3700	26497	Adjust CB/MH	0.00	0.00	1.00	EA	3701
Hollygrove	Live Oak @ Colapissa	12863	HC Ramp @ Intersection	14.00	10.00	15.56	SY	Live Oak @ Colapissa
Hollygrove	Live Oak 2900	26566	R/R Asph 5.5"	10.00	6.00	6.67	SY	2931
Hollygrove	Live Oak 2900	26566	R/R Conc SW 4"	10.00	4.00	4.44	SY	2928
Hollygrove	Live Oak 2900	26566	R/R Asph 5.5"	48.00	48.00	256.00	SY	Intersection at Fig
Hollygrove	Live Oak 2900	26566	R/R Asph 5.5"	130.00	22.00	317.78	SY	2909 to 25
Hollygrove	Live Oak 3000	26567	R/R Conc SW 4"	121.00	4.00	53.78	SY	3038
Hollygrove	Live Oak 3000	26567	R/R Conc Pvmt 8"	26.00	26.00	75.11	SY	Intersection at Colapissa
Hollygrove	Live Oak 3000	26567	R/R Conc SW 4"	45.00	4.00	20.00	SY	3037
Hollygrove	Live Oak 3000	26567	HC Ramp @ Intersection	12.00	12.00	16.00	SY	3037
Hollygrove	Live Oak 3000	26567	R/R Asph 5.5"	76.00	22.00	185.78	SY	3037
Hollygrove	Live Oak 3100	26568	R/R Conc Pvmt 8"	50.00	28.00	155.56	SY	3120
Hollygrove	Live Oak 3100	26568	R/R Curb	100.00	0.00	100.00	LF	3120
Hollygrove	Live Oak 3200	26569	R/R Conc Pvmt 8"	180.00	28.00	560.00	SY	3200 to 24
Hollygrove	Live Oak 3200	26569	R/R Curb	360.00	0.00	360.00	LF	3200 to 24
Hollygrove	Live Oak 3300	26570	R/R Conc SW 4"	68.00	4.00	30.22	SY	3322
Hollygrove	Live Oak 3300	26570	R/R Asph 5.5"	101.00	21.00	235.67	SY	3313 to 21
Hollygrove	Live Oak 3500	26705	R/R Conc SW 4"	40.00	4.00	17.78	SY	3500
Hollygrove	Live Oak 3600	26713	R/R Asph 5.5"	299.00	28.00	930.22	SY	3600
Hollygrove	Live Oak 3700	26712	R/R Asph 5.5"	27.00	24.00	72.00	SY	Intersection at Stroelitz
Hollygrove	Livingston 3200	26538	R/R Conc SW 4"	102.00	4.00	45.33	SY	3225 to 19

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Livingston 3200	26538	R/R Curb	235.00	0.00	235.00	LF	3225 to 01
Hollygrove	Livingston 3200	26538	R/R Conc Pvmt 8"	235.00	15.00	391.67	SY	3225 to 01
Hollygrove	Livingston 3514	12882	R/R Conc DW 6"	10.00	4.00	4.44	SY	3514
Hollygrove	Livingston 3600	26716	R/R Asph 5.5"	169.00	20.00	375.56	SY	3600 to 24
Hollygrove	Mistletoe 2400	26669	R/R Asph 5.5"	17.00	20.00	37.78	SY	2424
Hollygrove	Mistletoe 2500	26670	R/R Conc SW 4"	41.00	4.00	18.22	SY	2504
Hollygrove	Mistletoe 2500	26670	R/R Asph 5.5"	15.00	10.00	16.67	SY	2504
Hollygrove	Mistletoe 2500	26670	R/R Asph 5.5"	64.00	20.00	142.22	SY	2536
Hollygrove	Mistletoe 2600	26671	R/R Conc SW 4"	26.00	4.00	11.56	SY	2628
Hollygrove	Mistletoe 2700	26565	R/R Asph 5.5"	17.00	9.00	17.00	SY	2716
Hollygrove	Mistletoe 2700	26565	R/R Conc SW 4"	28.00	4.00	12.44	SY	2716
Hollygrove	Mistletoe 2700	26565	R/R Asph 5.5"	20.00	22.00	48.89	SY	2716
Hollygrove	Mistletoe 2700	26565	R/R Asph 5.5"	18.00	7.00	14.00	SY	2703
Hollygrove	Mistletoe 2900	26580	R/R Asph 5.5"	150.00	22.00	366.67	SY	2923 to 33
Hollygrove	Mistletoe 2900	26580	R/R Asph 5.5"	46.00	28.00	143.11	SY	Intersection at Fig
Hollygrove	Mistletoe 2900	26580	R/R Conc SW 4"	150.00	4.00	66.67	SY	2923 to 33
Hollygrove	Mistletoe 3100	26582	R/R Conc SW 4"	50.00	4.00	22.22	SY	3123
Hollygrove	Mistletoe 3100	26582	R/R Conc SW 4"	35.00	4.00	15.56	SY	3106
Hollygrove	Mistletoe 3200	26583	R/R Asph 5.5"	302.00	22.00	738.22	SY	3200
Hollygrove	Mistletoe 3300	26584	R/R Asph 5.5"	108.00	22.00	264.00	SY	3301 to 15
Hollygrove	Mistletoe 3300	26584	R/R Asph 5.5"	114.00	22.00	278.67	SY	3327 to 37
Hollygrove	Mistletoe 3600	26708	R/R Conc SW 4"	55.00	4.00	24.44	SY	3601
Hollygrove	Mistletoe 3700	26707	R/R Asph 5.5"	184.00	21.00	429.33	SY	3700
Hollygrove	Mistletoe 3700	26707	R/R Asph 5.5"	50.00	26.00	144.44	SY	At Stroelitz
Hollygrove	Monroe 2400	26637	R/R Conc SW 4"	23.00	4.00	10.22	SY	2423
Hollygrove	Monroe 2400	26637	R/R Conc SW 4"	70.00	4.00	31.11	SY	2405
Hollygrove	Monroe 2400	26637	R/R Asph 5.5"	300.00	19.00	633.33	SY	2425 to 01
Hollygrove	Monroe 2400	26637	R/R Asph 5.5"	54.00	51.00	306.00	SY	Intersection at Nelson
Hollygrove	Monroe 2500	26638	R/R Asph 5.5"	163.00	19.00	344.11	SY	2514
Hollygrove	Monroe 2500	26638	R/R Asph 5.5"	26.00	16.00	46.22	SY	Intersection at Apple
Hollygrove	Monroe 2600	26639	R/R Asph 5.5"	59.00	19.00	124.56	SY	2625
Hollygrove	Monroe 2600	26639	R/R Conc SW 4"	55.00	4.00	24.44	SY	2602 to 24
Hollygrove	Monroe 2800	26641	R/R Asph 5.5"	67.00	19.00	141.44	SY	2800 to 02
Hollygrove	Monroe 2800	26641	R/R Conc SW 4"	111.00	4.00	49.33	SY	2820
Hollygrove	Monroe 2800	26641	R/R Asph 5.5"	64.00	19.00	135.11	SY	2820
Hollygrove	Monroe 2900	26642	R/R Asph 5.5"	42.00	10.00	46.67	SY	2917
Hollygrove	Monroe 2900	26642	R/R Conc SW 4"	33.00	4.00	14.67	SY	2902
Hollygrove	Monroe 2900	26642	R/R Conc SW 4"	22.00	4.00	9.78	SY	2917
Hollygrove	Monroe 3400	26501	R/R Conc SW 4"	38.00	4.00	16.89	SY	3421
Hollygrove	Monroe 3400	26501	R/R Asph 5.5"	65.00	13.00	93.89	SY	3421
Hollygrove	Monroe 3400	26501	R/R Conc SW 4"	150.00	4.00	66.67	SY	3400
Hollygrove	Monroe 3400	26501	R/R Asph 5.5"	47.00	32.00	167.11	SY	3400

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Monroe 3400	26501	R/R Conc SW 4"	41.00	4.00	18.22	SY	3401
Hollygrove	Monroe 3500	26500	R/R Conc SW 4"	65.00	4.00	28.89	SY	3536
Hollygrove	Monroe 3600	26499	R/R Conc SW 4"	49.00	4.00	21.78	SY	3636
Hollygrove	Monroe 3600	26499	HC Ramp @ Intersection	10.00	10.00	11.11	SY	Intersection at Storlitz
Hollygrove	Monticello 2500	26651	R/R Asph 5.5"	23.00	20.00	51.11	SY	2527
Hollygrove	Monticello 3000	26540	R/R Asph 5.5"	163.00	13.00	235.44	SY	3001
Hollygrove	Monticello 3000	26540	R/R Asph 5.5"	106.00	20.00	235.56	SY	3021
Hollygrove	Nelson 8600	26592	R/R Asph 5.5"	60.00	26.00	173.33	SY	8621 to 19
Hollygrove	Nelson 8600	26592	R/R Conc SW 4"	10.00	5.00	5.56	SY	8627
Hollygrove	Nelson 8700	26591	R/R Conc SW 4"	16.00	4.00	7.11	SY	8708
Hollygrove	Nelson 8700	26591	R/R Conc SW 4"	34.00	4.00	15.11	SY	8701
Hollygrove	Nelson 8700	26591	R/R Conc SW 4"	39.00	4.00	17.33	SY	8725
Hollygrove	Nelson 8708	12843	R/R Conc SW 4"	40.00	4.00	17.78	SY	8708
Hollygrove	Nelson 8720	12841	R/R Conc SW 4"	20.00	4.00	8.89	SY	8720
Hollygrove	Nelson 8800	26590	R/R Conc Pvmt 8"	24.00	14.00	37.33	SY	8805
Hollygrove	Nelson 8800	26590	R/R Conc Pvmt 8"	42.00	14.00	65.33	SY	8832
Hollygrove	Nelson 8900	26596	R/R Conc SW 4"	8.00	4.00	3.56	SY	8940
Hollygrove	Nelson 8900	26596	R/R Asph 5.5"	54.00	10.00	60.00	SY	8917 to 23
Hollygrove	Nelson 8900	26596	R/R Asph 5.5"	23.00	18.00	46.00	SY	8900
Hollygrove	Nelson 8900	26596	R/R Conc SW 4"	15.00	4.00	6.67	SY	8900
Hollygrove	Nelson 9100	26598	R/R Conc SW 4"	19.00	4.00	8.44	SY	9100
Hollygrove	Nelson 9200	26599	R/R Asph 5.5"	93.00	10.00	103.33	SY	9201
Hollygrove	Nelson 9200	26599	R/R Asph 5.5"	20.00	10.00	22.22	SY	9235
Hollygrove	Oleander 8400	26685	R/R Conc Pvmt 8"	32.00	28.00	99.56	SY	8400
Hollygrove	Oleander 8400	26685	R/R Curb	56.00	0.00	56.00	LF	8400
Hollygrove	Oleander 8500	26686	R/R Conc SW 4"	54.00	4.00	24.00	SY	8531
Hollygrove	Oleander 8500	26686	R/R Asph 5.5"	68.00	26.00	196.44	SY	8501
Hollygrove	Oleander 8800	26737	R/R Conc SW 4"	29.00	4.00	12.89	SY	8826
Hollygrove	Oleander 9000	26677	R/R Asph 5.5"	167.00	20.00	371.11	SY	9001 to 21
Hollygrove	Oleander 9000	26677	R/R Conc SW 4"	120.00	4.00	53.33	SY	9001
Hollygrove	Oleander 9000	26677	R/R Conc SW 4"	60.00	4.00	26.67	SY	9000
Hollygrove	Oleander 9200	26631	R/R Asph 5.5"	297.00	20.00	660.00	SY	9200
Hollygrove	Oleander 9200	26631	R/R Conc SW 4"	289.00	4.00	128.44	SY	9200
Hollygrove	Olive 8500	26689	R/R Asph 5.5"	138.00	14.00	214.67	SY	8501 to 8515
Hollygrove	Olive 8500	26689	R/R Conc SW 4"	54.00	4.00	24.00	SY	8525
Hollygrove	Olive 8600	26743	R/R Conc SW 4"	30.00	5.00	16.67	SY	8637
Hollygrove	Olive 8700	26744	R/R Conc SW 4"	59.00	4.00	26.22	SY	8701
Hollygrove	Olive 8700	26744	R/R Conc SW 4"	35.00	4.00	15.56	SY	8735
Hollygrove	Olive 8700	26744	R/R Asph 5.5"	62.00	20.00	137.78	SY	8701
Hollygrove	Olive 9000	26675	R/R Asph 5.5"	102.00	18.00	204.00	SY	9028
Hollygrove	Olive 9000	26675	R/R Asph 5.5"	20.00	19.00	42.22	SY	9000
Hollygrove	Olive 9000	26675	R/R Asph 5.5"	43.00	18.00	86.00	SY	9012

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole



**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Olive 9100	26674	R/R Conc SW 4"	48.00	4.00	21.33	SY	9120
Hollygrove	Olive 9100	26674	R/R Asph 5.5"	56.00	11.00	68.44	SY	9136
Hollygrove	Olive 9200	26673	R/R Conc SW 4"	32.00	4.00	14.22	SY	9217
Hollygrove	Olive 9200	26673	R/R Asph 5.5"	37.00	24.00	98.67	SY	9200
Hollygrove	Olive 9200	26673	R/R Asph 5.5"	26.00	24.00	69.33	SY	9236
Hollygrove	Olive 9200	26673	R/R Asph 5.5"	54.00	22.00	132.00	SY	9223
Hollygrove	Olive 9300	26672	R/R Asph 5.5"	42.00	20.00	93.33	SY	9300
Hollygrove	Olive 9300	12874	R/R Asph 5.5"	10.00	10.00	11.11	SY	9300
Hollygrove	Palm 8400	26533	R/R Conc SW 4"	44.00	4.00	19.56	SY	8401
Hollygrove	Palm 8500	26534	R/R Conc SW 4"	31.00	5.00	17.22	SY	8527
Hollygrove	Palm 8500	26534	R/R Asph 5.5"	80.00	26.00	231.11	SY	8521
Hollygrove	Palm 8500	26534	R/R Conc SW 4"	46.00	5.00	25.56	SY	8502
Hollygrove	Palm 8500	26534	R/R Conc SW 4"	52.00	5.00	28.89	SY	8534
Hollygrove	Palm 8600	26535	R/R Asph 5.5"	60.00	26.00	173.33	SY	8627
Hollygrove	Palm 8600	26535	R/R Conc SW 4"	100.00	5.00	55.56	SY	8627
Hollygrove	Palm 8700	26523	R/R Asph 5.5"	45.00	22.00	110.00	SY	8734
Hollygrove	Palm 8700	26523	R/R Asph 5.5"	31.00	22.00	75.78	SY	8726
Hollygrove	Palm 8800	26524	R/R Asph 5.5"	103.00	22.00	251.78	SY	8820 to 40
Hollygrove	Palm 8800	26524	R/R Conc SW 4"	32.00	4.00	14.22	SY	8800
Hollygrove	Palm 8800	26524	R/R Asph 5.5"	40.00	22.00	97.78	SY	8815
Hollygrove	Palm 8812	12876	R/R Conc SW 4"	30.00	5.00	16.67	SY	8812
Hollygrove	Palm 8900	26525	R/R Conc SW 4"	150.00	5.00	83.33	SY	8900
Hollygrove	Palm 8900	26525	R/R Asph 5.5"	66.00	22.00	161.33	SY	8930 to 40
Hollygrove	Palm 8900	26525	R/R Asph 5.5"	150.00	22.00	366.67	SY	8900
Hollygrove	Palm 9000	26532	R/R Conc SW 4"	35.00	4.00	15.56	SY	9009
Hollygrove	Palm 9000	26532	R/R Asph 5.5"	75.00	26.00	216.67	SY	9000 to 08
Hollygrove	Palm 9000	26532	R/R Asph 5.5"	61.00	26.00	176.22	SY	9028
Hollygrove	Palm 9400	26701	R/R Conc SW 4"	30.00	4.00	13.33	SY	9400
Hollygrove	Palm 9400	26701	R/R Asph 5.5"	23.00	16.00	40.89	SY	9408
Hollygrove	Palm 9400	26701	R/R Conc SW 4"	25.00	5.00	13.89	SY	9401
Hollygrove	Palm 9500	26700	R/R Asph 5.5"	24.00	12.00	32.00	SY	9519
Hollygrove	Palm 9500	26700	R/R Asph 5.5"	15.00	15.00	25.00	SY	9573
Hollygrove	Palm 9511	12884	R/R Conc SW 4"	8.00	5.00	4.44	SY	9511
Hollygrove	Palm 9600	26698	R/R Asph 5.5"	70.00	26.00	202.22	SY	9616
Hollygrove	Pritchard Pl 8600	26544	R/R Asph 5.5"	147.00	26.00	424.67	SY	8619
Hollygrove	Pritchard Pl 8600	26544	R/R Asph 5.5"	27.00	26.00	78.00	SY	8611
Hollygrove	Pritchard Pl 8700	26545	R/R Conc SW 4"	13.00	5.00	7.22	SY	8700
Hollygrove	Pritchard Pl 8700	26545	R/R Asph 5.5"	9.00	13.00	13.00	SY	8714
Hollygrove	Pritchard Pl 8700	26545	R/R Conc SW 4"	7.00	5.00	3.89	SY	8701
Hollygrove	Pritchard Pl 8900	26611	R/R Conc SW 4"	99.00	4.00	44.00	SY	8925 to 15
Hollygrove	Pritchard Pl 9000	26610	R/R Conc SW 4"	46.00	4.00	20.44	SY	9029
Hollygrove	Pritchard Pl 9100	26609	R/R Conc SW 4"	42.00	4.00	18.67	SY	9115

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole

**Hollygrove Neighborhood**  
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Hollygrove	Pritchard Pl 9100	26609	R/R Asph 5.5"	12.00	10.00	13.33	SY	9125
Hollygrove	Pritchard Pl 9100	26609	R/R Asph 5.5"	12.00	12.00	16.00	SY	9127
Hollygrove	Pritchard Pl 9200	26608	R/R Asph 5.5"	195.00	22.00	476.67	SY	9213 to 25
Hollygrove	Pritchard Pl 9300	26607	R/R Asph 5.5"	185.00	22.00	452.22	SY	9321 to 35
Hollygrove	Pritchard Pl 9300	26607	R/R Conc SW 4"	20.00	4.00	8.89	SY	9300
Hollygrove	Stroelitz 8400	26531	R/R Asph 5.5"	301.00	23.00	769.22	SY	8400
Hollygrove	Stroelitz 8500	26530	R/R Asph 5.5"	105.00	22.00	256.67	SY	8537 to 27
Hollygrove	Stroelitz 8500	26530	R/R Asph 5.5"	27.00	22.00	66.00	SY	8503
Hollygrove	Stroelitz 8500	26530	R/R Conc SW 4"	32.00	4.00	14.22	SY	8503
Hollygrove	Stroelitz 8600	26529	R/R Asph 5.5"	81.00	19.00	171.00	SY	8632
Hollygrove	Stroelitz 8600	26529	R/R Conc SW 4"	42.00	4.00	18.67	SY	8632
Hollygrove	Stroelitz 8600	26529	R/R Asph 5.5"	163.00	19.00	344.11	SY	8616 to 00
Hollygrove	Stroelitz 8800	26527	R/R Conc SW 4"	40.00	4.00	17.78	SY	8809
Hollygrove	Stroelitz 8900	26526	R/R Conc SW 4"	152.00	4.00	67.56	SY	8920 to 00
Hollygrove	Stroelitz 9100	26692	R/R Asph 5.5"	60.00	13.00	86.67	SY	9123
Hollygrove	Stroelitz 9200	26693	R/R Conc SW 4"	54.00	4.00	24.00	SY	9219
Hollygrove	Stroelitz 9300	26694	R/R Asph 5.5"	36.00	14.00	56.00	SY	9320
Hollygrove	Stroelitz 9300	26694	R/R Conc SW 4"	37.00	4.00	16.44	SY	9320

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 10 of 10

Conc SW 4" means Concrete Sidewalk 4 ft wide  
Adjust CB/MH means Adjust Catch Basin and Manhole