

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Apple 8100	23727	R/R Conc SW 4"	51.00	5.00	28.33	SY	8100-40
Leonidas	Apple 8100	23727	R/R Conc SW 4"	46.00	5.00	25.56	SY	8101-33
Leonidas	Apple 8200	23728	R/R Conc SW 4"	51.00	5.00	28.33	SY	8200-40
Leonidas	Apple 8200	23728	R/R Conc SW 4"	24.00	5.00	13.33	SY	8221-39
Leonidas	Apple 8300	23729	R/R Conc Pvmt 8"	27.00	26.00	78.00	SY	8330
Leonidas	Apple 8300	23729	R/R Conc SW 4"	28.00	5.00	15.56	SY	8300-32
Leonidas	Apple 8300	23729	R/R Conc SW 4"	89.00	5.00	49.44	SY	8301-39
Leonidas	Apple 8300	23729	R/R Conc Pvmt 8"	45.00	7.00	35.00	SY	8300
Leonidas	Apple 8300	23729	R/R Conc Pvmt 8"	41.00	26.00	118.44	SY	8309
Leonidas	Apple 8300	23729	R/R Conc Pvmt 8"	28.00	26.00	80.89	SY	8316
Leonidas	Apple 8300	23729	R/R Conc Pvmt 8"	23.00	17.00	43.44	SY	8324
Leonidas	Apple 8400	23730	R/R Conc SW 4"	126.00	4.00	56.00	SY	8400-28
Leonidas	Apple 8400	23730	R/R Conc SW 4"	83.00	4.00	36.89	SY	8401-35
Leonidas	Apple 8400	23730	R/R Asph 5.5"	49.00	18.00	98.00	SY	8420-24
Leonidas	Apple 8500	23731	R/R Asph 5.5"	9.00	20.00	20.00	SY	8521-25
Leonidas	Apple 8500	23731	R/R Conc SW 4"	4.00	5.00	2.22	SY	8514
Leonidas	Apple 8500	23731	R/R Conc SW 4"	53.00	4.00	23.56	SY	8509-37
Leonidas	Apple 8500	23731	R/R Asph 5.5"	7.00	19.00	14.78	SY	8500
Leonidas	Apple 8500	23731	R/R Asph 5.5"	35.00	10.00	38.89	SY	8521-25
Leonidas	Apricot 8100	23741	R/R Conc SW 4"	89.00	4.00	39.56	SY	8134-00
Leonidas	Apricot 8100	23741	R/R Conc SW 4"	32.00	4.00	14.22	SY	8141-01
Leonidas	Apricot 8200	23740	R/R Asph 5.5"	12.00	7.00	9.33	SY	8200
Leonidas	Apricot 8200	23740	R/R Asph 5.5"	7.00	7.00	5.44	SY	8210
Leonidas	Apricot 8200	23740	R/R Asph 5.5"	12.00	8.00	10.67	SY	8238
Leonidas	Apricot 8200	23740	R/R Conc SW 4"	62.00	4.00	27.56	SY	8241-01
Leonidas	Apricot 8200	23740	R/R Conc SW 4"	66.00	4.00	29.33	SY	8242-00
Leonidas	Apricot 8300	23739	R/R Conc SW 4"	28.00	4.00	12.44	SY	8331-01
Leonidas	Apricot 8300	23739	R/R Conc SW 4"	33.00	5.00	18.33	SY	8338-00
Leonidas	Apricot 8400	23738	R/R Conc SW 4"	49.00	4.00	21.78	SY	8429-03
Leonidas	Apricot 8400	23738	R/R Conc SW 4"	92.00	4.00	40.89	SY	8436-00
Leonidas	Apricot 8500	23737	R/R Asph 5.5"	5.00	7.00	3.89	SY	8530
Leonidas	Apricot 8500	23737	R/R Conc SW 4"	31.00	4.00	13.78	SY	8533-03
Leonidas	Apricot 8500	23737	R/R Conc SW 4"	46.00	4.00	20.44	SY	8534-08
Leonidas	Belfast 8100	23736	R/R Conc Pvmt 8"	18.00	20.00	40.00	SY	8100
Leonidas	Belfast 8100	23736	R/R Conc SW 4"	67.00	4.00	29.78	SY	8138-00
Leonidas	Belfast 8100	23736	R/R Conc SW 4"	11.00	4.00	4.89	SY	8139-29
Leonidas	Belfast 8100	23736	R/R Conc SW 4"	18.00	5.00	10.00	SY	8119-01
Leonidas	Belfast 8200	23735	R/R Asph 5.5"	52.00	6.00	34.67	SY	8209-01
Leonidas	Belfast 8200	23735	R/R Conc SW 4"	67.00	4.00	29.78	SY	8238-00
Leonidas	Belfast 8200	23735	R/R Conc SW 4"	26.00	4.00	11.56	SY	8239-01
Leonidas	Belfast 8200	23735	R/R Asph 5.5"	12.00	8.00	10.67	SY	8221
Leonidas	Belfast 8300	23734	R/R Conc SW 4"	27.00	4.00	12.00	SY	8338-10

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Belfast 8300	23734	R/R Conc SW 4"	60.00	4.00	26.67	SY	8341-03
Leonidas	Belfast 8300	23734	R/R Asph 5.5"	15.00	10.00	16.67	SY	8305
Leonidas	Belfast 8400	23733	R/R Asph 5.5"	29.00	8.00	25.78	SY	8438-34
Leonidas	Belfast 8400	23733	R/R Conc SW 4"	34.00	4.00	15.11	SY	8429-01
Leonidas	Belfast 8400	23733	R/R Conc SW 4"	31.00	4.00	13.78	SY	8422-00
Leonidas	Belfast 8500	23732	R/R Asph 5.5"	9.00	7.00	7.00	SY	8536
Leonidas	Belfast 8500	23732	R/R Conc SW 4"	30.00	4.00	13.33	SY	8541-01
Leonidas	Belfast 8500	23732	R/R Asph 5.5"	19.00	22.00	46.44	SY	8537
Leonidas	Belfast 8500	23732	R/R Asph 5.5"	13.00	7.00	10.11	SY	8515
Leonidas	Belfast 8500	23732	R/R Asph 5.5"	44.00	6.00	29.33	SY	8504-00
Leonidas	Belfast 8500	23732	R/R Conc SW 4"	39.00	4.00	17.33	SY	8536-14
Leonidas	Birch 8100	23647	R/R Conc SW 4"	61.00	5.00	33.89	SY	8139-25
Leonidas	Birch 8100	23647	R/R Curb	15.00	0.00	15.00	LF	Opposite 8139-27
Leonidas	Birch 8100	23647	R/R Conc SW 4"	49.00	5.00	27.22	SY	8122-00
Leonidas	Birch 8100	23647	R/R Conc DW 6"	6.00	7.00	4.67	SY	8119
Leonidas	Birch 8100	23647	R/R Asph 5.5"	3.00	4.00	1.33	SY	8319
Leonidas	Birch 8100	23647	R/R Conc SW 4"	34.00	5.00	18.89	SY	8123-01
Leonidas	Birch 8100	23647	R/R Curb	3.00	0.00	3.00	LF	8101
Leonidas	Birch 8200	23646	R/R Curb	2.00	0.00	2.00	LF	8200
Leonidas	Birch 8200	23646	R/R Conc SW 4"	29.00	5.00	16.11	SY	8212-00
Leonidas	Birch 8200	23646	R/R Conc SW 4"	10.00	5.00	5.56	SY	8215-07
Leonidas	Birch 8200	23646	R/R Curb	12.00	0.00	12.00	LF	8215
Leonidas	Birch 8200	23646	R/R Asph 5.5"	7.00	6.00	4.67	SY	8225
Leonidas	Birch 8200	23646	R/R Conc SW 4"	8.00	5.00	4.44	SY	8224
Leonidas	Birch 8200	23646	R/R Asph 5.5"	10.00	6.00	6.67	SY	8231
Leonidas	Birch 8200	23646	R/R Asph 5.5"	11.00	10.00	12.22	SY	8233
Leonidas	Birch 8200	23646	R/R Conc SW 4"	16.00	5.00	8.89	SY	8233-31
Leonidas	Birch 8200	23646	R/R Conc SW 4"	29.00	4.00	12.89	SY	8243-35
Leonidas	Birch 8200	23646	R/R Conc SW 4"	25.00	5.00	13.89	SY	8244-34
Leonidas	Birch 8300	23645	R/R Conc SW 4"	40.00	5.00	22.22	SY	8316-00
Leonidas	Birch 8300	23645	R/R Asph 5.5"	15.00	5.00	8.33	SY	Opposite 8325
Leonidas	Birch 8300	23645	R/R Conc SW 4"	39.00	5.00	21.67	SY	Opposite 8335-19
Leonidas	Birch 8300	23645	R/R Conc SW 4"	42.00	5.00	23.33	SY	8321-13
Leonidas	Birch 8300	23645	R/R Asph 5.5"	34.00	8.00	30.22	SY	8335
Leonidas	Birch 8300	23645	R/R Conc DW 6"	10.00	7.00	7.78	SY	Opposite 8311
Leonidas	Birch 8300	23645	R/R Conc DW 6"	11.00	3.00	3.67	SY	8323
Leonidas	Birch 8400	23644	R/R Conc SW 4"	44.00	5.00	24.44	SY	8436-28
Leonidas	Birch 8400	23644	R/R Conc SW 4"	46.00	5.00	25.56	SY	Opposite 8414-00
Leonidas	Birch 8400	23644	R/R Asph 5.5"	10.00	12.00	13.33	SY	8414
Leonidas	Birch 8400	23644	R/R Conc SW 4"	42.00	5.00	23.33	SY	8416-00
Leonidas	Birch 8400	23644	R/R Conc SW 4"	13.00	5.00	7.22	SY	8419
Leonidas	Birch 8400	23644	R/R Asph 5.5"	18.00	10.00	20.00	SY	8421-19

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Birch 8400	23644	R/R Asph 5.5"	7.00	4.00	3.11	SY	8423
Leonidas	Birch 8400	23644	R/R Conc SW 4"	35.00	5.00	19.44	SY	8426-20
Leonidas	Birch 8400	23644	R/R Asph 5.5"	15.00	14.00	23.33	SY	8425
Leonidas	Birch 8400	23644	R/R Asph 5.5"	41.00	4.00	18.22	SY	8431-29
Leonidas	Birch 8400	23644	R/R Conc SW 4"	33.00	5.00	18.33	SY	8437-29
Leonidas	Birch 8400	23644	R/R Curb	18.00	0.00	18.00	LF	Opposite 8406
Leonidas	Birch 8500	23643	R/R Conc SW 4"	22.00	5.00	12.22	SY	8520
Leonidas	Birch 8500	23643	R/R Conc SW 4"	12.00	5.00	6.67	SY	8502-00
Leonidas	Birch 8500	23643	Adjust CB/MH	0.00	0.00	1.00	EA	Opposite 8530
Leonidas	Birch 8500	23643	R/R Asph 5.5"	27.00	12.00	36.00	SY	8538
Leonidas	Birch 8500	23643	R/R Conc SW 4"	25.00	5.00	13.89	SY	8538-30
Leonidas	Birch 8600	23642	R/R Conc SW 4"	12.00	5.00	6.67	SY	8634
Leonidas	Birch 8600	23642	R/R Conc SW 4"	9.00	5.00	5.00	SY	8637
Leonidas	Birch 8600	23642	R/R Asph 5.5"	39.00	4.00	17.33	SY	8634-30
Leonidas	Birch 8600	23642	R/R Conc SW 4"	33.00	5.00	18.33	SY	8631-25
Leonidas	Birch 8600	23642	R/R Conc SW 4"	67.00	5.00	37.22	SY	8620-00
Leonidas	Birch 8600	23642	R/R Conc SW 4"	53.00	5.00	29.44	SY	8621-01
Leonidas	Birch 8600	23642	R/R Asph 5.5"	8.00	5.00	4.44	SY	8624
Leonidas	Birch 8700	23641	R/R Conc SW 4"	25.00	5.00	13.89	SY	8723-19
Leonidas	Birch 8700	23641	R/R Conc SW 4"	30.00	5.00	16.67	SY	8736-24
Leonidas	Birch 8700	23641	R/R Conc SW 4"	24.00	5.00	13.33	SY	8737-31
Leonidas	Birch 8700	23641	R/R Asph 5.5"	21.00	5.00	11.67	SY	Opposite 8713-11
Leonidas	Birch 8700	23641	R/R Conc SW 4"	12.00	5.00	6.67	SY	8736
Leonidas	Birch 8700	23641	R/R Asph 5.5"	43.00	15.00	71.67	SY	8731-25
Leonidas	Birch 8700	23641	R/R Asph 5.5"	24.00	6.00	16.00	SY	8736
Leonidas	Birch 8700	23641	R/R Conc SW 4"	17.00	5.00	9.44	SY	8701
Leonidas	Birch 8800	23640	R/R Conc SW 4"	39.00	4.00	17.33	SY	8834-24
Leonidas	Birch 8800	23640	R/R Conc SW 4"	17.00	4.00	7.56	SY	8835-17
Leonidas	Birch 8800	23640	R/R Asph 5.5"	3.00	3.00	1.00	SY	8823
Leonidas	Birch 8800	23640	R/R Asph 5.5"	6.00	4.00	2.67	SY	8810
Leonidas	Birch 8900	23639	R/R Conc SW 4"	3.00	4.00	1.33	SY	8921
Leonidas	Birch 8900	23639	R/R Asph 5.5"	12.00	7.00	9.33	SY	Opposite 8921
Leonidas	Birch 8900	23639	R/R Conc SW 4"	6.00	4.00	2.67	SY	8950-32
Leonidas	Birch 8900	23639	R/R Asph 5.5"	13.00	5.00	7.22	SY	8900
Leonidas	Burthe 8100	23558	R/R Conc SW 4"	20.00	4.00	8.89	SY	8100
Leonidas	Burthe 8100	23558	R/R Asph 5.5"	5.00	5.00	2.78	SY	8101
Leonidas	Burthe 8100	23558	R/R Conc SW 4"	8.00	4.00	3.56	SY	8124-28
Leonidas	Burthe 8100	23558	R/R Conc SW 4"	9.00	4.00	4.00	SY	8114-16
Leonidas	Burthe 8100	23558	R/R Asph 5.5"	7.00	7.00	5.44	SY	8116
Leonidas	Burthe 8100	23558	R/R Asph 5.5"	8.00	7.00	6.22	SY	8124
Leonidas	Burthe 8100	4834	Asphalt Overlay	50.00	18.00	100.00	SY	8100
Leonidas	Burthe 8200	23557	R/R Conc SW 4"	3.00	4.00	1.33	SY	8223

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 3 of 36

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Burthe 8200	23557	R/R Conc DW 6"	11.00	4.00	4.89	SY	8228
Leonidas	Burthe 8200	23557	R/R Conc SW 4"	5.00	4.00	2.22	SY	8228
Leonidas	Burthe 8300	23556	R/R Asph 5.5"	7.00	3.00	2.33	SY	8301
Leonidas	Burthe 8300	23556	R/R Conc SW 4"	43.00	4.00	19.11	SY	8321
Leonidas	Burthe 8300	23556	R/R Asph 5.5"	7.00	5.00	3.89	SY	8307
Leonidas	Cambronne 0800	23506	R/R Asph 5.5"	14.00	7.00	10.89	SY	801
Leonidas	Cambronne 0800	23506	R/R Conc SW 4"	4.00	4.00	1.78	SY	824
Leonidas	Cambronne 0800	23506	R/R Conc SW 4"	3.00	4.00	1.33	SY	826
Leonidas	Cambronne 0800	23506	R/R Asph 5.5"	11.00	6.00	7.33	SY	Opposite 824
Leonidas	Cambronne 0900	23507	R/R Conc SW 4"	26.00	4.00	11.56	SY	912
Leonidas	Cambronne 0900	23507	HC Ramp @ Intersection	10.00	10.00	11.11	SY	Intersection at Freret
Leonidas	Cambronne 0900	23507	R/R Conc SW 4"	7.00	4.00	3.11	SY	Opposite 914
Leonidas	Cambronne 0900	23507	HC Ramp @ Intersection	9.00	10.00	10.00	SY	Intersection at Freret
Leonidas	Cambronne 0900	23507	R/R Conc SW 4"	8.00	4.00	3.56	SY	Intersection at Freret
Leonidas	Cambronne 0900	23507	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Freret
Leonidas	Cambronne 0900	23507	R/R Conc SW 4"	3.00	4.00	1.33	SY	Opposite 919
Leonidas	Cambronne 0900	23507	HC Ramp @ Intersection	9.00	10.00	10.00	SY	Intersection at Freret
Leonidas	Cambronne 0900	23507	R/R Conc SW 4"	3.00	4.00	1.33	SY	900
Leonidas	Cambronne 0900	23507	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Freret
Leonidas	Cambronne 1000	23508	R/R Conc SW 4"	3.00	4.00	1.33	SY	1008
Leonidas	Cambronne 1000	23508	R/R Conc DW 6"	10.00	7.00	7.78	SY	1008
Leonidas	Cambronne 1000	23508	R/R Conc DW 6"	10.00	7.00	7.78	SY	1014
Leonidas	Cambronne 1100	23509	R/R Asph 5.5"	28.00	12.00	37.33	SY	1136
Leonidas	Cambronne 1100	23509	R/R Conc SW 4"	9.00	4.00	4.00	SY	1113
Leonidas	Cambronne 1100	4814	Asphalt Overlay	50.00	18.00	100.00	SY	1100
Leonidas	Cambronne 1200	23510	R/R Conc SW 4"	13.00	4.00	5.78	SY	1231
Leonidas	Cambronne 1200	23510	R/R Conc SW 4"	6.00	4.00	2.67	SY	Intersection at Plum
Leonidas	Cambronne 1200	23510	HC Ramp @ Intersection	8.00	7.00	6.22	SY	Intersection at Plum
Leonidas	Cambronne 1200	23510	R/R Asph 5.5"	10.00	4.00	4.44	SY	Intersection at Plum
Leonidas	Cambronne 1200	23510	R/R Asph 5.5"	9.00	12.00	12.00	SY	1227
Leonidas	Cambronne 1200	23510	R/R Asph 5.5"	6.00	5.00	3.33	SY	Intersection at Plum
Leonidas	Cambronne 1200	23510	R/R Asph 5.5"	11.00	8.00	9.78	SY	1227
Leonidas	Cambronne 1300	23511	R/R Conc SW 4"	8.00	4.00	3.56	SY	1302
Leonidas	Cambronne 1300	23511	R/R Conc SW 4"	34.00	5.00	18.89	SY	1335
Leonidas	Cambronne 1300	23511	R/R Conc SW 4"	11.00	9.00	11.00	SY	1317
Leonidas	Cambronne 1300	23511	R/R Conc SW 4"	20.00	5.00	11.11	SY	1306
Leonidas	Cambronne 1400	23574	R/R Conc SW 4"	21.00	4.00	9.33	SY	1410-16
Leonidas	Cambronne 1400	23574	R/R Conc SW 4"	30.00	4.00	13.33	SY	1409-15
Leonidas	Cambronne 1400	23574	R/R Asph 5.5"	6.00	5.00	3.33	SY	1438
Leonidas	Cambronne 1400	23574	R/R Asph 5.5"	6.00	10.00	6.67	SY	1414
Leonidas	Cambronne 1400	23574	R/R Conc SW 4"	17.00	4.00	7.56	SY	1427
Leonidas	Cambronne 1400	23574	R/R Conc SW 4"	24.00	4.00	10.67	SY	1437

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Cambronne 1400	23574	R/R Asph 5.5"	10.00	9.00	10.00	SY	1431
Leonidas	Cambronne 1400	23574	R/R Conc SW 4"	10.00	4.00	4.44	SY	1425
Leonidas	Cambronne 1500	23575	R/R Conc DW 6"	8.00	4.00	3.56	SY	1517
Leonidas	Cambronne 1500	23575	HC Ramp @ Intersection	11.00	11.00	13.44	SY	Intersection at Birch
Leonidas	Cambronne 1500	23575	R/R Conc Pvmt 8"	11.00	9.00	11.00	SY	Intersection at Birch
Leonidas	Cambronne 1500	23575	R/R Conc SW 4"	41.00	5.00	22.78	SY	1517-41
Leonidas	Cambronne 1500	23575	R/R Asph 5.5"	12.00	12.00	16.00	SY	1511
Leonidas	Cambronne 1500	23575	R/R Asph 5.5"	10.00	7.00	7.78	SY	1500
Leonidas	Cambronne 1500	23575	R/R Conc SW 4"	7.00	5.00	3.89	SY	Intersection at Birch
Leonidas	Cambronne 1500	23575	R/R Conc Pvmt 8"	9.00	8.00	8.00	SY	Intersection at Birch
Leonidas	Cambronne 1500	23575	R/R Conc SW 4"	10.00	4.00	4.44	SY	1501
Leonidas	Cambronne 1600	23576	HC Ramp @ Intersection	13.00	11.00	15.89	SY	Intersection at Green
Leonidas	Cambronne 1600	23576	R/R Asph 5.5"	12.00	8.00	10.67	SY	Opposite 1634
Leonidas	Cambronne 1600	23576	R/R Conc SW 4"	106.00	4.00	47.11	SY	Opposite 1626-38
Leonidas	Cambronne 1600	23576	R/R Asph 5.5"	12.00	9.00	12.00	SY	1626
Leonidas	Cambronne 1600	23576	R/R Conc SW 4"	23.00	4.00	10.22	SY	1614-24
Leonidas	Cambronne 1600	23576	R/R Conc SW 4"	72.00	4.00	32.00	SY	Opposite 1610-26
Leonidas	Cambronne 1600	23576	R/R Conc SW 4"	8.00	4.00	3.56	SY	Intersection at Green
Leonidas	Cambronne 1700	23577	R/R Conc SW 4"	35.00	4.00	15.56	SY	1702-10
Leonidas	Cambronne 1700	23577	R/R Asph 5.5"	132.00	2.00	29.33	SY	Opposite 1700-16
Leonidas	Cambronne 1700	23577	R/R Asph 5.5"	12.00	6.00	8.00	SY	1722
Leonidas	Cambronne 1700	23577	R/R Conc SW 4"	12.00	4.00	5.33	SY	1724
Leonidas	Cambronne 1700	23577	R/R Conc SW 4"	6.00	4.00	2.67	SY	1727
Leonidas	Cambronne 1700	23577	R/R Conc SW 4"	9.00	5.00	5.00	SY	Intersection at Hickory
Leonidas	Cambronne 1700	23577	HC Ramp @ Intersection	9.00	10.00	10.00	SY	Intersection at Hickory
Leonidas	Cambronne 1700	23577	R/R Conc SW 4"	6.00	5.00	3.33	SY	Intersection at Hickory
Leonidas	Cambronne 1700	23577	HC Ramp @ Intersection	9.00	11.00	11.00	SY	Intersection at Hickory
Leonidas	Cambronne 1700	23577	R/R Conc SW 4"	4.00	5.00	2.22	SY	Intersection at Hickory
Leonidas	Cambronne 1700	23577	HC Ramp @ Intersection	9.00	10.00	10.00	SY	Intersection at Hickory
Leonidas	Cambronne 1700	23577	R/R Asph 5.5"	7.00	7.00	5.44	SY	1714
Leonidas	Cambronne 1700	23577	R/R Conc SW 4"	49.00	4.00	21.78	SY	1701-09
Leonidas	Cambronne 1700	23577	R/R Asph 5.5"	7.00	8.00	6.22	SY	1724
Leonidas	Cambronne 1800	23578	R/R Asph 5.5"	12.00	9.00	12.00	SY	1804
Leonidas	Cambronne 1800	23578	R/R Conc SW 4"	3.00	4.00	1.33	SY	xxx
Leonidas	Cambronne 1800	23578	R/R Conc SW 4"	3.00	5.00	1.67	SY	1802
Leonidas	Cambronne 1800	23578	R/R Conc SW 4"	13.00	4.00	5.78	SY	1824-26
Leonidas	Cambronne 1900	23619	R/R Conc SW 4"	44.00	4.00	19.56	SY	Opposite 1910-00
Leonidas	Cambronne 1900	23619	R/R Conc SW 4"	23.00	4.00	10.22	SY	1940
Leonidas	Cambronne 1900	23619	R/R Conc SW 4"	23.00	4.00	10.22	SY	1904-00
Leonidas	Cambronne 1900	23619	R/R Asph 5.5"	9.00	6.00	6.00	SY	1926
Leonidas	Cambronne 1900	23619	R/R Conc SW 4"	53.00	4.00	23.56	SY	1935-27
Leonidas	Cambronne 1900	23619	R/R Asph 5.5"	5.00	3.00	1.67	SY	1900

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Cambronne 1900	23619	R/R Conc SW 4"	16.00	4.00	7.11	SY	1922-16
Leonidas	Cambronne 1900	23619	R/R Conc SW 4"	37.00	4.00	16.44	SY	1923-15
Leonidas	Cambronne 1900	23619	R/R Asph 5.5"	8.00	7.00	6.22	SY	1916
Leonidas	Cambronne 2000	23618	R/R Conc SW 4"	65.00	4.00	28.89	SY	2027-21
Leonidas	Cambronne 2000	23618	R/R Asph 5.5"	26.00	19.00	54.89	SY	2037
Leonidas	Cambronne 2000	23618	R/R Asph 5.5"	7.00	12.00	9.33	SY	2021
Leonidas	Cambronne 2000	23618	R/R Asph 5.5"	13.00	8.00	11.56	SY	Opposite 2006
Leonidas	Cambronne 2000	23618	R/R Conc SW 4"	13.00	5.00	7.22	SY	Intersection at Spruce
Leonidas	Cambronne 2000	23618	HC Ramp @ Intersection	9.00	11.00	11.00	SY	Intersection at Spruce
Leonidas	Cambronne 2000	23618	R/R Asph 5.5"	8.00	6.00	5.33	SY	Intersection at Spruce
Leonidas	Cambronne 2000	23618	R/R Asph 5.5"	18.00	6.00	12.00	SY	2000
Leonidas	Cambronne 2000	23618	R/R Asph 5.5"	13.00	7.00	10.11	SY	2001
Leonidas	Cambronne 2000	23618	R/R Conc SW 4"	31.00	4.00	13.78	SY	2018-02
Leonidas	Cambronne 2000	23618	R/R Conc SW 4"	58.00	4.00	25.78	SY	Opposite 2012-00
Leonidas	Cambronne 2100	23617	R/R Asph 5.5"	10.00	7.00	7.78	SY	2100
Leonidas	Cambronne 2100	23617	R/R Conc Pvmt 8"	10.00	13.00	14.44	SY	Intersection at Panola
Leonidas	Cambronne 2100	23617	R/R Asph 5.5"	9.00	8.00	8.00	SY	2103
Leonidas	Cambronne 2100	23617	R/R Asph 5.5"	6.00	12.00	8.00	SY	2105
Leonidas	Cambronne 2100	23617	R/R Conc SW 4"	26.00	4.00	11.56	SY	2109-01
Leonidas	Cambronne 2100	23617	R/R Asph 5.5"	8.00	8.00	7.11	SY	2116
Leonidas	Cambronne 2100	23617	R/R Conc SW 4"	19.00	4.00	8.44	SY	2125-17
Leonidas	Cambronne 2100	23617	R/R Conc SW 4"	17.00	4.00	7.56	SY	2137-35
Leonidas	Cambronne 2100	23617	R/R Asph 5.5"	10.00	13.00	14.44	SY	Intersection at Panola
Leonidas	Cambronne 2200	23616	R/R Conc DW 6"	13.00	8.00	11.56	SY	2221
Leonidas	Cambronne 2200	23616	R/R Asph 5.5"	15.00	10.00	16.67	SY	2215
Leonidas	Cambronne 2200	23616	R/R Conc SW 4"	34.00	4.00	15.11	SY	2252-28
Leonidas	Cambronne 2200	23616	R/R Conc SW 4"	27.00	4.00	12.00	SY	2247-31
Leonidas	Cambronne 2200	23616	R/R Conc SW 4"	29.00	4.00	12.89	SY	2221-17
Leonidas	Cambronne 2200	23616	R/R Conc DW 6"	14.00	8.00	12.44	SY	2217
Leonidas	Cambronne 2200	23616	R/R Conc SW 4"	15.00	4.00	6.67	SY	2214-06
Leonidas	Cambronne 2200	23616	R/R Asph 5.5"	24.00	13.00	34.67	SY	2219
Leonidas	Cambronne 2200	23616	R/R Conc SW 4"	28.00	4.00	12.44	SY	2215-01
Leonidas	Cambronne 2200	23616	R/R Conc Pvmt 8"	9.00	12.00	12.00	SY	Intersection at Sycamore
Leonidas	Cambronne 2200	23616	R/R Asph 5.5"	13.00	6.00	8.67	SY	2255
Leonidas	Cambronne 2200	23616	R/R Asph 5.5"	9.00	12.00	12.00	SY	2259
Leonidas	Cambronne 2200	23616	R/R Conc DW 6"	10.00	5.00	5.56	SY	xxx
Leonidas	Cambronne 2200	23616	R/R Conc SW 4"	20.00	4.00	8.89	SY	2263-61
Leonidas	Cambronne 2200	23616	R/R Asph 5.5"	7.00	7.00	5.44	SY	2217
Leonidas	Cambronne 2200	23616	R/R Conc SW 4"	34.00	4.00	15.11	SY	2257-51
Leonidas	Cambronne 2300	23615	R/R Conc DW 6"	4.00	7.00	3.11	SY	2316
Leonidas	Cambronne 2300	23615	R/R Conc SW 4"	20.00	4.00	8.89	SY	2324-20
Leonidas	Cambronne 2300	23615	R/R Conc DW 6"	4.00	6.00	2.67	SY	2320

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Cambronne 2300	23615	R/R Conc SW 4"	3.00	4.00	1.33	SY	2316
Leonidas	Cambronne 2300	23615	R/R Asph 5.5"	7.00	6.00	4.67	SY	2316
Leonidas	Cambronne 2300	23615	R/R Conc SW 4"	6.00	4.00	2.67	SY	2337
Leonidas	Cambronne 2400	23715	R/R Conc SW 4"	15.00	4.00	6.67	SY	2430-00
Leonidas	Cambronne 2400	23715	R/R Asph 5.5"	76.00	20.00	168.89	SY	2410-00
Leonidas	Cambronne 2400	23715	R/R Asph 5.5"	10.00	7.00	7.78	SY	2414
Leonidas	Cambronne 2400	23715	R/R Asph 5.5"	50.00	20.00	111.11	SY	2434-30
Leonidas	Cambronne 2400	23715	R/R Conc SW 4"	99.00	4.00	44.00	SY	2433-01
Leonidas	Cambronne 2500	23714	R/R Conc SW 4"	49.00	4.00	21.78	SY	2535-07
Leonidas	Cambronne 2500	23714	R/R Conc Pvmt 8"	30.00	54.00	180.00	SY	Intersection at Nelson
Leonidas	Cambronne 2500	23714	R/R Asph 5.5"	9.00	22.00	22.00	SY	2502
Leonidas	Cambronne 2500	23714	R/R Asph 5.5"	15.00	10.00	16.67	SY	2507
Leonidas	Cambronne 2500	23714	R/R Conc SW 4"	43.00	4.00	19.11	SY	2536-02
Leonidas	Cambronne 2600	23713	R/R Asph 5.5"	34.00	9.00	34.00	SY	2601
Leonidas	Cambronne 2600	23713	R/R Asph 5.5"	17.00	9.00	17.00	SY	2609
Leonidas	Cambronne 2600	23713	R/R Asph 5.5"	16.00	12.00	21.33	SY	2621
Leonidas	Cambronne 2600	23713	R/R Asph 5.5"	8.00	11.00	9.78	SY	2621
Leonidas	Cambronne 2600	23713	R/R Asph 5.5"	29.00	6.00	19.33	SY	2625-23
Leonidas	Cambronne 2600	23713	R/R Asph 5.5"	18.00	3.00	6.00	SY	2627
Leonidas	Cambronne 2600	23713	R/R Conc SW 4"	81.00	4.00	36.00	SY	2630-00
Leonidas	Cambronne 2600	23713	R/R Conc SW 4"	35.00	4.00	15.56	SY	2627-01
Leonidas	Cambronne 2600	23713	R/R Asph 5.5"	20.00	15.00	33.33	SY	Intersection at Apple
Leonidas	Cambronne 2700	23712	HC Ramp @ Intersection	8.00	10.00	8.89	SY	Intersection at Belfast
Leonidas	Cambronne 2700	23712	R/R Conc SW 4"	11.00	4.00	4.89	SY	Intersection at Belfast
Leonidas	Cambronne 2700	23712	R/R Asph 5.5"	5.00	10.00	5.56	SY	2729
Leonidas	Cambronne 2700	23712	R/R Conc SW 4"	43.00	4.00	19.11	SY	2727-01
Leonidas	Cambronne 2700	23712	R/R Conc SW 4"	73.00	4.00	32.44	SY	2730-00
Leonidas	Cambronne 2800	23711	HC Ramp @ Intersection	10.00	9.00	10.00	SY	Intersection at Apricot
Leonidas	Cambronne 2800	23711	R/R Conc SW 4"	63.00	4.00	28.00	SY	2839-01
Leonidas	Cambronne 2800	23711	R/R Conc SW 4"	109.00	4.00	48.44	SY	2840-00
Leonidas	Cambronne 2800	23711	R/R Asph 5.5"	26.00	9.00	26.00	SY	2800
Leonidas	Cambronne 2800	23711	R/R Conc SW 4"	11.00	4.00	4.89	SY	Intersection at Apricot
Leonidas	Cambronne 2800	23711	HC Ramp @ Intersection	12.00	9.00	12.00	SY	Intersection at Apricot
Leonidas	Cambronne 2800	23711	R/R Conc SW 4"	13.00	5.00	7.22	SY	Intersection at Apricot
Leonidas	Cambronne 2800	23711	R/R Asph 5.5"	11.00	8.00	9.78	SY	2820
Leonidas	Cambronne 2900	23710	R/R Conc DW 6"	9.00	8.00	8.00	SY	2926
Leonidas	Cambronne 2900	23710	R/R Asph 5.5"	13.00	6.00	8.67	SY	2925
Leonidas	Cambronne 2900	23710	R/R Asph 5.5"	8.00	18.00	16.00	SY	Intersection at Fig
Leonidas	Cambronne 2900	23710	R/R Conc SW 4"	65.00	4.00	28.89	SY	2933-01
Leonidas	Cambronne 2900	23710	R/R Conc DW 6"	7.00	7.00	5.44	SY	2920
Leonidas	Cambronne 2900	23710	R/R Conc SW 4"	11.00	4.00	4.89	SY	Intersection at Pritchard Pl
Leonidas	Cambronne 2900	23710	R/R Conc Pvmt 8"	15.00	18.00	30.00	SY	Intersection at Pritchard Pl

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Cambronne 2900	23710	HC Ramp @ Intersection	13.00	12.00	17.33	SY	Intersection at Pritchard Pl
Leonidas	Cambronne 2900	23710	R/R Conc SW 4"	50.00	4.00	22.22	SY	2928-00
Leonidas	Cohn 8100	23668	R/R Conc SW 4"	10.00	5.00	5.56	SY	8126-28
Leonidas	Cohn 8100	23668	R/R Conc Pvmt 8"	3.00	3.00	1.00	SY	8133-25
Leonidas	Cohn 8100	23668	R/R Conc Pvmt 8"	12.00	9.00	12.00	SY	8125
Leonidas	Cohn 8100	23668	R/R Conc SW 4"	31.00	5.00	17.22	SY	8101
Leonidas	Cohn 8100	23668	R/R Conc SW 4"	23.00	5.00	12.78	SY	8100
Leonidas	Cohn 8100	23668	R/R Conc SW 4"	11.00	5.00	6.11	SY	8137-39
Leonidas	Cohn 8200	23669	R/R Conc Pvmt 8"	28.00	19.00	59.11	SY	8224-26
Leonidas	Cohn 8200	23669	R/R Conc SW 4"	6.00	5.00	3.33	SY	8201
Leonidas	Cohn 8200	23669	R/R Conc SW 4"	19.00	5.00	10.56	SY	8234-38
Leonidas	Cohn 8200	23669	R/R Conc Pvmt 8"	12.00	10.00	13.33	SY	8219
Leonidas	Cohn 8200	23669	R/R Conc Pvmt 8"	5.00	5.00	2.78	SY	8225
Leonidas	Cohn 8200	23669	R/R Conc SW 4"	6.00	5.00	3.33	SY	8229
Leonidas	Cohn 8200	23669	R/R Conc Pvmt 8"	5.00	8.00	4.44	SY	8234
Leonidas	Cohn 8200	23669	R/R Conc Pvmt 8"	10.00	6.00	6.67	SY	8234
Leonidas	Cohn 8200	23669	R/R Conc SW 4"	34.00	5.00	18.89	SY	8204-24
Leonidas	Cohn 8300	23670	R/R Conc Pvmt 8"	12.00	8.00	10.67	SY	8337
Leonidas	Cohn 8300	23670	R/R Conc SW 4"	33.00	5.00	18.33	SY	8300-16
Leonidas	Cohn 8300	23670	R/R Conc Pvmt 8"	11.00	7.00	8.56	SY	8311
Leonidas	Cohn 8300	23670	R/R Conc SW 4"	9.00	4.00	4.00	SY	8311-15
Leonidas	Cohn 8300	23670	R/R Conc DW 6"	6.00	3.00	2.00	SY	8316
Leonidas	Cohn 8300	23670	R/R Conc Pvmt 8"	9.00	11.00	11.00	SY	8315
Leonidas	Cohn 8300	23670	R/R Conc Pvmt 8"	9.00	5.00	5.00	SY	8319
Leonidas	Cohn 8300	23670	R/R Conc Pvmt 8"	11.00	19.00	23.22	SY	8320
Leonidas	Cohn 8300	23670	R/R Conc DW 6"	4.00	3.00	1.33	SY	8318-00
Leonidas	Cohn 8300	23670	R/R Conc SW 4"	38.00	5.00	21.11	SY	8318-36
Leonidas	Cohn 8300	23670	Adjust CB/MH	0.00	0.00	1.00	EA	8336
Leonidas	Cohn 8300	23670	R/R Conc Pvmt 8"	14.00	9.00	14.00	SY	8330
Leonidas	Cohn 8300	23670	R/R Conc SW 4"	24.00	5.00	13.33	SY	8319-35
Leonidas	Cohn 8400	23671	R/R Conc Pvmt 8"	6.00	6.00	4.00	SY	8434
Leonidas	Cohn 8400	23671	R/R Conc SW 4"	79.00	5.00	43.89	SY	8401-23
Leonidas	Cohn 8400	23671	R/R Conc Pvmt 8"	5.00	9.00	5.00	SY	8415
Leonidas	Cohn 8400	23671	R/R Conc SW 4"	34.00	5.00	18.89	SY	8427-39
Leonidas	Cohn 8400	23671	R/R Conc SW 4"	23.00	5.00	12.78	SY	8420-38
Leonidas	Cohn 8400	23671	R/R Conc Pvmt 8"	9.00	6.00	6.00	SY	8409
Leonidas	Cohn 8400	23671	R/R Conc Pvmt 8"	12.00	7.00	9.33	SY	8424
Leonidas	Cohn 8400	23671	R/R Conc Pvmt 8"	11.00	18.00	22.00	SY	8432
Leonidas	Cohn 8400	23671	R/R Conc Pvmt 8"	19.00	21.00	44.33	SY	8423-25
Leonidas	Cohn 8500	23672	R/R Curb	6.00	0.00	6.00	LF	8539
Leonidas	Cohn 8500	23672	R/R Conc Pvmt 8"	14.00	14.00	21.78	SY	8531
Leonidas	Cohn 8500	23672	R/R Conc SW 4"	51.00	5.00	28.33	SY	8524-40

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Cohn 8500	23672	R/R Conc DW 6"	4.00	4.00	1.78	SY	8506
Leonidas	Cohn 8500	23672	R/R Conc SW 4"	27.00	5.00	15.00	SY	8507-15
Leonidas	Cohn 8500	23672	R/R Conc SW 4"	37.00	5.00	20.56	SY	8516-18
Leonidas	Cohn 8500	23672	R/R Conc Pvmt 8"	16.00	12.00	21.33	SY	8522
Leonidas	Cohn 8500	23672	R/R Conc Pvmt 8"	7.00	3.00	2.33	SY	8524
Leonidas	Cohn 8500	23672	R/R Conc SW 4"	8.00	5.00	4.44	SY	8500
Leonidas	Cohn 8500	23672	R/R Conc SW 4"	29.00	5.00	16.11	SY	8525-33
Leonidas	Cohn 8600	23673	R/R Conc SW 4"	40.00	4.00	17.78	SY	8601-11
Leonidas	Cohn 8600	23673	R/R Asph 5.5"	58.00	20.00	128.89	SY	8601-09
Leonidas	Cohn 8600	23673	R/R Conc SW 4"	51.00	4.00	22.67	SY	8604-16
Leonidas	Cohn 8600	23673	R/R Conc SW 4"	19.00	4.00	8.44	SY	8626-28
Leonidas	Cohn 8600	23673	R/R Asph 5.5"	16.00	8.00	14.22	SY	8625
Leonidas	Cohn 8600	23673	R/R Conc SW 4"	26.00	4.00	11.56	SY	8631-39
Leonidas	Cohn 8600	23673	R/R Asph 5.5"	6.00	6.00	4.00	SY	8632
Leonidas	Cohn 8600	23673	R/R Conc SW 4"	20.00	4.00	8.89	SY	8636-40
Leonidas	Cohn 8700	23674	R/R Asph 5.5"	13.00	3.00	4.33	SY	8700
Leonidas	Cohn 8700	23674	R/R Conc SW 4"	32.00	4.00	14.22	SY	8711-15
Leonidas	Cohn 8700	23674	R/R Asph 5.5"	36.00	6.00	24.00	SY	Opposite 8713-17
Leonidas	Cohn 8700	23674	R/R Asph 5.5"	42.00	8.00	37.33	SY	Opposite 8721-25
Leonidas	Cohn 8700	23674	R/R Conc SW 4"	117.00	4.00	52.00	SY	8721-37
Leonidas	Cohn 8700	23674	R/R Asph 5.5"	18.00	4.00	8.00	SY	Opposite 8725
Leonidas	Cohn 8700	23674	R/R Conc SW 4"	18.00	4.00	8.00	SY	8701
Leonidas	Cohn 8800	23675	R/R Conc SW 4"	114.00	4.00	50.67	SY	8827-35
Leonidas	Cohn 8800	23675	R/R Asph 5.5"	10.00	11.00	12.22	SY	8800
Leonidas	Cohn 8800	23675	R/R Conc SW 4"	7.00	3.00	2.33	SY	Opposite 8819
Leonidas	Cohn 8800	23675	R/R Asph 5.5"	20.00	5.00	11.11	SY	8819
Leonidas	Cohn 8800	23675	R/R Conc SW 4"	87.00	3.00	29.00	SY	8826-34
Leonidas	Cohn 9000	23677	R/R Asph 5.5"	19.00	21.00	44.33	SY	9001
Leonidas	Cohn 9000	23677	R/R Conc SW 4"	62.00	4.00	27.56	SY	Opposite 9034-42
Leonidas	Cohn 9000	23677	R/R Conc SW 4"	60.00	4.00	26.67	SY	9034-42
Leonidas	Cohn 9000	23677	R/R Conc DW 6"	9.00	13.00	13.00	SY	9031
Leonidas	Cohn 9000	23677	R/R Asph 5.5"	22.00	10.00	24.44	SY	9027-29
Leonidas	Cohn 9000	23677	R/R Conc DW 6"	14.00	7.00	10.89	SY	9023
Leonidas	Cohn 9000	23677	R/R Conc SW 4"	38.00	4.00	16.89	SY	9017-23
Leonidas	Cohn 9000	23677	R/R Conc SW 4"	29.00	4.00	12.89	SY	9018-29
Leonidas	Dante 0700	23505	R/R Asph 5.5"	98.00	7.00	76.22	SY	744-00
Leonidas	Dante 0800	23504	R/R Conc SW 4"	3.00	4.00	1.33	SY	819
Leonidas	Dante 0800	23504	R/R Conc SW 4"	25.00	4.00	11.11	SY	812-02
Leonidas	Dante 0800	23504	R/R Conc SW 4"	25.00	4.00	11.11	SY	822-814
Leonidas	Dante 0800	23504	R/R Asph 5.5"	6.00	6.00	4.00	SY	Intersection at Maple
Leonidas	Dante 0900	23503	R/R Conc SW 4"	13.00	4.00	5.78	SY	935
Leonidas	Dante 0900	23503	R/R Conc SW 4"	30.00	4.00	13.33	SY	920

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dante 0900	23503	R/R Asph 5.5"	18.00	10.00	20.00	SY	923
Leonidas	Dante 0900	23503	R/R Asph 5.5"	11.00	14.00	17.11	SY	923
Leonidas	Dante 0900	23503	R/R Conc SW 4"	16.00	4.00	7.11	SY	932
Leonidas	Dante 0900	23503	R/R Asph 5.5"	31.00	10.00	34.44	SY	Intersection at Burthe
Leonidas	Dante 1000	23502	R/R Conc SW 4"	3.00	4.00	1.33	SY	1037
Leonidas	Dante 1000	23502	R/R Conc SW 4"	14.00	4.00	6.22	SY	1022-16
Leonidas	Dante 1000	23502	R/R Conc SW 4"	3.00	4.00	1.33	SY	1019
Leonidas	Dante 1000	23502	R/R Asph 5.5"	17.00	30.00	56.67	SY	Intersection at Freret
Leonidas	Dante 1000	23502	HC Ramp @ Intersection	10.00	11.00	12.22	SY	Intersection at Freret
Leonidas	Dante 1000	23502	R/R Conc SW 4"	7.00	5.00	3.89	SY	Intersection at Freret
Leonidas	Dante 1000	23502	R/R Conc SW 4"	7.00	5.00	3.89	SY	Intersection at Freret
Leonidas	Dante 1000	23502	R/R Conc SW 4"	7.00	4.00	3.11	SY	1036
Leonidas	Dante 1000	23502	HC Ramp @ Intersection	10.00	10.00	11.11	SY	Intersection at Freret
Leonidas	Dante 1100	23501	R/R Asph 5.5"	5.00	6.00	3.33	SY	1100
Leonidas	Dante 1100	23501	R/R Asph 5.5"	7.00	7.00	5.44	SY	1106
Leonidas	Dante 1100	23501	R/R Asph 5.5"	4.00	18.00	8.00	SY	1113
Leonidas	Dante 1100	23501	R/R Conc SW 4"	3.00	5.00	1.67	SY	1122
Leonidas	Dante 1100	23501	R/R Asph 5.5"	21.00	7.00	16.33	SY	Intersection at Zimpel
Leonidas	Dante 1100	23501	HC Ramp @ Intersection	8.00	7.00	6.22	SY	Intersection at Zimpel
Leonidas	Dante 1100	23501	R/R Conc SW 4"	7.00	4.00	3.11	SY	Intersection at Zimpel
Leonidas	Dante 1200	23500	R/R Conc SW 4"	10.00	5.00	5.56	SY	1218-16
Leonidas	Dante 1200	23500	Adjust CB/MH	0.00	0.00	1.00	EA	1230
Leonidas	Dante 1200	23500	R/R Conc SW 4"	8.00	4.00	3.56	SY	1238
Leonidas	Dante 1200	23500	R/R Conc SW 4"	18.00	5.00	10.00	SY	1226-24
Leonidas	Dante 1200	23500	R/R Conc SW 4"	11.00	4.00	4.89	SY	1211
Leonidas	Dante 1200	23500	R/R Conc SW 4"	14.00	4.00	6.22	SY	1212
Leonidas	Dante 1200	23500	R/R Conc SW 4"	21.00	5.00	11.67	SY	1208-00
Leonidas	Dante 1200	23500	R/R Conc SW 4"	33.00	5.00	18.33	SY	1228
Leonidas	Dante 1300	23499	R/R Conc SW 4"	20.00	4.00	8.89	SY	1309-01
Leonidas	Dante 1300	23499	R/R Conc SW 4"	22.00	3.00	7.33	SY	1310-08
Leonidas	Dante 1300	23499	R/R Conc SW 4"	28.00	4.00	12.44	SY	1334
Leonidas	Dante 1300	23499	R/R Asph 5.5"	14.00	22.00	34.22	SY	1334
Leonidas	Dante 1400	23573	R/R Conc SW 4"	15.00	4.00	6.67	SY	Opposite 1436-30
Leonidas	Dante 1400	23573	R/R Asph 5.5"	10.00	8.00	8.89	SY	1432
Leonidas	Dante 1400	23573	R/R Conc SW 4"	18.00	4.00	8.00	SY	1424
Leonidas	Dante 1500	23572	R/R Conc SW 4"	9.00	4.00	4.00	SY	1539-33
Leonidas	Dante 1500	23572	R/R Conc SW 4"	9.00	4.00	4.00	SY	1528-22
Leonidas	Dante 1500	23572	R/R Conc SW 4"	8.00	4.00	3.56	SY	1517-15
Leonidas	Dante 1500	23572	R/R Conc Pvmt 8"	7.00	9.00	7.00	SY	Intersection at Jeannette
Leonidas	Dante 1500	23572	R/R Conc Pvmt 8"	14.00	11.00	17.11	SY	Intersection at Jeannette
Leonidas	Dante 1500	23572	R/R Conc Pvmt 8"	11.00	2.00	2.44	SY	Intersection at Jeannette
Leonidas	Dante 1500	23572	R/R Conc Pvmt 8"	18.00	6.00	12.00	SY	Intersection at Jeannette

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dante 1500	23572	R/R Conc SW 4"	3.00	4.00	1.33	SY	1516
Leonidas	Dante 1600	23571	R/R Conc SW 4"	41.00	4.00	18.22	SY	1640-34
Leonidas	Dante 1600	23571	R/R Asph 5.5"	8.00	8.00	7.11	SY	1634
Leonidas	Dante 1600	23571	R/R Conc SW 4"	6.00	4.00	2.67	SY	Opposite 1628
Leonidas	Dante 1600	23571	R/R Conc SW 4"	8.00	4.00	3.56	SY	1620
Leonidas	Dante 1600	23571	R/R Conc SW 4"	10.00	4.00	4.44	SY	1600
Leonidas	Dante 1600	23571	R/R Conc Pvmt 8"	9.00	6.00	6.00	SY	Intersection at Birch
Leonidas	Dante 1600	23571	R/R Conc Pvmt 8"	8.00	10.00	8.89	SY	Intersection at Birch
Leonidas	Dante 1600	23571	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Birch
Leonidas	Dante 1600	23571	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Birch
Leonidas	Dante 1700	23570	R/R Conc DW 6"	20.00	3.00	6.67	SY	Opposite 1708
Leonidas	Dante 1700	23570	R/R Conc SW 4"	60.00	4.00	26.67	SY	1729-01
Leonidas	Dante 1700	23570	R/R Conc SW 4"	7.00	4.00	3.11	SY	1737-29
Leonidas	Dante 1800	23569	HC Ramp @ Intersection	9.00	13.00	13.00	SY	Intersection at Hickory
Leonidas	Dante 1800	23569	R/R Conc SW 4"	5.00	5.00	2.78	SY	Intersection at Hickory
Leonidas	Dante 1800	23569	HC Ramp @ Intersection	10.00	11.00	12.22	SY	Intersection at Hickory
Leonidas	Dante 1800	23569	R/R Conc SW 4"	23.00	4.00	10.22	SY	Opposite 1814-00
Leonidas	Dante 1800	23569	R/R Asph 5.5"	9.00	7.00	7.00	SY	Opposite 1812
Leonidas	Dante 1800	23569	R/R Conc SW 4"	23.00	4.00	10.22	SY	1820-14
Leonidas	Dante 1800	23569	R/R Conc SW 4"	9.00	4.00	4.00	SY	1819-17
Leonidas	Dante 1800	23569	R/R Asph 5.5"	48.00	3.00	16.00	SY	1838-34
Leonidas	Dante 1800	23569	R/R Conc SW 4"	7.00	4.00	3.11	SY	1837-23
Leonidas	Dante 1800	23569	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Hickory
Leonidas	Dante 1800	23569	HC Ramp @ Intersection	10.00	9.00	10.00	SY	Intersection at Hickory
Leonidas	Dante 1800	23569	R/R Conc Pvmt 8"	49.00	44.38	241.62	SY	Intersection at Hickory
Leonidas	Dante 1800	23569	R/R Conc SW 4"	17.00	4.00	7.56	SY	1812-04
Leonidas	Dante 1800	23569	R/R Conc SW 4"	15.00	5.00	8.33	SY	Intersection at Hickory
Leonidas	Dante 1900	23620	R/R Conc SW 4"	128.00	4.00	56.89	SY	1901-19
Leonidas	Dante 1900	23620	R/R Asph 5.5"	25.00	8.00	22.22	SY	1940
Leonidas	Dante 1900	23620	R/R Asph 5.5"	8.00	6.00	5.33	SY	1930
Leonidas	Dante 1900	23620	R/R Conc SW 4"	31.00	4.00	13.78	SY	1932-36
Leonidas	Dante 1900	23620	R/R Conc SW 4"	62.00	4.00	27.56	SY	1923-39
Leonidas	Dante 1900	23620	R/R Conc SW 4"	37.00	4.00	16.44	SY	1922-28
Leonidas	Dante 1900	23620	R/R Asph 5.5"	14.00	10.00	15.56	SY	1900
Leonidas	Dante 1900	23620	R/R Conc SW 4"	34.00	4.00	15.11	SY	1900-20
Leonidas	Dante 2000	23621	R/R Conc SW 4"	5.00	4.00	2.22	SY	Intersection at Panola
Leonidas	Dante 2000	23621	HC Ramp @ Intersection	11.00	10.00	12.22	SY	Intersection at Panola
Leonidas	Dante 2000	23621	R/R Conc Pvmt 8"	14.00	4.00	6.22	SY	Intersection at Panola
Leonidas	Dante 2000	23621	R/R Conc Pvmt 8"	17.00	8.00	15.11	SY	Intersection at Panola
Leonidas	Dante 2000	23621	R/R Conc SW 4"	22.00	4.00	9.78	SY	2027-39
Leonidas	Dante 2000	23621	R/R Asph 5.5"	20.00	7.00	15.56	SY	Opposite 2023
Leonidas	Dante 2000	23621	R/R Conc SW 4"	8.00	4.00	3.56	SY	2014

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dante 2000	23621	R/R Asph 5.5"	23.00	4.00	10.22	SY	2004
Leonidas	Dante 2000	23621	R/R Conc SW 4"	51.00	3.00	17.00	SY	2000
Leonidas	Dante 2000	23621	R/R Asph 5.5"	8.00	6.00	5.33	SY	2010
Leonidas	Dante 2000	23621	R/R Asph 5.5"	17.00	7.00	13.22	SY	2005
Leonidas	Dante 2000	23621	R/R Conc SW 4"	11.00	4.00	4.89	SY	2017-19
Leonidas	Dante 2100	23622	R/R Conc SW 4"	3.00	4.00	1.33	SY	2100
Leonidas	Dante 2100	23622	R/R Conc SW 4"	6.00	4.00	2.67	SY	2101
Leonidas	Dante 2100	23622	R/R Conc SW 4"	9.00	4.00	4.00	SY	2109-11
Leonidas	Dante 2100	23622	R/R Asph 5.5"	10.00	6.00	6.67	SY	2109
Leonidas	Dante 2100	23622	R/R Asph 5.5"	7.00	7.00	5.44	SY	2111
Leonidas	Dante 2100	23622	R/R Asph 5.5"	8.00	7.00	6.22	SY	2115
Leonidas	Dante 2100	23622	R/R Conc SW 4"	6.00	4.00	2.67	SY	2136-38
Leonidas	Dante 2100	23622	R/R Conc Pvmt 8"	29.00	22.00	70.89	SY	Intersection at Sycamore
Leonidas	Dante 2100	23622	R/R Conc SW 4"	10.00	4.00	4.44	SY	Intersection at Sycamore
Leonidas	Dante 2100	23622	HC Ramp @ Intersection	10.00	10.00	11.11	SY	Intersection at Sycamore
Leonidas	Dante 2100	23622	R/R Conc SW 4"	5.00	4.00	2.22	SY	Intersection at Sycamore
Leonidas	Dante 2100	23622	HC Ramp @ Intersection	10.00	9.00	10.00	SY	Intersection at Sycamore
Leonidas	Dante 2100	23622	R/R Asph 5.5"	21.00	19.00	44.33	SY	2140
Leonidas	Dante 2100	23622	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Sycamore
Leonidas	Dante 2100	23622	R/R Conc SW 4"	6.00	4.00	2.67	SY	2115-17
Leonidas	Dante 2100	23622	HC Ramp @ Intersection	11.00	9.00	11.00	SY	Intersection at Sycamore
Leonidas	Dante 2200	23623	R/R Asph 5.5"	14.00	6.00	9.33	SY	Intersection at Neron
Leonidas	Dante 2200	23623	R/R Conc SW 4"	11.00	4.00	4.89	SY	2201
Leonidas	Dante 2200	23623	R/R Asph 5.5"	14.00	6.00	9.33	SY	2209
Leonidas	Dante 2200	23623	R/R Conc SW 4"	3.00	4.00	1.33	SY	Opposite 2209
Leonidas	Dante 2200	23623	R/R Conc SW 4"	17.00	4.00	7.56	SY	2214-20
Leonidas	Dante 2200	23623	R/R Conc SW 4"	37.00	4.00	16.44	SY	2221-39
Leonidas	Dante 2200	23623	R/R Asph 5.5"	7.00	5.00	3.89	SY	Opposite 2224
Leonidas	Dante 2200	23623	R/R Asph 5.5"	12.00	5.00	6.67	SY	2224
Leonidas	Dante 2200	23623	R/R Conc SW 4"	15.00	4.00	6.67	SY	2224-42
Leonidas	Dante 2200	23623	R/R Asph 5.5"	24.00	10.00	26.67	SY	Opposite 2240
Leonidas	Dante 2200	23623	R/R Conc DW 6"	8.00	9.00	8.00	SY	2209
Leonidas	Dante 2200	23623	R/R Asph 5.5"	32.00	8.00	28.44	SY	2201
Leonidas	Dante 2300	23624	R/R Conc SW 4"	7.00	4.00	3.11	SY	2306
Leonidas	Dante 2300	23624	R/R Conc SW 4"	6.00	4.00	2.67	SY	2330
Leonidas	Dante 2300	23624	R/R Asph 5.5"	5.00	4.00	2.22	SY	2304
Leonidas	Dante 2300	23624	R/R Asph 5.5"	9.00	10.00	10.00	SY	2306
Leonidas	Dante 2300	23624	R/R Conc SW 4"	17.00	4.00	7.56	SY	2317-19
Leonidas	Dante 2300	23624	Adjust CB/MH	0.00	0.00	1.00	EA	2317-19
Leonidas	Dante 2300	23624	R/R Asph 5.5"	9.00	8.00	8.00	SY	Opposite 2314
Leonidas	Dante 2300	23624	R/R Asph 5.5"	10.00	10.00	11.11	SY	2317
Leonidas	Dante 2300	23624	R/R Asph 5.5"	5.00	3.00	1.67	SY	2321

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dante 2300	23624	R/R Conc SW 4"	6.00	4.00	2.67	SY	2325
Leonidas	Dante 2300	23624	R/R Asph 5.5"	7.00	7.00	5.44	SY	2328
Leonidas	Dante 2300	23624	R/R Asph 5.5"	6.00	5.00	3.33	SY	2333
Leonidas	Dante 2300	23624	R/R Conc SW 4"	19.00	4.00	8.44	SY	2303-05
Leonidas	Dante 2400	23709	R/R Asph 5.5"	265.00	20.00	588.89	SY	2440-00
Leonidas	Dante 2400	23709	R/R Conc SW 4"	38.00	4.00	16.89	SY	2440-24
Leonidas	Dante 2400	23709	R/R Conc SW 4"	21.00	4.00	9.33	SY	2423-01
Leonidas	Dante 2500	23708	R/R Conc Pvmt 8"	21.00	12.86	30.01	SY	Intersection at Nelson
Leonidas	Dante 2500	23708	R/R Asph 5.5"	22.00	6.00	14.67	SY	2530
Leonidas	Dante 2500	23708	R/R Asph 5.5"	58.00	6.00	38.67	SY	2539
Leonidas	Dante 2500	23708	R/R Conc SW 4"	80.00	4.00	35.56	SY	2540-06
Leonidas	Dante 2500	23708	R/R Conc SW 4"	114.00	4.00	50.67	SY	2539-01
Leonidas	Dante 2600	23707	R/R Conc SW 4"	111.00	4.00	49.33	SY	2636-00
Leonidas	Dante 2600	23707	R/R Asph 5.5"	22.00	19.00	46.44	SY	2608
Leonidas	Dante 2600	23707	R/R Asph 5.5"	28.00	9.00	28.00	SY	2615
Leonidas	Dante 2600	23707	R/R Conc SW 4"	40.00	4.00	17.78	SY	2617-01
Leonidas	Dante 2600	23707	R/R Asph 5.5"	10.00	7.00	7.78	SY	2610
Leonidas	Dante 2700	23706	R/R Conc SW 4"	39.00	4.00	17.33	SY	2729-01
Leonidas	Dante 2700	23706	R/R Conc SW 4"	16.00	4.00	7.11	SY	2728-00
Leonidas	Dante 2700	23706	R/R Asph 5.5"	9.00	9.00	9.00	SY	2729
Leonidas	Dante 2800	23705	R/R Conc SW 4"	11.00	4.00	4.89	SY	2817-01
Leonidas	Dante 2800	23705	R/R Conc SW 4"	50.00	4.00	22.22	SY	2834-00
Leonidas	Dante 2800	23705	R/R Conc Pvmt 8"	271.00	18.00	542.00	SY	2834-02
Leonidas	Dante 2800	23705	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Apricot
Leonidas	Dante 2800	23705	R/R Conc SW 4"	4.00	5.00	2.22	SY	Intersection at Apricot
Leonidas	Dante 2800	23705	R/R Asph 5.5"	21.00	26.00	60.67	SY	Intersection at Apricot
Leonidas	Dante 2800	23705	R/R Conc SW 4"	6.00	4.00	2.67	SY	Intersection at Apricot
Leonidas	Dante 2900	23704	R/R Conc SW 4"	3.00	5.00	1.67	SY	2927
Leonidas	Dante 2900	23704	R/R Asph 5.5"	7.00	6.00	4.67	SY	Intersection at Fig
Leonidas	Dante 2900	23704	R/R Conc SW 4"	15.00	4.00	6.67	SY	2917
Leonidas	Dante 2900	23704	R/R Conc SW 4"	32.00	4.00	14.22	SY	2901
Leonidas	Dante 2900	23704	R/R Conc SW 4"	35.00	4.00	15.56	SY	2920-00
Leonidas	Dante 2900	23704	R/R Asph 5.5"	5.00	7.00	3.89	SY	Intersection at Pritchard Pl
Leonidas	Dante 2900	23704	R/R Asph 5.5"	307.00	19.00	648.11	SY	2940-00
Leonidas	Dublin (NB) 0700	23492	R/R Asph 5.5"	10.00	12.00	13.33	SY	Intersection at Maple
Leonidas	Dublin (NB) 0700	23492	R/R Asph 5.5"	7.00	16.00	12.44	SY	0729
Leonidas	Dublin (SB) 0700	23489	R/R Asph 5.5"	9.00	65.00	65.00	SY	Intersection at Hampson
Leonidas	Dublin 0600	23491	R/R Conc SW 4"	25.00	4.00	11.11	SY	0607/19
Leonidas	Dublin 0600	23491	R/R Asph 5.5"	9.00	60.00	60.00	SY	Intersection at Hampson
Leonidas	Dublin 0600	23491	R/R Asph 5.5"	7.00	7.00	5.44	SY	Intersection at Hampson
Leonidas	Dublin 0800	23493	R/R Conc DW 6"	12.00	6.00	8.00	SY	0812
Leonidas	Dublin 0800	23493	R/R Conc SW 4"	45.00	4.00	20.00	SY	0820

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dublin 0800	23493	R/R Conc SW 4"	15.00	4.00	6.67	SY	0800
Leonidas	Dublin 0900	23494	R/R Asph 5.5"	6.00	6.00	4.00	SY	0931
Leonidas	Dublin 0900	23494	HC Ramp @ Intersection	9.00	10.00	10.00	SY	Intersection at Freret
Leonidas	Dublin 0900	23494	R/R Conc SW 4"	8.00	4.00	3.56	SY	At Freret (North East Quadrant)
Leonidas	Dublin 0900	23494	R/R Asph 5.5"	16.00	21.00	37.33	SY	Intersection at Freret
Leonidas	Dublin 0900	23494	R/R Asph 5.5"	17.00	5.00	9.44	SY	0932
Leonidas	Dublin 0900	23494	HC Ramp @ Intersection	9.00	10.00	10.00	SY	Intersection at Freret
Leonidas	Dublin 0900	23494	R/R Conc SW 4"	20.00	4.00	8.89	SY	0927/29
Leonidas	Dublin 0900	23494	R/R Conc SW 4"	9.00	4.00	4.00	SY	0932
Leonidas	Dublin 0900	23494	R/R Conc SW 4"	9.00	4.00	4.00	SY	0919
Leonidas	Dublin 1000	23495	R/R Conc SW 4"	7.00	4.00	3.11	SY	1001
Leonidas	Dublin 1000	23495	R/R Conc SW 4"	17.00	4.00	7.56	SY	1027/35
Leonidas	Dublin 1000	23495	R/R Asph 5.5"	6.00	8.00	5.33	SY	1030
Leonidas	Dublin 1000	23495	R/R Conc SW 4"	16.00	4.00	7.11	SY	1008/10
Leonidas	Dublin 1000	23495	R/R Asph 5.5"	9.00	8.00	8.00	SY	1034
Leonidas	Dublin 1000	23495	R/R Asph 5.5"	47.00	34.81	181.79	SY	Intersection at Zimple
Leonidas	Dublin 1000	23495	R/R Asph 5.5"	50.00	4.00	22.22	SY	1031/35
Leonidas	Dublin 1100	23496	R/R Conc SW 4"	5.00	4.00	2.22	SY	1110
Leonidas	Dublin 1100	23496	R/R Conc SW 4"	12.00	5.00	6.67	SY	1123
Leonidas	Dublin 1100	23496	R/R Conc SW 4"	17.00	5.00	9.44	SY	1129
Leonidas	Dublin 1200	23497	R/R Conc SW 4"	4.00	4.00	1.78	SY	1231
Leonidas	Dublin 1200	23497	R/R Conc SW 4"	7.00	4.00	3.11	SY	1205/19
Leonidas	Dublin 1200	23497	R/R Conc SW 4"	39.00	4.00	17.33	SY	1201
Leonidas	Dublin 1200	23497	R/R Conc SW 4"	36.00	4.00	16.00	SY	1200
Leonidas	Dublin 1200	23497	R/R Asph 5.5"	266.00	20.00	591.11	SY	1200/34
Leonidas	Dublin 1200	23497	R/R Asph 5.5"	15.00	13.00	21.67	SY	1202
Leonidas	Dublin 1300	23498	R/R Conc SW 4"	6.00	4.00	2.67	SY	1300
Leonidas	Dublin 1300	23498	R/R Conc SW 4"	4.00	4.00	1.78	SY	1305
Leonidas	Dublin 1300	23498	R/R Conc SW 4"	3.00	4.00	1.33	SY	1308
Leonidas	Dublin 1300	23498	R/R Asph 5.5"	7.00	6.00	4.67	SY	1308
Leonidas	Dublin 1300	23498	R/R Conc SW 4"	26.00	5.00	14.44	SY	1334
Leonidas	Dublin 1300	23498	R/R Asph 5.5"	16.00	10.00	17.78	SY	1334
Leonidas	Dublin 1400	23564	R/R Conc SW 4"	28.00	4.00	12.44	SY	1401
Leonidas	Dublin 1400	23564	R/R Conc SW 4"	13.00	4.00	5.78	SY	1400
Leonidas	Dublin 1400	23564	R/R Conc SW 4"	12.00	4.00	5.33	SY	Opposite 1427-35
Leonidas	Dublin 1400	23564	R/R Conc SW 4"	48.00	4.00	21.33	SY	1427
Leonidas	Dublin 1500	23565	R/R Asph 5.5"	8.00	3.00	2.67	SY	1515
Leonidas	Dublin 1500	23565	R/R Conc SW 4"	9.00	4.00	4.00	SY	1501-09
Leonidas	Dublin 1500	23565	HC Ramp @ Intersection	12.00	12.00	16.00	SY	Intersection at Birch
Leonidas	Dublin 1500	23565	R/R Conc SW 4"	8.00	4.00	3.56	SY	1516-20
Leonidas	Dublin 1500	23565	R/R Conc SW 4"	3.00	4.00	1.33	SY	1523-27
Leonidas	Dublin 1500	23565	R/R Asph 5.5"	10.00	5.00	5.56	SY	Intersection at Birch

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dublin 1500	23565	R/R Asph 5.5"	6.00	6.00	4.00	SY	Intersection at Birch
Leonidas	Dublin 1500	23565	R/R Conc SW 4"	7.00	5.00	3.89	SY	Intersection at Birch
Leonidas	Dublin 1500	23565	R/R Asph 5.5"	7.00	9.00	7.00	SY	Intersection at Birch
Leonidas	Dublin 1500	23565	R/R Asph 5.5"	4.00	9.00	4.00	SY	Intersection at Birch
Leonidas	Dublin 1500	23565	R/R Asph 5.5"	10.00	12.00	13.33	SY	1500
Leonidas	Dublin 1600	23566	R/R Asph 5.5"	48.00	6.00	32.00	SY	1614-20
Leonidas	Dublin 1600	23566	R/R Conc SW 4"	24.00	4.00	10.67	SY	1614-20
Leonidas	Dublin 1600	23566	R/R Asph 5.5"	6.00	6.00	4.00	SY	1619
Leonidas	Dublin 1700	23567	R/R Conc DW 6"	6.00	5.00	3.33	SY	1718
Leonidas	Dublin 1700	23567	R/R Conc SW 4"	5.00	4.00	2.22	SY	1700
Leonidas	Dublin 1700	23567	R/R Conc DW 6"	15.00	6.00	10.00	SY	1701
Leonidas	Dublin 1700	23567	R/R Asph 5.5"	14.00	13.00	20.22	SY	1725
Leonidas	Dublin 1700	23567	R/R Conc SW 4"	7.00	4.00	3.11	SY	Intersection at Hickory
Leonidas	Dublin 1700	23567	HC Ramp @ Intersection	10.00	11.00	12.22	SY	Intersection at Hickory
Leonidas	Dublin 1700	23567	R/R Asph 5.5"	68.00	20.00	151.11	SY	1729-33
Leonidas	Dublin 1700	23567	R/R Conc SW 4"	38.00	4.00	16.89	SY	1701
Leonidas	Dublin 1800	23568	R/R Asph 5.5"	6.00	6.00	4.00	SY	1800
Leonidas	Dublin 1800	23568	R/R Conc SW 4"	24.00	4.00	10.67	SY	1801
Leonidas	Dublin 1800	23568	HC Ramp @ Intersection	9.00	8.00	8.00	SY	Intersection at Cohn
Leonidas	Dublin 1800	23568	R/R Asph 5.5"	10.00	11.00	12.22	SY	1816
Leonidas	Dublin 1800	23568	R/R Conc SW 4"	11.00	4.00	4.89	SY	1825
Leonidas	Dublin 1800	23568	R/R Conc SW 4"	11.00	4.00	4.89	SY	xxx
Leonidas	Dublin 1800	23568	HC Ramp @ Intersection	8.00	9.00	8.00	SY	Intersection at Cohn
Leonidas	Dublin 1800	23568	R/R Conc SW 4"	3.00	4.00	1.33	SY	Intersection at Cohn
Leonidas	Dublin 1800	23568	R/R Conc SW 4"	3.00	5.00	1.67	SY	Intersection at Cohn
Leonidas	Dublin 1800	23568	HC Ramp @ Intersection	9.00	11.00	11.00	SY	Intersection at Cohn
Leonidas	Dublin 1800	23568	R/R Conc SW 4"	3.00	4.00	1.33	SY	Intersection at Cohn
Leonidas	Dublin 1800	23568	R/R Conc SW 4"	39.00	4.00	17.33	SY	1800
Leonidas	Dublin 1900	23629	R/R Asph 5.5"	5.00	4.00	2.22	SY	Opposite1940
Leonidas	Dublin 1900	23629	R/R Conc SW 4"	20.00	4.00	8.89	SY	1916-00
Leonidas	Dublin 1900	23629	R/R Conc SW 4"	3.00	4.00	1.33	SY	1921-09
Leonidas	Dublin 1900	23629	R/R Conc SW 4"	5.00	4.00	2.22	SY	xxx
Leonidas	Dublin 1900	23629	R/R Conc SW 4"	28.00	4.00	12.44	SY	Opposite 1940-22
Leonidas	Dublin 1900	23629	R/R Asph 5.5"	9.00	6.00	6.00	SY	Opposite1940
Leonidas	Dublin 1900	23629	R/R Asph 5.5"	10.00	6.00	6.67	SY	Opposite 1908
Leonidas	Dublin 1900	23629	R/R Conc SW 4"	14.00	4.00	6.22	SY	1928-18
Leonidas	Dublin 2000	23628	R/R Conc SW 4"	30.00	4.00	13.33	SY	2019-01
Leonidas	Dublin 2000	23628	R/R Conc Pvmt 8"	9.00	9.00	9.00	SY	Intersection at Spruce
Leonidas	Dublin 2000	23628	R/R Conc SW 4"	3.00	4.00	1.33	SY	2034-20
Leonidas	Dublin 2000	23628	R/R Conc DW 6"	11.00	7.00	8.56	SY	2018
Leonidas	Dublin 2000	23628	R/R Conc SW 4"	14.00	4.00	6.22	SY	2032-18
Leonidas	Dublin 2100	23627	R/R Conc Pvmt 8"	43.00	23.49	112.23	SY	Intersection at Panola

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dublin 2100	23627	R/R Asph 5.5"	8.00	7.00	6.22	SY	2130
Leonidas	Dublin 2100	23627	R/R Conc SW 4"	17.00	5.00	9.44	SY	2115
Leonidas	Dublin 2100	23627	R/R Asph 5.5"	11.00	9.00	11.00	SY	2126
Leonidas	Dublin 2100	23627	R/R Conc SW 4"	3.00	4.00	1.33	SY	2102
Leonidas	Dublin 2100	23627	HC Ramp @ Intersection	10.00	9.00	10.00	SY	Intersection at Panola
Leonidas	Dublin 2100	23627	R/R Conc Pvmt 8"	26.00	17.85	51.57	SY	Intersection at Panola
Leonidas	Dublin 2100	23627	R/R Conc SW 4"	3.00	4.00	1.33	SY	Intersection at Panola
Leonidas	Dublin 2100	23627	R/R Conc SW 4"	3.00	4.00	1.33	SY	2126
Leonidas	Dublin 2200	23626	R/R Conc DW 6"	5.00	4.00	2.22	SY	2222
Leonidas	Dublin 2200	23626	R/R Conc SW 4"	3.00	5.00	1.67	SY	Opposite 2216-08
Leonidas	Dublin 2200	23626	R/R Conc SW 4"	9.00	4.00	4.00	SY	2202
Leonidas	Dublin 2200	23626	R/R Conc Pvmt 8"	12.00	19.00	25.33	SY	Intersection at Sycamore
Leonidas	Dublin 2200	23626	R/R Asph 5.5"	10.00	6.00	6.67	SY	2202
Leonidas	Dublin 2200	23626	R/R Asph 5.5"	10.00	16.00	17.78	SY	2202
Leonidas	Dublin 2200	23626	R/R Conc SW 4"	3.00	5.00	1.67	SY	2208
Leonidas	Dublin 2200	23626	R/R Conc SW 4"	7.00	5.00	3.89	SY	Opposite 2236-22
Leonidas	Dublin 2200	23626	R/R Conc SW 4"	3.00	5.00	1.67	SY	2236
Leonidas	Dublin 2300	23625	R/R Conc DW 6"	12.00	6.00	8.00	SY	2324
Leonidas	Dublin 2300	23625	R/R Conc SW 4"	9.00	5.00	5.00	SY	Opposite 2318-10
Leonidas	Dublin 2300	23625	R/R Asph 5.5"	8.00	9.00	8.00	SY	2318
Leonidas	Dublin 2300	23625	R/R Conc SW 4"	12.00	5.00	6.67	SY	2300
Leonidas	Dublin 2300	23625	R/R Conc SW 4"	3.00	5.00	1.67	SY	Opposite 2310
Leonidas	Dublin 2300	23625	HC Ramp @ Intersection	12.00	11.00	14.67	SY	Intersection at Neron
Leonidas	Dublin 2300	23625	R/R Conc SW 4"	3.00	5.00	1.67	SY	Intersection at Neron
Leonidas	Dublin 2300	23625	R/R Conc SW 4"	17.00	5.00	9.44	SY	2328-18
Leonidas	Dublin 2400	23698	R/R Conc Pvmt 8"	303.00	26.00	875.33	SY	2400-30
Leonidas	Dublin 2400	23698	R/R Conc Pvmt 8"	36.00	27.00	108.00	SY	Intersection at Nelson
Leonidas	Dublin 2400	23698	R/R Conc SW 4"	27.00	5.00	15.00	SY	2424-30
Leonidas	Dublin 2500	23699	R/R Conc Pvmt 8"	19.00	9.00	19.00	SY	2525
Leonidas	Dublin 2500	23699	R/R Conc DW 6"	12.00	4.00	5.33	SY	2526
Leonidas	Dublin 2500	23699	R/R Conc DW 6"	6.00	4.00	2.67	SY	2527
Leonidas	Dublin 2500	23699	R/R Conc Pvmt 8"	14.00	8.00	12.44	SY	2531
Leonidas	Dublin 2500	23699	R/R Conc Pvmt 8"	15.00	16.00	26.67	SY	Intersection at Apple
Leonidas	Dublin 2500	23699	R/R Conc SW 4"	58.00	5.00	32.22	SY	2500-36
Leonidas	Dublin 2500	23699	R/R Conc SW 4"	44.00	4.00	19.56	SY	2501-35
Leonidas	Dublin 2600	23700	R/R Conc DW 6"	10.00	5.00	5.56	SY	2626
Leonidas	Dublin 2600	23700	R/R Conc Pvmt 8"	13.00	16.00	23.11	SY	2628
Leonidas	Dublin 2600	23700	R/R Curb	15.00	0.00	15.00	LF	2623
Leonidas	Dublin 2600	23700	R/R Conc Pvmt 8"	85.00	9.00	85.00	SY	2613-23
Leonidas	Dublin 2600	23700	R/R Curb	15.00	0.00	15.00	LF	2600
Leonidas	Dublin 2600	23700	R/R Conc SW 4"	7.00	4.00	3.11	SY	2613
Leonidas	Dublin 2600	23700	R/R Conc SW 4"	85.00	5.00	47.22	SY	2608-38

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Dublin 2900	23703	R/R Conc SW 4"	21.00	4.00	9.33	SY	2931
Leonidas	Eagle 1100	23523	R/R Conc SW 4"	7.00	4.00	3.11	SY	Opposite 1165
Leonidas	Eagle 1100	23523	R/R Asph 5.5"	6.00	10.00	6.67	SY	1165
Leonidas	Eagle 1200	23522	R/R Conc SW 4"	9.00	4.00	4.00	SY	1201
Leonidas	Eagle 1200	23522	R/R Asph 5.5"	7.00	9.00	7.00	SY	1200
Leonidas	Eagle 1200	23522	R/R Curb	8.00	0.00	8.00	LF	1213
Leonidas	Eagle 1200	23522	R/R Conc SW 4"	7.00	4.00	3.11	SY	1215-13
Leonidas	Eagle 1200	23522	R/R Curb	12.00	0.00	12.00	LF	Opposite 1228
Leonidas	Eagle 1200	23522	Adjust CB/MH	0.00	0.00	1.00	EA	1234
Leonidas	Eagle 1300	23521	R/R Conc DW 6"	7.00	3.00	2.33	SY	1325
Leonidas	Eagle 1300	23521	R/R Asph 5.5"	7.00	6.00	4.67	SY	1318
Leonidas	Eagle 1300	23521	R/R Conc SW 4"	3.00	4.00	1.33	SY	1330
Leonidas	Eagle 1300	23521	R/R Asph 5.5"	3.00	3.00	1.00	SY	1301
Leonidas	Eagle 1300	23521	R/R Curb	15.00	0.00	15.00	LF	1301
Leonidas	Eagle 1300	23521	R/R Curb	7.00	0.00	7.00	LF	1308-02
Leonidas	Eagle 1300	23521	R/R Conc SW 4"	5.00	5.00	2.78	SY	1308
Leonidas	Eagle 1300	23521	R/R Conc SW 4"	102.00	4.00	45.33	SY	1325-13
Leonidas	Eagle 1400	23593	R/R Conc SW 4"	19.00	4.00	8.44	SY	1418-16
Leonidas	Eagle 1400	23593	R/R Conc SW 4"	68.00	4.00	30.22	SY	1435-25
Leonidas	Eagle 1500	23592	R/R Asph 5.5"	9.00	7.00	7.00	SY	1520
Leonidas	Eagle 1500	23592	R/R Conc SW 4"	8.00	4.00	3.56	SY	1523-21
Leonidas	Eagle 1500	23592	R/R Conc SW 4"	3.00	4.00	1.33	SY	1530
Leonidas	Eagle 1500	23592	R/R Conc SW 4"	12.00	4.00	5.33	SY	1540
Leonidas	Eagle 1600	23591	R/R Asph 5.5"	6.00	6.00	4.00	SY	Opposite 1614
Leonidas	Eagle 1600	23591	R/R Conc SW 4"	51.00	4.00	22.67	SY	1610-00
Leonidas	Eagle 1600	23591	R/R Conc SW 4"	50.00	4.00	22.22	SY	1630-16
Leonidas	Eagle 1600	23591	R/R Conc SW 4"	31.00	4.00	13.78	SY	1629-19
Leonidas	Eagle 1600	23591	R/R Curb	14.00	0.00	14.00	LF	1638
Leonidas	Eagle 1600	23591	R/R Asph 5.5"	14.00	6.00	9.33	SY	Intersection at Birch
Leonidas	Eagle 1700	23590	R/R Conc SW 4"	10.00	4.00	4.44	SY	1724
Leonidas	Eagle 1700	23590	R/R Conc SW 4"	9.00	5.00	5.00	SY	Intersection at Green
Leonidas	Eagle 1700	23590	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Green
Leonidas	Eagle 1700	23590	HC Ramp @ Intersection	6.00	7.00	4.67	SY	Intersection at Green
Leonidas	Eagle 1700	23590	R/R Conc SW 4"	37.00	4.00	16.44	SY	1707-01
Leonidas	Eagle 1700	23590	R/R Conc SW 4"	3.00	4.00	1.33	SY	1721
Leonidas	Eagle 1700	23590	R/R Conc SW 4"	5.00	4.00	2.22	SY	1729
Leonidas	Eagle 1700	23590	HC Ramp @ Intersection	6.00	7.00	4.67	SY	Intersection at Green
Leonidas	Eagle 1700	23590	R/R Conc SW 4"	29.00	4.00	12.89	SY	1708-00
Leonidas	Eagle 1800	23589	R/R Asph 5.5"	6.00	4.00	2.67	SY	1830
Leonidas	Eagle 1800	23589	R/R Conc SW 4"	45.00	4.00	20.00	SY	1832-30
Leonidas	Eagle 1800	23589	R/R Conc SW 4"	22.00	4.00	9.78	SY	1814-12
Leonidas	Eagle 1800	23589	R/R Asph 5.5"	8.00	7.00	6.22	SY	Opposite 1824

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Eagle 1800	23589	R/R Asph 5.5"	4.00	5.00	2.22	SY	1814
Leonidas	Eagle 1800	23589	R/R Asph 5.5"	7.00	10.00	7.78	SY	Intersection at Hickory
Leonidas	Eagle 1800	23589	R/R Asph 5.5"	7.00	5.00	3.89	SY	1820
Leonidas	Eagle 1800	23589	R/R Asph 5.5"	12.00	5.00	6.67	SY	1824
Leonidas	Eagle 1800	23589	R/R Asph 5.5"	5.00	4.00	2.22	SY	Intersection at Hickory
Leonidas	Eagle 1900	23607	R/R Conc SW 4"	32.00	4.00	14.22	SY	1928-34
Leonidas	Eagle 1900	23607	R/R Conc SW 4"	16.00	4.00	7.11	SY	1901-09
Leonidas	Eagle 1900	23607	R/R Conc SW 4"	28.00	4.00	12.44	SY	1900-12
Leonidas	Eagle 1900	23607	R/R Conc SW 4"	7.00	4.00	3.11	SY	1915-17
Leonidas	Eagle 1900	23607	R/R Asph 5.5"	10.00	8.00	8.89	SY	1910
Leonidas	Fig 8100	23751	R/R Conc SW 4"	78.00	4.00	34.67	SY	8137-01
Leonidas	Fig 8100	23751	R/R Asph 5.5"	119.00	9.00	119.00	SY	8128-10
Leonidas	Fig 8100	23751	R/R Conc SW 4"	233.00	4.00	103.56	SY	8138-00
Leonidas	Fig 8100	23751	R/R Asph 5.5"	31.00	12.00	41.33	SY	8134-32
Leonidas	Fig 8100	23751	R/R Asph 5.5"	57.00	11.00	69.67	SY	8100
Leonidas	Fig 8200	23750	R/R Conc SW 4"	17.00	4.00	7.56	SY	8235
Leonidas	Fig 8200	23750	R/R Asph 5.5"	26.00	24.00	69.33	SY	8232
Leonidas	Fig 8200	23750	R/R Asph 5.5"	144.00	24.00	384.00	SY	8230
Leonidas	Fig 8200	23750	R/R Conc SW 4"	46.00	4.00	20.44	SY	8234-08
Leonidas	Fig 8300	23749	R/R Conc SW 4"	28.00	4.00	12.44	SY	8330
Leonidas	Fig 8300	23749	R/R Conc SW 4"	21.00	4.00	9.33	SY	8308-04
Leonidas	Fig 8300	23749	R/R Asph 5.5"	19.00	8.00	16.89	SY	8329
Leonidas	Fig 8300	23749	R/R Asph 5.5"	23.00	10.00	25.56	SY	8327
Leonidas	Fig 8300	23749	R/R Asph 5.5"	37.00	22.00	90.44	SY	8310-08
Leonidas	Fig 8300	23749	R/R Asph 5.5"	20.00	9.00	20.00	SY	8303
Leonidas	Fig 8300	23749	R/R Conc SW 4"	44.00	5.00	24.44	SY	8329-27
Leonidas	Fig 8400	23748	R/R Conc SW 4"	44.00	4.00	19.56	SY	8427-01
Leonidas	Fig 8400	23748	R/R Asph 5.5"	19.00	14.00	29.56	SY	8436
Leonidas	Fig 8400	23748	R/R Asph 5.5"	16.00	20.00	35.56	SY	8432
Leonidas	Fig 8400	23748	R/R Asph 5.5"	64.00	11.00	78.22	SY	Opposite 8428-24
Leonidas	Fig 8400	23748	R/R Asph 5.5"	12.00	10.00	13.33	SY	8424
Leonidas	Fig 8400	23748	R/R Asph 5.5"	18.00	16.00	32.00	SY	Opposite 8416
Leonidas	Fig 8400	23748	R/R Asph 5.5"	9.00	9.00	9.00	SY	8407
Leonidas	Fig 8400	23748	R/R Asph 5.5"	9.00	8.00	8.00	SY	8401
Leonidas	Fig 8400	23748	R/R Conc SW 4"	90.00	4.00	40.00	SY	8436-00
Leonidas	Fig 8500	23747	R/R Asph 5.5"	77.00	21.00	179.67	SY	8518-06
Leonidas	Fig 8500	23747	R/R Conc SW 4"	9.00	4.00	4.00	SY	8522-18
Leonidas	Fig 8500	23747	R/R Asph 5.5"	112.00	21.00	261.33	SY	8532-22
Leonidas	Fig 8500	23747	R/R Asph 5.5"	25.00	8.00	22.22	SY	8505-01
Leonidas	Fig 8500	23747	R/R Conc SW 4"	111.00	4.00	49.33	SY	8516-00
Leonidas	Freret 8100	23550	R/R Conc SW 4"	3.00	4.00	1.33	SY	8109-11
Leonidas	Freret 8100	23550	R/R Asph 5.5"	14.00	5.00	7.78	SY	8117-25

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Freret 8100	23550	R/R Conc SW 4"	11.00	5.00	6.11	SY	8101
Leonidas	Freret 8200	23551	R/R Conc SW 4"	9.00	5.00	5.00	SY	8217-25
Leonidas	Freret 8200	23551	R/R Asph 5.5"	5.00	5.00	2.78	SY	8221
Leonidas	Freret 8200	23551	R/R Conc SW 4"	14.00	5.00	7.78	SY	8226-38
Leonidas	Freret 8200	23551	R/R Conc Pvmt 8"	10.00	11.00	12.22	SY	8233
Leonidas	Freret 8200	23551	R/R Curb	5.00	0.00	5.00	LF	8211
Leonidas	Freret 8200	23551	R/R Conc SW 4"	9.00	5.00	5.00	SY	8201-07
Leonidas	Freret 8300	23552	R/R Conc SW 4"	16.00	5.00	8.89	SY	8321-27
Leonidas	Freret 8300	23552	R/R Conc SW 4"	6.00	5.00	3.33	SY	8300
Leonidas	Freret 8300	23552	R/R Conc Pvmt 8"	18.00	12.00	24.00	SY	8305
Leonidas	Freret 8300	23552	R/R Conc SW 4"	6.00	5.00	3.33	SY	8316
Leonidas	Freret 8300	23552	R/R Conc SW 4"	11.00	4.00	4.89	SY	Opposite 8327
Leonidas	Freret 8400	23553	R/R Conc SW 4"	6.00	5.00	3.33	SY	8417-35
Leonidas	Freret 8400	23553	Adjust CB/MH	0.00	0.00	1.00	EA	8400
Leonidas	Freret 8400	23553	R/R Conc Pvmt 8"	5.00	25.00	13.89	SY	8400
Leonidas	Freret 8400	23553	R/R Conc SW 4"	3.00	5.00	1.67	SY	8416
Leonidas	Freret 8400	23553	R/R Conc SW 4"	7.00	5.00	3.89	SY	8400
Leonidas	Freret 8500	23554	R/R Conc SW 4"	7.00	5.00	3.89	SY	8501-15
Leonidas	Freret 8500	23554	R/R Conc SW 4"	16.00	5.00	8.89	SY	8519-31
Leonidas	Freret 8500	23554	R/R Conc SW 4"	8.00	5.00	4.44	SY	8533-39
Leonidas	Gen Ogden 1200	23524	R/R Asph 5.5"	7.00	7.00	5.44	SY	1211
Leonidas	Gen Ogden 1200	23524	R/R Asph 5.5"	10.00	5.00	5.56	SY	Opposite 1231
Leonidas	Gen Ogden 1200	23524	R/R Conc SW 4"	7.00	3.00	2.33	SY	1240
Leonidas	Gen Ogden 1300	23525	R/R Asph 5.5"	8.00	7.00	6.22	SY	1318
Leonidas	Gen Ogden 1300	23525	R/R Conc SW 4"	4.00	4.00	1.78	SY	1323
Leonidas	Gen Ogden 1300	23525	R/R Conc SW 4"	5.00	5.00	2.78	SY	Opposite 1334
Leonidas	Gen Ogden 1400	23598	R/R Asph 5.5"	24.00	12.00	32.00	SY	1433-31
Leonidas	Gen Ogden 1400	23598	R/R Asph 5.5"	9.00	6.00	6.00	SY	1400
Leonidas	Gen Ogden 1400	23598	R/R Asph 5.5"	19.00	5.00	10.56	SY	Opposite 1435-33
Leonidas	Gen Ogden 1400	23598	R/R Conc SW 4"	26.00	4.00	11.56	SY	1433-31
Leonidas	Gen Ogden 1400	23598	R/R Conc SW 4"	5.00	4.00	2.22	SY	Opposite 1431-29
Leonidas	Gen Ogden 1400	23598	R/R Conc SW 4"	23.00	4.00	10.22	SY	1429-19
Leonidas	Gen Ogden 1500	23597	R/R Conc SW 4"	19.00	4.00	8.44	SY	Opposite 1532-14
Leonidas	Gen Ogden 1500	23597	R/R Conc SW 4"	28.00	5.00	15.56	SY	Opposite 1510-00
Leonidas	Gen Ogden 1500	23597	R/R Conc SW 4"	57.00	4.00	25.33	SY	1508-00
Leonidas	Gen Ogden 1600	23596	R/R Asph 5.5"	7.00	5.00	3.89	SY	Intersection at Birch
Leonidas	Gen Ogden 1600	23596	R/R Conc SW 4"	11.00	4.00	4.89	SY	1636
Leonidas	Gen Ogden 1600	23596	R/R Asph 5.5"	11.00	5.00	6.11	SY	1628
Leonidas	Gen Ogden 1600	23596	R/R Asph 5.5"	12.00	9.00	12.00	SY	1626
Leonidas	Gen Ogden 1600	23596	R/R Asph 5.5"	59.00	11.00	72.11	SY	1618-10
Leonidas	Gen Ogden 1600	23596	R/R Conc SW 4"	7.00	4.00	3.11	SY	1610
Leonidas	Gen Ogden 1600	23596	R/R Asph 5.5"	48.00	17.00	90.67	SY	1606-02

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Gen Ogden 1600	23596	R/R Conc SW 4"	15.00	4.00	6.67	SY	Opposite 1606
Leonidas	Gen Ogden 1700	23595	R/R Asph 5.5"	25.00	15.00	41.67	SY	1706-02
Leonidas	Gen Ogden 1700	23595	R/R Conc SW 4"	3.00	4.00	1.33	SY	Opposite 1738
Leonidas	Gen Ogden 1700	23595	R/R Asph 5.5"	22.00	18.00	44.00	SY	1736-30
Leonidas	Gen Ogden 1700	23595	R/R Conc SW 4"	85.00	4.00	37.78	SY	Opposite 1712-00
Leonidas	Gen Ogden 1700	23595	R/R Conc SW 4"	30.00	4.00	13.33	SY	1706-02
Leonidas	Gen Ogden 1800	23594	R/R Conc DW 6"	66.00	4.00	29.33	SY	1821-21
Leonidas	Gen Ogden 1800	23594	R/R Asph 5.5"	37.00	9.00	37.00	SY	1818-12
Leonidas	Gen Ogden 1800	23594	R/R Conc SW 4"	35.00	4.00	15.56	SY	1827-19
Leonidas	Gen Ogden 1800	23594	R/R Conc SW 4"	50.00	4.00	22.22	SY	1828-24
Leonidas	Gen Ogden 1800	23594	R/R Conc SW 4"	63.00	4.00	28.00	SY	1818-00
Leonidas	Gen Ogden 1900	23606	R/R Asph 5.5"	11.00	6.00	7.33	SY	Intersection at Spruce
Leonidas	Gen Ogden 1900	23606	R/R Asph 5.5"	9.00	7.00	7.00	SY	Intersection at Spruce
Leonidas	Gen Ogden 1900	23606	R/R Conc SW 4"	3.00	4.00	1.33	SY	Intersection at Spruce
Leonidas	Gen Ogden 1900	23606	HC Ramp @ Intersection	7.00	7.00	5.44	SY	Intersection at Spruce
Leonidas	Gen Ogden 1900	23606	R/R Asph 5.5"	245.00	24.00	653.33	SY	1935-03
Leonidas	Green 8100	23648	R/R Conc SW 4"	19.00	4.00	8.44	SY	8118
Leonidas	Green 8100	23648	R/R Conc DW 6"	5.00	4.00	2.22	SY	8129
Leonidas	Green 8100	23648	R/R Conc SW 4"	42.00	4.00	18.67	SY	8129-35
Leonidas	Green 8100	23648	R/R Asph 5.5"	6.00	9.00	6.00	SY	8123
Leonidas	Green 8100	23648	R/R Conc SW 4"	6.00	4.00	2.67	SY	8101
Leonidas	Green 8100	23648	R/R Conc DW 6"	12.00	4.00	5.33	SY	8119
Leonidas	Green 8100	23648	R/R Asph 5.5"	13.00	16.00	23.11	SY	8138
Leonidas	Green 8100	23648	R/R Asph 5.5"	10.00	4.00	4.44	SY	8138
Leonidas	Green 8100	23648	R/R Conc SW 4"	9.00	4.00	4.00	SY	8100
Leonidas	Green 8100	23648	R/R Conc DW 6"	5.00	4.00	2.22	SY	8135
Leonidas	Green 8100	23648	R/R Asph 5.5"	5.00	5.00	2.78	SY	8122
Leonidas	Green 8200	23649	R/R Conc SW 4"	31.00	4.00	13.78	SY	8221-39
Leonidas	Green 8200	23649	R/R Asph 5.5"	4.00	5.00	2.22	SY	8227
Leonidas	Green 8200	23649	R/R Conc SW 4"	34.00	4.00	15.11	SY	8222-40
Leonidas	Green 8200	23649	R/R Conc DW 6"	9.00	3.00	3.00	SY	8232
Leonidas	Green 8200	23649	R/R Asph 5.5"	7.00	6.00	4.67	SY	8227
Leonidas	Green 8200	23649	R/R Asph 5.5"	3.00	5.00	1.67	SY	8231
Leonidas	Green 8200	23649	R/R Conc DW 6"	6.00	5.00	3.33	SY	8231
Leonidas	Green 8200	23649	R/R Conc SW 4"	16.00	4.00	7.11	SY	8209
Leonidas	Green 8300	23650	R/R Conc SW 4"	4.00	4.00	1.78	SY	8338
Leonidas	Green 8300	23650	R/R Conc SW 4"	48.00	4.00	21.33	SY	8300-14
Leonidas	Green 8300	23650	R/R Asph 5.5"	9.00	7.00	7.00	SY	8312
Leonidas	Green 8300	23650	R/R Conc SW 4"	9.00	4.00	4.00	SY	8316
Leonidas	Green 8300	23650	R/R Conc SW 4"	25.00	4.00	11.11	SY	8330
Leonidas	Green 8300	23650	R/R Conc SW 4"	103.00	4.00	45.78	SY	8327-39
Leonidas	Green 8400	23651	R/R Asph 5.5"	6.00	6.00	4.00	SY	Opposite 8410

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Green 8400	23651	R/R Conc SW 4"	42.00	4.00	18.67	SY	8421-29
Leonidas	Green 8400	23651	R/R Asph 5.5"	9.00	9.00	9.00	SY	8429
Leonidas	Green 8500	23652	R/R Conc SW 4"	23.00	4.00	10.22	SY	8511
Leonidas	Green 8500	23652	R/R Curb	5.00	0.00	5.00	LF	8515
Leonidas	Green 8600	23653	R/R Conc SW 4"	157.00	4.00	69.78	SY	8600-34
Leonidas	Green 8600	23653	R/R Asph 5.5"	27.00	16.00	48.00	SY	8600
Leonidas	Green 8600	23653	R/R Asph 5.5"	9.00	10.00	10.00	SY	8615
Leonidas	Green 8600	23653	R/R Asph 5.5"	11.00	11.00	13.44	SY	Opposite 8631
Leonidas	Green 8600	23653	R/R Asph 5.5"	7.00	8.00	6.22	SY	8620
Leonidas	Green 8600	23653	R/R Asph 5.5"	11.00	10.00	12.22	SY	8609
Leonidas	Green 8700	23654	R/R Asph 5.5"	8.00	8.00	7.11	SY	8728
Leonidas	Green 8700	23654	R/R Asph 5.5"	22.00	4.00	9.78	SY	8729-31
Leonidas	Green 8700	23654	R/R Conc SW 4"	55.00	4.00	24.44	SY	8727-39
Leonidas	Green 8700	23654	R/R Conc SW 4"	26.00	4.00	11.56	SY	8718-24
Leonidas	Green 8700	23654	R/R Asph 5.5"	6.00	10.00	6.67	SY	8715
Leonidas	Green 8700	23654	R/R Conc SW 4"	3.00	4.00	1.33	SY	8713
Leonidas	Green 8700	23654	R/R Asph 5.5"	27.00	4.00	12.00	SY	8701-05
Leonidas	Green 8800	23655	R/R Asph 5.5"	5.00	6.00	3.33	SY	8841
Leonidas	Green 8800	23655	R/R Conc SW 4"	103.00	4.00	45.78	SY	8826-32
Leonidas	Green 8800	23655	R/R Conc SW 4"	101.00	4.00	44.89	SY	8800-24
Leonidas	Green 8800	23655	R/R Conc SW 4"	56.00	4.00	24.89	SY	8829-41
Leonidas	Green 8800	23655	R/R Asph 5.5"	7.00	6.00	4.67	SY	8841
Leonidas	Green 8800	23655	R/R Asph 5.5"	9.00	13.00	13.00	SY	8830
Leonidas	Green 8900	23656	R/R Asph 5.5"	6.00	6.00	4.00	SY	8901
Leonidas	Green 9000	23657	R/R Conc SW 4"	24.00	4.00	10.67	SY	9010-16
Leonidas	Green 9000	23657	R/R Conc SW 4"	38.00	4.00	16.89	SY	9022-24
Leonidas	Green 9000	23657	R/R Conc SW 4"	28.00	4.00	12.44	SY	9000
Leonidas	Hamilton 1800	23604	R/R Asph 5.5"	4.00	20.00	8.89	SY	1829
Leonidas	Hamilton 1800	23604	R/R Asph 5.5"	41.00	3.00	13.67	SY	1825-29
Leonidas	Hamilton 1800	23604	R/R Conc SW 4"	91.00	4.00	40.44	SY	1825-1831
Leonidas	Hamilton 1800	23604	R/R Conc SW 4"	118.00	4.00	52.44	SY	1801-19
Leonidas	Hamilton 1900	23605	R/R Conc SW 4"	93.00	4.00	41.33	SY	1901-19
Leonidas	Hampson 8100	23563	R/R Conc Pvmt 8"	4.00	7.00	3.11	SY	8131
Leonidas	Hampson 8100	23563	R/R Conc Pvmt 8"	4.00	6.00	2.67	SY	8138
Leonidas	Hampson 8100	23563	R/R Conc SW 4"	8.00	4.00	3.56	SY	8108
Leonidas	Hampson 8100	23563	R/R Curb	4.00	0.00	4.00	LF	8108
Leonidas	Hampson 8200	23562	R/R Asph 5.5"	163.00	5.00	90.56	SY	8213-01
Leonidas	Hampson 8200	23562	R/R Conc SW 4"	3.00	4.00	1.33	SY	8209
Leonidas	Hickory 8100	23667	R/R Conc SW 4"	39.00	4.00	17.33	SY	8113-01
Leonidas	Hickory 8100	23667	R/R Conc SW 4"	29.00	5.00	16.11	SY	8133-25
Leonidas	Hickory 8100	23667	R/R Conc SW 4"	4.00	5.00	2.22	SY	8131
Leonidas	Hickory 8100	23667	R/R Conc SW 4"	24.00	5.00	13.33	SY	8132-18

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Hickory 8100	23667	R/R Conc Pvmt 8"	6.00	6.00	4.00	SY	8127
Leonidas	Hickory 8100	23667	R/R Conc Pvmt 8"	14.00	6.00	9.33	SY	8126
Leonidas	Hickory 8100	23667	R/R Conc SW 4"	20.00	5.00	11.11	SY	8116-00
Leonidas	Hickory 8100	23667	R/R Conc DW 6"	12.00	4.00	5.33	SY	8113
Leonidas	Hickory 8200	23666	R/R Conc SW 4"	35.00	5.00	19.44	SY	8210-02
Leonidas	Hickory 8200	23666	R/R Conc SW 4"	12.00	5.00	6.67	SY	8241
Leonidas	Hickory 8200	23666	R/R Conc Pvmt 8"	23.00	7.00	17.89	SY	8241
Leonidas	Hickory 8200	23666	R/R Conc SW 4"	34.00	5.00	18.89	SY	8236-32
Leonidas	Hickory 8200	23666	R/R Conc Pvmt 8"	11.00	3.00	3.67	SY	8222
Leonidas	Hickory 8200	23666	R/R Conc SW 4"	24.00	5.00	13.33	SY	8221-09
Leonidas	Hickory 8300	23665	R/R Conc Pvmt 8"	15.00	6.00	10.00	SY	8318
Leonidas	Hickory 8300	23665	R/R Asph 5.5"	6.00	6.00	4.00	SY	8339
Leonidas	Hickory 8300	23665	R/R Conc SW 4"	21.00	5.00	11.67	SY	8339-23
Leonidas	Hickory 8300	23665	R/R Conc SW 4"	34.00	5.00	18.89	SY	8318-00
Leonidas	Hickory 8300	23665	R/R Conc Pvmt 8"	24.00	18.00	48.00	SY	8304
Leonidas	Hickory 8300	23665	R/R Conc SW 4"	17.00	5.00	9.44	SY	8319-01
Leonidas	Hickory 8300	23665	R/R Conc DW 6"	9.00	5.00	5.00	SY	8319
Leonidas	Hickory 8300	23665	R/R Conc SW 4"	9.00	5.00	5.00	SY	8318-00
Leonidas	Hickory 8400	23664	R/R Conc SW 4"	24.00	5.00	13.33	SY	8439-31
Leonidas	Hickory 8400	23664	R/R Conc SW 4"	14.00	5.00	7.78	SY	8440-28
Leonidas	Hickory 8400	23664	R/R Asph 5.5"	11.00	8.00	9.78	SY	8438
Leonidas	Hickory 8400	23664	R/R Conc DW 6"	12.00	4.00	5.33	SY	8439
Leonidas	Hickory 8400	23664	R/R Conc DW 6"	4.00	4.00	1.78	SY	8425
Leonidas	Hickory 8400	23664	R/R Conc SW 4"	12.00	5.00	6.67	SY	8400
Leonidas	Hickory 8400	23664	R/R Conc DW 6"	3.00	4.00	1.33	SY	8406
Leonidas	Hickory 8400	23664	R/R Conc SW 4"	13.00	5.00	7.22	SY	8415-07
Leonidas	Hickory 8400	23664	R/R Conc SW 4"	35.00	5.00	19.44	SY	8429-19
Leonidas	Hickory 8400	23664	R/R Conc SW 4"	60.00	5.00	33.33	SY	8424-08
Leonidas	Hickory 8500	23663	R/R Asph 5.5"	5.00	20.00	11.11	SY	8504
Leonidas	Hickory 8500	23663	R/R Curb	4.00	0.00	4.00	LF	8504
Leonidas	Hickory 8500	23663	R/R Asph 5.5"	7.00	7.00	5.44	SY	Opposite 8526
Leonidas	Hickory 8500	23663	R/R Conc SW 4"	25.00	5.00	13.89	SY	Opposite 8530-26
Leonidas	Hickory 8500	23663	R/R Conc SW 4"	14.00	5.00	7.78	SY	8530-26
Leonidas	Hickory 8500	23663	R/R Asph 5.5"	11.00	9.00	11.00	SY	8504
Leonidas	Hickory 8500	23663	R/R Asph 5.5"	12.00	5.00	6.67	SY	8517
Leonidas	Hickory 8500	23663	R/R Conc SW 4"	66.00	5.00	36.67	SY	8520-00
Leonidas	Hickory 8500	23663	R/R Conc SW 4"	33.00	5.00	18.33	SY	8511-01
Leonidas	Hickory 8500	23663	R/R Conc Pvmt 8"	6.00	19.00	12.67	SY	8511
Leonidas	Hickory 8500	23663	R/R Conc SW 4"	23.00	5.00	12.78	SY	8523-19
Leonidas	Hickory 8500	23663	R/R Conc DW 6"	13.00	4.00	5.78	SY	8519
Leonidas	Hickory 8600	23662	R/R Curb	29.00	0.00	29.00	LF	8638-28
Leonidas	Hickory 8600	23662	R/R Conc SW 4"	48.00	5.00	26.67	SY	8638-16

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Hickory 8600	23662	R/R Conc SW 4"	36.00	5.00	20.00	SY	8621-07
Leonidas	Hickory 8600	23662	R/R Conc SW 4"	53.00	5.00	29.44	SY	8641-23
Leonidas	Hickory 8600	23662	R/R Asph 5.5"	5.00	4.00	2.22	SY	8628
Leonidas	Hickory 8600	23662	R/R Conc SW 4"	40.00	5.00	22.22	SY	8612-00
Leonidas	Hickory 8700	23661	R/R Asph 5.5"	17.00	8.00	15.11	SY	Opposite 8706
Leonidas	Hickory 8700	23661	R/R Asph 5.5"	6.00	9.00	6.00	SY	Opposite 8714
Leonidas	Hickory 8700	23661	R/R Conc SW 4"	21.00	5.00	11.67	SY	8738-24
Leonidas	Hickory 8700	23661	R/R Conc SW 4"	42.00	5.00	23.33	SY	8718-10
Leonidas	Hickory 8800	23660	R/R Conc SW 4"	54.00	4.00	24.00	SY	8836-20
Leonidas	Hickory 8800	23660	R/R Asph 5.5"	14.00	5.00	7.78	SY	8826
Leonidas	Hickory 8800	23660	R/R Conc SW 4"	86.00	3.00	28.67	SY	8841-17
Leonidas	Hickory 8800	23660	R/R Asph 5.5"	23.00	7.00	17.89	SY	8801
Leonidas	Hickory 8800	23660	R/R Conc SW 4"	95.00	3.00	31.67	SY	8815-01
Leonidas	Hickory 8900	23659	R/R Asph 5.5"	25.00	4.00	11.11	SY	8923
Leonidas	Hickory 8900	23659	R/R Conc SW 4"	64.00	4.00	28.44	SY	8944-32
Leonidas	Hickory 8900	23659	R/R Asph 5.5"	49.00	4.00	21.78	SY	8944-34
Leonidas	Hickory 8900	23659	R/R Conc SW 4"	14.00	4.00	6.22	SY	8901
Leonidas	Hickory 8900	23659	R/R Asph 5.5"	22.00	29.00	70.89	SY	8943
Leonidas	Hickory 8900	23659	R/R Conc SW 4"	12.00	4.00	5.33	SY	8900
Leonidas	Hickory 8900	23659	R/R Conc SW 4"	50.00	4.00	22.22	SY	8943-27
Leonidas	Hickory 9000	23658	R/R Asph 5.5"	8.00	8.00	7.11	SY	9021
Leonidas	Hickory 9000	23658	R/R Asph 5.5"	11.00	10.00	12.22	SY	9011
Leonidas	Hickory 9000	23658	R/R Conc SW 4"	48.00	4.00	21.33	SY	9026-04
Leonidas	Hickory 9000	23658	R/R Conc SW 4"	67.00	4.00	29.78	SY	9039-25
Leonidas	Hickory 9000	23658	R/R Asph 5.5"	10.00	8.00	8.89	SY	9003
Leonidas	Hickory 9000	23658	R/R Conc SW 4"	89.00	4.00	39.56	SY	9023-03
Leonidas	Hickory 9000	23658	R/R Asph 5.5"	10.00	6.00	6.67	SY	9046
Leonidas	Hickory 9000	23658	R/R Asph 5.5"	13.00	11.00	15.89	SY	9047
Leonidas	Hickory 9000	23658	R/R Asph 5.5"	19.00	15.00	31.67	SY	9044
Leonidas	Hickory 9000	23658	R/R Asph 5.5"	7.00	5.00	3.89	SY	9049
Leonidas	Hollygrove 1600	23603	R/R Conc SW 4"	124.00	4.00	55.11	SY	1618-00
Leonidas	Hollygrove 1600	23603	R/R Conc SW 4"	5.00	4.00	2.22	SY	1635
Leonidas	Hollygrove 1600	23603	R/R Asph 5.5"	13.00	25.00	36.11	SY	Intersection at Birch
Leonidas	Hollygrove 1600	23603	R/R Conc SW 4"	28.00	4.00	12.44	SY	1615-11
Leonidas	Hollygrove 1600	23603	R/R Asph 5.5"	9.00	8.00	8.00	SY	Intersection at Birch
Leonidas	Hollygrove 1600	23603	R/R Conc SW 4"	16.00	4.00	7.11	SY	1624-22
Leonidas	Hollygrove 1700	23602	R/R Conc SW 4"	95.00	4.00	42.22	SY	1733-23
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	21.00	5.00	11.67	SY	1733
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	9.00	8.00	8.00	SY	Intersection at Green
Leonidas	Hollygrove 1700	23602	R/R Conc SW 4"	9.00	4.00	4.00	SY	Intersection at Green
Leonidas	Hollygrove 1700	23602	HC Ramp @ Intersection	6.00	6.00	4.00	SY	Intersection at Green
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	6.00	6.00	4.00	SY	1700

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	10.00	5.00	5.56	SY	1716
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	18.00	11.00	22.00	SY	Opposite 1717
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	20.00	11.00	24.44	SY	Opposite 1721
Leonidas	Hollygrove 1700	23602	R/R Conc SW 4"	38.00	4.00	16.89	SY	Opposite 1721
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	58.00	11.00	70.89	SY	Opposite 1733-23
Leonidas	Hollygrove 1700	23602	R/R Conc SW 4"	39.00	4.00	17.33	SY	Opposite 1733-23
Leonidas	Hollygrove 1700	23602	R/R Asph 5.5"	4.00	4.00	1.78	SY	Intersection at Green
Leonidas	Hollygrove 1800	23601	R/R Asph 5.5"	42.00	11.00	51.33	SY	1825-21
Leonidas	Hollygrove 1800	23601	R/R Conc SW 4"	41.00	4.00	18.22	SY	Opposite 1837-31
Leonidas	Hollygrove 1800	23601	R/R Asph 5.5"	5.00	6.00	3.33	SY	1808
Leonidas	Hollygrove 1800	23601	R/R Conc SW 4"	31.00	4.00	13.78	SY	1808-00
Leonidas	Hollygrove 1800	23601	R/R Conc SW 4"	29.00	4.00	12.89	SY	1805-01
Leonidas	Hollygrove 1800	23601	R/R Conc SW 4"	48.00	4.00	21.33	SY	1820-12
Leonidas	Hollygrove 1800	23601	R/R Asph 5.5"	10.00	6.00	6.67	SY	1817
Leonidas	Hollygrove 1800	23601	R/R Asph 5.5"	3.00	3.00	1.00	SY	1833
Leonidas	Hollygrove 1800	23601	R/R Conc SW 4"	23.00	4.00	10.22	SY	1837-31
Leonidas	Hollygrove 1800	23601	R/R Asph 5.5"	14.00	8.00	12.44	SY	Intersection at Hickory
Leonidas	Hollygrove 1800	23601	R/R Conc SW 4"	27.00	4.00	12.00	SY	1826-24
Leonidas	Hollygrove 1900	23600	R/R Conc SW 4"	43.00	4.00	19.11	SY	1914-10
Leonidas	Hollygrove 1900	23600	R/R Asph 5.5"	7.00	4.00	3.11	SY	1900
Leonidas	Hollygrove 1900	23600	R/R Asph 5.5"	5.00	5.00	2.78	SY	1900
Leonidas	Hollygrove 1900	23600	R/R Asph 5.5"	9.00	8.00	8.00	SY	Intersection at Cohn
Leonidas	Hollygrove 1900	23600	R/R Asph 5.5"	7.00	12.00	9.33	SY	Intersection at Cohn
Leonidas	Hollygrove 1900	23600	R/R Asph 5.5"	4.00	4.00	1.78	SY	Opposite 1914
Leonidas	Jeannette 8100	23638	R/R Conc SW 4"	5.00	4.00	2.22	SY	Opposite 8144
Leonidas	Jeannette 8100	23638	R/R Conc SW 4"	3.00	4.00	1.33	SY	8118
Leonidas	Jeannette 8100	23638	R/R Conc SW 4"	15.00	5.00	8.33	SY	8101
Leonidas	Jeannette 8100	23638	R/R Conc SW 4"	20.00	5.00	11.11	SY	8100
Leonidas	Jeannette 8300	23636	R/R Conc SW 4"	3.00	4.00	1.33	SY	8333-31
Leonidas	Jeannette 8300	23636	R/R Asph 5.5"	35.00	7.00	27.22	SY	8334
Leonidas	Jeannette 8300	23636	R/R Conc SW 4"	14.00	4.00	6.22	SY	8314
Leonidas	Jeannette 8300	23636	R/R Conc SW 4"	37.00	4.00	16.44	SY	8334-22
Leonidas	Jeannette 8300	23636	R/R Conc SW 4"	3.00	4.00	1.33	SY	8315
Leonidas	Jeannette 8300	23636	R/R Conc SW 4"	17.00	5.00	9.44	SY	8325-23
Leonidas	Jeannette 8300	23636	R/R Asph 5.5"	14.00	14.00	21.78	SY	8327
Leonidas	Jeannette 8400	23635	R/R Conc SW 4"	10.00	4.00	4.44	SY	Opposite 8407
Leonidas	Jeannette 8400	23635	R/R Conc SW 4"	32.00	4.00	14.22	SY	8421-15
Leonidas	Jeannette 8400	23635	R/R Asph 5.5"	22.00	4.00	9.78	SY	8434-32
Leonidas	Jeannette 8400	23635	R/R Conc DW 6"	11.00	3.00	3.67	SY	8431
Leonidas	Jeannette 8400	23635	R/R Conc SW 4"	14.00	4.00	6.22	SY	8440-36
Leonidas	Jeannette 8500	23634	R/R Conc SW 4"	49.00	4.00	21.78	SY	8542-34
Leonidas	Jeannette 8500	23634	R/R Conc SW 4"	80.00	4.00	35.56	SY	8543-21

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Jeannette 8500	23634	R/R Conc SW 4"	28.00	5.00	15.56	SY	8518-14
Leonidas	Jeannette 8500	23634	R/R Asph 5.5"	12.00	12.00	16.00	SY	8515
Leonidas	Jeannette 8500	23634	R/R Conc SW 4"	28.00	4.00	12.44	SY	8515
Leonidas	Jeannette 8500	23634	R/R Conc SW 4"	19.00	4.00	8.44	SY	8507-05
Leonidas	Jeannette 8500	23634	R/R Asph 5.5"	8.00	8.00	7.11	SY	8524
Leonidas	Jeannette 8600	23633	R/R Conc SW 4"	8.00	4.00	3.56	SY	8636
Leonidas	Jeannette 8600	23633	R/R Conc SW 4"	8.00	4.00	3.56	SY	8620-18
Leonidas	Jeannette 8600	23633	R/R Conc SW 4"	3.00	4.00	1.33	SY	Opposite 8611
Leonidas	Jeannette 8600	23633	R/R Asph 5.5"	6.00	7.00	4.67	SY	8618
Leonidas	Jeannette 8600	23633	R/R Asph 5.5"	11.00	11.00	13.44	SY	8628
Leonidas	Jeannette 8600	23633	R/R Conc SW 4"	97.00	4.00	43.11	SY	8615-01
Leonidas	Jeannette 8700	23632	R/R Conc SW 4"	5.00	4.00	2.22	SY	8738
Leonidas	Jeannette 8700	23632	R/R Asph 5.5"	7.00	6.00	4.67	SY	8725
Leonidas	Jeannette 8700	23632	R/R Conc SW 4"	20.00	4.00	8.89	SY	8714
Leonidas	Jeannette 8700	23632	R/R Conc SW 4"	35.00	4.00	15.56	SY	8703-01
Leonidas	Jeannette 8800	23631	R/R Conc SW 4"	29.00	4.00	12.89	SY	8822-20
Leonidas	Jeannette 8800	23631	R/R Asph 5.5"	11.00	3.00	3.67	SY	8814
Leonidas	Jeannette 8800	23631	R/R Conc SW 4"	27.00	5.00	15.00	SY	8839
Leonidas	Jeannette 8800	23631	R/R Conc DW 6"	5.00	6.00	3.33	SY	8839
Leonidas	Jeannette 8800	23631	R/R Conc SW 4"	7.00	4.00	3.11	SY	8825
Leonidas	Jeannette 8800	23631	R/R Conc SW 4"	15.00	4.00	6.67	SY	8814-08
Leonidas	Jeannette 8800	23631	R/R Conc SW 4"	6.00	4.00	2.67	SY	8815-13
Leonidas	Jeannette 8900	23630	R/R Conc SW 4"	94.00	4.00	41.78	SY	8932-23
Leonidas	Jeannette 8900	23630	Adjust CB/MH	0.00	0.00	1.00	EA	8941
Leonidas	Jeannette 8900	23630	R/R Conc SW 4"	9.00	4.00	4.00	SY	Opposite 8913-11
Leonidas	Jeannette 8900	23630	R/R Conc SW 4"	44.00	4.00	19.56	SY	8915-01
Leonidas	Jeannette 8900	23630	R/R Conc SW 4"	57.00	4.00	25.33	SY	Opposite 8923-15
Leonidas	Jeannette 8900	23630	R/R Conc SW 4"	101.00	4.00	44.89	SY	8944-38
Leonidas	Jeannette 8900	23630	R/R Conc SW 4"	10.00	4.00	4.44	SY	8949
Leonidas	Jeannette 8900	23630	R/R Asph 5.5"	18.00	9.00	18.00	SY	8949
Leonidas	Jeannette 8900	23630	R/R Asph 5.5"	6.00	6.00	4.00	SY	8915
Leonidas	Jeannette 8900	23630	R/R Asph 5.5"	7.00	7.00	5.44	SY	8947
Leonidas	Joliet 0900	23516	R/R Conc SW 4"	29.00	4.00	12.89	SY	940-36
Leonidas	Joliet 1000	23515	R/R Asph 5.5"	7.00	20.00	15.56	SY	1034
Leonidas	Joliet 1100	23514	R/R Conc SW 4"	4.00	4.00	1.78	SY	1121
Leonidas	Joliet 1100	23514	R/R Asph 5.5"	7.00	5.00	3.89	SY	1130
Leonidas	Joliet 1100	23514	R/R Asph 5.5"	8.00	6.00	5.33	SY	1130
Leonidas	Joliet 1100	23514	R/R Conc SW 4"	9.00	5.00	5.00	SY	1122
Leonidas	Joliet 1100	23514	R/R Asph 5.5"	8.00	6.00	5.33	SY	1130/1126
Leonidas	Joliet 1200	23513	R/R Conc SW 4"	4.00	4.00	1.78	SY	1223
Leonidas	Joliet 1200	23513	R/R Conc SW 4"	12.00	4.00	5.33	SY	1220-12
Leonidas	Joliet 1200	23513	R/R Conc SW 4"	7.00	4.00	3.11	SY	1226

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Joliet 1200	23513	R/R Conc SW 4"	10.00	4.00	4.44	SY	1229
Leonidas	Joliet 1300	23512	R/R Asph 5.5"	7.00	6.00	4.67	SY	1300
Leonidas	Joliet 1300	23512	R/R Conc SW 4"	5.00	5.00	2.78	SY	1312
Leonidas	Joliet 1300	23512	R/R Conc SW 4"	31.00	4.00	13.78	SY	1323-17
Leonidas	Joliet 1300	23512	R/R Conc SW 4"	3.00	4.00	1.33	SY	1331
Leonidas	Joliet 1400	23583	R/R Asph 5.5"	6.00	6.00	4.00	SY	1438
Leonidas	Joliet 1400	23583	R/R Conc SW 4"	29.00	4.00	12.89	SY	1424
Leonidas	Joliet 1400	23583	R/R Asph 5.5"	8.00	5.00	4.44	SY	1417
Leonidas	Joliet 1400	23583	R/R Asph 5.5"	9.00	4.00	4.00	SY	1401
Leonidas	Joliet 1400	23583	R/R Conc SW 4"	22.00	5.00	12.22	SY	1400
Leonidas	Joliet 1400	23583	R/R Conc SW 4"	29.00	4.00	12.89	SY	1423-21
Leonidas	Joliet 1500	23582	R/R Conc SW 4"	11.00	4.00	4.89	SY	Opposite 1514-06
Leonidas	Joliet 1500	23582	R/R Conc SW 4"	4.00	4.00	1.78	SY	1520
Leonidas	Joliet 1500	23582	R/R Conc SW 4"	10.00	4.00	4.44	SY	1529
Leonidas	Joliet 1500	23582	R/R Conc SW 4"	18.00	4.00	8.00	SY	1532-24
Leonidas	Joliet 1500	23582	R/R Asph 5.5"	7.00	6.00	4.67	SY	Intersection at Jeannette
Leonidas	Joliet 1600	23581	R/R Asph 5.5"	20.00	6.00	13.33	SY	1607
Leonidas	Joliet 1600	23581	R/R Conc SW 4"	22.00	4.00	9.78	SY	1635
Leonidas	Joliet 1600	23581	R/R Conc SW 4"	21.00	4.00	9.33	SY	Opposite 1635-01
Leonidas	Joliet 1600	23581	R/R Asph 5.5"	26.00	7.00	20.22	SY	1619-15
Leonidas	Joliet 1600	23581	HC Ramp @ Intersection	12.00	11.00	14.67	SY	Intersection at Birch
Leonidas	Joliet 1600	23581	R/R Conc SW 4"	2.00	5.00	1.11	SY	Intersection at Birch
Leonidas	Joliet 1600	23581	R/R Asph 5.5"	39.00	14.00	60.67	SY	1625-21
Leonidas	Joliet 1700	23580	R/R Asph 5.5"	9.00	22.00	22.00	SY	1725
Leonidas	Joliet 1700	23580	R/R Asph 5.5"	12.00	14.00	18.67	SY	1740
Leonidas	Joliet 1700	23580	R/R Conc SW 4"	23.00	4.00	10.22	SY	1707-05
Leonidas	Joliet 1700	23580	R/R Conc SW 4"	27.00	4.00	12.00	SY	1714-08
Leonidas	Joliet 1700	23580	R/R Conc SW 4"	70.00	4.00	31.11	SY	1729-19
Leonidas	Joliet 1700	23580	R/R Asph 5.5"	138.00	5.00	76.67	SY	1725-05
Leonidas	Joliet 1700	23580	R/R Asph 5.5"	53.00	5.00	29.44	SY	1739-29
Leonidas	Joliet 1700	23580	R/R Asph 5.5"	21.00	10.00	23.33	SY	1729-27
Leonidas	Joliet 1800	23579	R/R Asph 5.5"	12.00	9.00	12.00	SY	1822
Leonidas	Joliet 1800	23579	R/R Conc Pvmt 8"	24.00	15.00	40.00	SY	Intersection at Cohn
Leonidas	Joliet 1800	23579	HC Ramp @ Intersection	10.00	9.00	10.00	SY	Intersection at Cohn
Leonidas	Joliet 1800	23579	R/R Conc SW 4"	5.00	4.00	2.22	SY	Intersection at Cohn
Leonidas	Joliet 1800	23579	R/R Conc Pvmt 8"	3.00	3.00	1.00	SY	Intersection at Cohn
Leonidas	Joliet 1800	23579	R/R Conc SW 4"	48.00	4.00	21.33	SY	1830-20
Leonidas	Joliet 1800	23579	R/R Asph 5.5"	7.00	10.00	7.78	SY	1824
Leonidas	Joliet 1800	23579	R/R Conc SW 4"	48.00	4.00	21.33	SY	1809-01
Leonidas	Joliet 1800	23579	R/R Asph 5.5"	6.00	6.00	4.00	SY	1801
Leonidas	Joliet 1800	23579	HC Ramp @ Intersection	9.00	10.00	10.00	SY	Intersection at Hickory
Leonidas	Joliet 1800	23579	R/R Conc SW 4"	6.00	5.00	3.33	SY	Intersection at Hickory

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Joliet 1800	23579	R/R Conc Pvmt 8"	5.00	4.00	2.22	SY	Intersection at Hickory
Leonidas	Joliet 1800	23579	R/R Conc Pvmt 8"	24.00	7.00	18.67	SY	Intersection at Hickory
Leonidas	Joliet 1800	23579	R/R Conc SW 4"	19.00	4.00	8.44	SY	1823-21
Leonidas	Joliet 1900	23610	R/R Asph 5.5"	8.00	9.00	8.00	SY	Opposite 1932
Leonidas	Joliet 1900	23610	R/R Asph 5.5"	12.00	7.00	9.33	SY	Opposite 1936
Leonidas	Joliet 1900	23610	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Spruce
Leonidas	Joliet 1900	23610	R/R Asph 5.5"	12.00	10.00	13.33	SY	1920
Leonidas	Joliet 1900	23610	R/R Asph 5.5"	17.00	9.00	17.00	SY	Opposite 1917
Leonidas	Joliet 1900	23610	R/R Asph 5.5"	8.00	4.00	3.56	SY	1901
Leonidas	Joliet 1900	23610	R/R Conc SW 4"	50.00	4.00	22.22	SY	1900-16
Leonidas	Joliet 1900	23610	R/R Asph 5.5"	11.00	13.00	15.89	SY	Intersection at Spruce
Leonidas	Joliet 1900	23610	R/R Asph 5.5"	4.00	4.00	1.78	SY	Intersection at Spruce
Leonidas	Joliet 1900	23610	HC Ramp @ Intersection	10.00	10.00	11.11	SY	Intersection at Spruce
Leonidas	Joliet 1900	23610	R/R Conc SW 4"	19.00	4.00	8.44	SY	1920
Leonidas	Joliet 1900	23610	R/R Conc SW 4"	3.00	4.00	1.33	SY	1925
Leonidas	Joliet 2000	23611	R/R Asph 5.5"	4.00	13.00	5.78	SY	2037
Leonidas	Joliet 2000	23611	R/R Conc Pvmt 8"	51.00	23.00	130.33	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	12.00	4.00	5.33	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	HC Ramp @ Intersection	10.00	10.00	11.11	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	11.00	5.00	6.11	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	HC Ramp @ Intersection	12.00	8.00	10.67	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	6.00	4.00	2.67	SY	2025
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	4.00	4.00	1.78	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	R/R Conc Pvmt 8"	26.00	19.00	54.89	SY	Intersection at Panola
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	3.00	4.00	1.33	SY	2001
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	9.00	4.00	4.00	SY	2035-37
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	3.00	4.00	1.33	SY	2000
Leonidas	Joliet 2000	23611	R/R Asph 5.5"	7.00	3.00	2.33	SY	2038
Leonidas	Joliet 2000	23611	R/R Asph 5.5"	7.00	5.00	3.89	SY	2001
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	13.00	4.00	5.78	SY	2008-12
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	17.00	4.00	7.56	SY	Opposite 2012
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	19.00	4.00	8.44	SY	2019-21
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	50.00	4.00	22.22	SY	2020-26
Leonidas	Joliet 2000	23611	R/R Conc SW 4"	14.00	4.00	6.22	SY	2028-38
Leonidas	Joliet 2100	23612	R/R Conc DW 6"	8.00	7.00	6.22	SY	2125
Leonidas	Joliet 2100	23612	R/R Conc Pvmt 8"	22.00	27.00	66.00	SY	Intersection at Sycamore
Leonidas	Joliet 2100	23612	R/R Conc SW 4"	3.00	4.00	1.33	SY	Intersection at Sycamore
Leonidas	Joliet 2100	23612	HC Ramp @ Intersection	11.00	7.00	8.56	SY	Intersection at Sycamore
Leonidas	Joliet 2100	23612	R/R Conc SW 4"	3.00	5.00	1.67	SY	Intersection at Sycamore
Leonidas	Joliet 2100	23612	R/R Curb	56.00	0.00	56.00	LF	2125-37
Leonidas	Joliet 2100	23612	R/R Conc SW 4"	76.00	4.00	33.78	SY	2101-21

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Joliet 2100	23612	HC Ramp @ Intersection	11.00	9.00	11.00	SY	Intersection at Sycamore
Leonidas	Joliet 2200	23613	R/R Conc DW 6"	6.00	4.00	2.67	SY	2215
Leonidas	Joliet 2200	23613	R/R Asph 5.5"	53.00	19.00	111.89	SY	2200-10
Leonidas	Joliet 2200	23613	Adjust CB/MH	0.00	0.00	1.00	EA	2200-10
Leonidas	Joliet 2200	23613	R/R Conc SW 4"	42.00	4.00	18.67	SY	2200-10
Leonidas	Joliet 2200	23613	R/R Conc SW 4"	60.00	4.00	26.67	SY	2201-13
Leonidas	Joliet 2200	23613	R/R Asph 5.5"	23.00	19.00	48.56	SY	2211-13
Leonidas	Joliet 2200	23613	R/R Asph 5.5"	9.00	19.00	19.00	SY	2214
Leonidas	Joliet 2200	23613	R/R Asph 5.5"	15.00	10.00	16.67	SY	2215
Leonidas	Joliet 2200	23613	R/R Conc SW 4"	10.00	4.00	4.44	SY	2215-27
Leonidas	Joliet 2200	23613	R/R Conc SW 4"	10.00	4.00	4.44	SY	2214-16
Leonidas	Joliet 2200	23613	R/R Conc DW 6"	10.00	4.00	4.44	SY	2216
Leonidas	Joliet 2200	23613	R/R Asph 5.5"	22.00	8.00	19.56	SY	2216
Leonidas	Joliet 2300	23614	R/R Conc SW 4"	45.00	4.00	20.00	SY	2304-18
Leonidas	Joliet 2300	23614	R/R Conc SW 4"	23.00	4.00	10.22	SY	2305-09
Leonidas	Joliet 2300	23614	R/R Asph 5.5"	19.00	5.00	10.56	SY	2312
Leonidas	Joliet 2300	23614	R/R Conc SW 4"	11.00	4.00	4.89	SY	2335
Leonidas	Joliet 2300	23614	R/R Conc SW 4"	6.00	4.00	2.67	SY	2336-38
Leonidas	Joliet 2300	23614	R/R Asph 5.5"	73.00	17.00	137.89	SY	2338-40
Leonidas	Joliet 2400	23716	R/R Asph 5.5"	36.00	19.00	76.00	SY	2400
Leonidas	Joliet 2400	23716	R/R Conc SW 4"	36.00	4.00	16.00	SY	2400-38
Leonidas	Joliet 2400	23716	R/R Asph 5.5"	10.00	10.00	11.11	SY	2420
Leonidas	Joliet 2400	23716	R/R Conc SW 4"	54.00	4.00	24.00	SY	2401-38
Leonidas	Joliet 2400	23716	R/R Conc Pvmt 8"	27.00	40.00	120.00	SY	Intersection at Nelson
Leonidas	Joliet 2500	23717	R/R Conc SW 4"	36.00	4.00	16.00	SY	2500-30
Leonidas	Joliet 2500	23717	R/R Asph 5.5"	18.00	7.00	14.00	SY	2528
Leonidas	Joliet 2500	23717	R/R Asph 5.5"	10.00	12.00	13.33	SY	2532
Leonidas	Joliet 2500	23717	R/R Conc SW 4"	40.00	4.00	17.78	SY	2501-35
Leonidas	Joliet 2500	23717	R/R Asph 5.5"	25.00	8.00	22.22	SY	2501-07
Leonidas	Joliet 2600	23718	R/R Asph 5.5"	18.00	4.00	8.00	SY	2627-29
Leonidas	Joliet 2600	23718	R/R Asph 5.5"	9.00	6.00	6.00	SY	2623
Leonidas	Joliet 2600	23718	R/R Asph 5.5"	8.00	6.00	5.33	SY	2617
Leonidas	Joliet 2600	23718	R/R Asph 5.5"	7.00	4.00	3.11	SY	2615
Leonidas	Joliet 2600	23718	R/R Asph 5.5"	11.00	6.00	7.33	SY	2600
Leonidas	Joliet 2600	23718	R/R Conc SW 4"	51.00	4.00	22.67	SY	2613-39
Leonidas	Joliet 2600	23718	R/R Asph 5.5"	29.00	6.00	19.33	SY	2639
Leonidas	Joliet 2600	23718	R/R Asph 5.5"	11.00	10.00	12.22	SY	2629
Leonidas	Joliet 2600	23718	R/R Conc SW 4"	43.00	4.00	19.11	SY	2600-16
Leonidas	Joliet 2700	23719	R/R Asph 5.5"	9.00	13.00	13.00	SY	Opposite 2718
Leonidas	Joliet 2700	23719	R/R Conc SW 4"	65.00	4.00	28.89	SY	2710-40
Leonidas	Joliet 2800	23720	R/R Conc SW 4"	102.00	4.00	45.33	SY	2800-40
Leonidas	Joliet 2800	23720	R/R Asph 5.5"	6.00	9.00	6.00	SY	2801

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Joliet 2800	23720	R/R Asph 5.5"	10.00	10.00	11.11	SY	2817
Leonidas	Joliet 2800	23720	R/R Asph 5.5"	10.00	5.00	5.56	SY	2821
Leonidas	Joliet 2800	23720	R/R Asph 5.5"	12.00	5.00	6.67	SY	2835
Leonidas	Joliet 2800	23720	R/R Conc SW 4"	5.00	4.00	2.22	SY	2811-39
Leonidas	Joliet 2800	23720	R/R Conc Pvmt 8"	13.00	28.00	40.44	SY	Intersection at Pritchard Pl
Leonidas	Joliet 2900	23721	R/R Conc SW 4"	3.00	4.00	1.33	SY	2901
Leonidas	Joliet 2900	23721	R/R Asph 5.5"	17.00	11.00	20.78	SY	2922-24
Leonidas	Maple 8100	23559	R/R Conc Pvmt 8"	22.00	13.00	31.78	SY	Opposite 8121-23
Leonidas	Maple 8100	23559	R/R Conc Pvmt 8"	6.00	11.00	7.33	SY	8101
Leonidas	Maple 8100	23559	R/R Conc SW 4"	4.00	5.00	2.22	SY	Opposite 8117
Leonidas	Maple 8100	23559	R/R Conc Pvmt 8"	104.00	5.00	57.78	SY	8123-35
Leonidas	Maple 8100	23559	R/R Conc Pvmt 8"	127.00	5.00	70.56	SY	8101-21
Leonidas	Maple 8100	23559	R/R Conc Pvmt 8"	12.00	12.00	16.00	SY	Opposite 8121
Leonidas	Maple 8200	23560	R/R Conc SW 4"	6.00	5.00	3.33	SY	8224
Leonidas	Maple 8200	23560	R/R Conc SW 4"	5.00	5.00	2.78	SY	8229
Leonidas	Maple 8200	23560	R/R Conc Pvmt 8"	5.00	13.00	7.22	SY	8220
Leonidas	Monroe 1000	23517	R/R Asph 5.5"	10.00	15.00	16.67	SY	Intersection at Zimpel
Leonidas	Monroe 1100	23518	R/R Conc SW 4"	55.00	4.00	24.44	SY	1135
Leonidas	Monroe 1100	23518	R/R Conc SW 4"	10.00	4.00	4.44	SY	1118
Leonidas	Monroe 1100	23518	R/R Conc SW 4"	7.00	4.00	3.11	SY	1119-21
Leonidas	Monroe 1100	23518	R/R Conc SW 4"	15.00	4.00	6.67	SY	1103
Leonidas	Monroe 1100	23518	R/R Asph 5.5"	9.00	9.00	9.00	SY	1100
Leonidas	Monroe 1100	23518	R/R Conc SW 4"	23.00	4.00	10.22	SY	1126
Leonidas	Monroe 1200	23519	R/R Conc SW 4"	28.00	4.00	12.44	SY	1201
Leonidas	Monroe 1200	23519	R/R Conc SW 4"	17.00	4.00	7.56	SY	1223 -Opposite N236
Leonidas	Monroe 1200	23519	R/R Asph 5.5"	20.00	12.00	26.67	SY	Opposite 1228
Leonidas	Monroe 1200	23519	R/R Asph 5.5"	13.00	6.00	8.67	SY	Intersection at Plum
Leonidas	Monroe 1200	23519	R/R Asph 5.5"	6.00	8.00	5.33	SY	Intersection at Plum
Leonidas	Monroe 1200	23519	R/R Asph 5.5"	6.00	9.00	6.00	SY	Intersection at Plum
Leonidas	Monroe 1300	23520	R/R Conc SW 4"	6.00	4.00	2.67	SY	1317
Leonidas	Monroe 1300	23520	R/R Conc SW 4"	22.00	4.00	9.78	SY	1308-12
Leonidas	Monroe 1300	23520	R/R Asph 5.5"	10.00	5.00	5.56	SY	1301
Leonidas	Monroe 1300	23520	R/R Asph 5.5"	7.00	7.00	5.44	SY	1325-1300
Leonidas	Monroe 1300	23520	R/R Conc SW 4"	58.00	4.00	25.78	SY	Opposite 1323-1340
Leonidas	Monroe 1300	23520	R/R Conc SW 4"	13.00	4.00	5.78	SY	Opposite 1308-12
Leonidas	Monroe 1400	23584	R/R Conc SW 4"	32.00	4.00	14.22	SY	1401-17
Leonidas	Monroe 1400	23584	R/R Asph 5.5"	8.00	7.00	6.22	SY	Intersection at Jeannette
Leonidas	Monroe 1400	23584	R/R Conc SW 4"	116.00	4.00	51.56	SY	Opposite 1426-38
Leonidas	Monroe 1400	23584	R/R Conc SW 4"	17.00	4.00	7.56	SY	1420
Leonidas	Monroe 1500	23585	R/R Asph 5.5"	6.00	5.00	3.33	SY	1500
Leonidas	Monroe 1500	23585	R/R Conc SW 4"	17.00	4.00	7.56	SY	1526-34
Leonidas	Monroe 1500	23585	R/R Conc SW 4"	8.00	5.00	4.44	SY	1516-18

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Monroe 1600	23586	R/R Asph 5.5"	14.00	20.00	31.11	SY	1600
Leonidas	Monroe 1600	23586	R/R Conc SW 4"	56.00	4.00	24.89	SY	1619-29
Leonidas	Monroe 1600	23586	R/R Conc SW 4"	45.00	4.00	20.00	SY	1611-17
Leonidas	Monroe 1700	23587	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Hickory
Leonidas	Monroe 1700	23587	R/R Conc SW 4"	20.00	4.00	8.89	SY	1708-10
Leonidas	Monroe 1700	23587	R/R Asph 5.5"	8.00	7.00	6.22	SY	1700
Leonidas	Monroe 1700	23587	R/R Conc SW 4"	13.00	4.00	5.78	SY	Intersection at Hickory
Leonidas	Monroe 1700	23587	R/R Conc SW 4"	49.00	4.00	21.78	SY	1720-22
Leonidas	Monroe 1700	23587	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Hickory
Leonidas	Monroe 1700	23587	R/R Asph 5.5"	45.00	6.00	30.00	SY	1736-38
Leonidas	Monroe 1700	23587	R/R Asph 5.5"	9.00	9.00	9.00	SY	1712
Leonidas	Monroe 1700	23587	R/R Conc SW 4"	3.00	4.00	1.33	SY	Intersection at Hickory
Leonidas	Monroe 1700	23587	HC Ramp @ Intersection	9.00	9.00	9.00	SY	Intersection at Hickory
Leonidas	Monroe 1800	23588	R/R Asph 5.5"	14.00	8.00	12.44	SY	1800
Leonidas	Monroe 1800	23588	R/R Conc SW 4"	64.00	4.00	28.44	SY	1819-27
Leonidas	Monroe 1800	23588	R/R Asph 5.5"	6.00	5.00	3.33	SY	1800
Leonidas	Monroe 1800	23588	R/R Asph 5.5"	9.00	6.00	6.00	SY	1840
Leonidas	Monroe 1900	23608	R/R Asph 5.5"	30.00	8.00	26.67	SY	Opposite 1921
Leonidas	Monroe 1900	23608	R/R Asph 5.5"	8.00	7.00	6.22	SY	1901
Leonidas	Monroe 1900	23608	R/R Conc SW 4"	46.00	4.00	20.44	SY	1908-00
Leonidas	Monroe 1900	23608	R/R Conc SW 4"	53.00	4.00	23.56	SY	1924-08
Leonidas	Monroe 1900	23608	R/R Conc SW 4"	40.00	4.00	17.78	SY	1927-19
Leonidas	Monroe 1900	23608	R/R Asph 5.5"	9.00	5.00	5.00	SY	Opposite 1927
Leonidas	Monroe 1900	23608	R/R Asph 5.5"	15.00	10.00	16.67	SY	1934
Leonidas	Monroe 1900	23608	R/R Conc SW 4"	57.00	4.00	25.33	SY	1939-29
Leonidas	Monroe 1900	23608	R/R Asph 5.5"	6.00	6.00	4.00	SY	Intersection at Spruce
Leonidas	Monroe 1900	23608	R/R Asph 5.5"	7.00	6.00	4.67	SY	1908
Leonidas	Monroe Ct 8700	23609	R/R Conc SW 4"	35.00	3.00	11.67	SY	8700-04
Leonidas	Monroe Ct 8700	23609	R/R Conc SW 4"	38.00	4.00	16.89	SY	8718-Cohn
Leonidas	Monroe Ct 8700	23609	R/R Conc SW 4"	61.00	3.00	20.33	SY	8709-19
Leonidas	Monroe Ct 8700	23609	R/R Conc SW 4"	14.00	3.00	4.67	SY	8703
Leonidas	Monticello Ave 0000	23599	R/R Asph 5.5"	20.00	9.00	20.00	SY	Intersection at POppositee
Leonidas	Nelson 8100	23726	R/R Conc SW 4"	24.00	5.00	13.33	SY	8100
Leonidas	Nelson 8100	23726	R/R Conc Pvmt 8"	14.00	4.00	6.22	SY	8101
Leonidas	Nelson 8100	23726	R/R Conc Pvmt 8"	8.00	6.00	5.33	SY	8119
Leonidas	Nelson 8100	23726	R/R Conc SW 4"	41.00	5.00	22.78	SY	8125-01
Leonidas	Nelson 8100	23726	R/R Conc Pvmt 8"	13.00	12.00	17.33	SY	8101
Leonidas	Nelson 8200	23725	R/R Conc Pvmt 8"	18.00	26.00	52.00	SY	8223
Leonidas	Nelson 8200	23725	R/R Conc Pvmt 8"	31.00	18.00	62.00	SY	8205
Leonidas	Nelson 8200	23725	R/R Conc Pvmt 8"	19.00	11.00	23.22	SY	8228-26
Leonidas	Nelson 8200	23725	R/R Conc Pvmt 8"	2.00	21.00	4.67	SY	8236
Leonidas	Nelson 8200	23725	R/R Conc SW 4"	58.00	5.00	32.22	SY	8238-10

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Nelson 8200	23725	R/R Conc SW 4"	41.00	5.00	22.78	SY	8239-05
Leonidas	Nelson 8300	23724	R/R Curb	14.00	0.00	14.00	LF	8329
Leonidas	Nelson 8300	23724	R/R Conc Pvmt 8"	14.00	13.00	20.22	SY	8329
Leonidas	Nelson 8300	23724	R/R Conc SW 4"	43.00	5.00	23.89	SY	8337-03
Leonidas	Nelson 8300	23724	R/R Conc SW 4"	96.00	5.00	53.33	SY	8332-00
Leonidas	Nelson 8300	23724	R/R Conc Pvmt 8"	8.00	9.00	8.00	SY	8336
Leonidas	Nelson 8300	23724	R/R Conc Pvmt 8"	18.00	26.00	52.00	SY	8330
Leonidas	Nelson 8300	23724	R/R Curb	18.00	0.00	18.00	LF	8330
Leonidas	Nelson 8300	23724	R/R Conc DW 6"	9.00	4.00	4.00	SY	8329
Leonidas	Nelson 8400	23723	R/R Conc SW 4"	48.00	5.00	26.67	SY	8440-02
Leonidas	Nelson 8400	23723	R/R Conc SW 4"	57.00	5.00	31.67	SY	8439-01
Leonidas	Nelson 8400	23723	R/R Conc Pvmt 8"	22.00	9.00	22.00	SY	8428
Leonidas	Nelson 8400	23723	R/R Conc Pvmt 8"	87.00	26.00	251.33	SY	8424-08
Leonidas	Nelson 8400	23723	R/R Curb	174.00	0.00	174.00	LF	8424-08
Leonidas	Nelson 8500	23722	R/R Conc SW 4"	109.00	5.00	60.56	SY	8522-00
Leonidas	Nelson 8500	23722	R/R Curb	15.00	0.00	15.00	LF	8522
Leonidas	Nelson 8500	23722	R/R Conc SW 4"	22.00	5.00	12.22	SY	8533-23
Leonidas	Nelson 8500	23722	R/R Conc Pvmt 8"	26.00	14.00	40.44	SY	8522
Leonidas	Neron Pl 8200	23697	R/R Conc SW 4"	50.00	4.00	22.22	SY	8205-25
Leonidas	Neron Pl 8200	23697	R/R Conc SW 4"	63.00	4.00	28.00	SY	8200-26
Leonidas	Neron Pl 8200	23697	R/R Asph 5.5"	291.00	20.00	646.67	SY	8200-30
Leonidas	Neron Pl 8200	4301	HC Ramp @ Intersection	12.00	12.00	16.00	SY	NE Corner
Leonidas	Panola 8100	23686	R/R Conc Pvmt 8"	7.00	12.00	9.33	SY	8120
Leonidas	Panola 8100	23686	R/R Curb	194.00	0.00	194.00	LF	8101-17
Leonidas	Panola 8100	23686	R/R Conc Pvmt 8"	27.00	12.00	36.00	SY	Opposite 8123-29
Leonidas	Panola 8100	23686	R/R Conc Pvmt 8"	26.00	12.00	34.67	SY	8121-23
Leonidas	Panola 8100	23686	R/R Curb	27.00	0.00	27.00	LF	Opposite 8123-29
Leonidas	Panola 8100	23686	R/R Conc SW 4"	23.00	5.00	12.78	SY	8129-39
Leonidas	Panola 8100	23686	R/R Conc DW 6"	6.00	6.00	4.00	SY	8121
Leonidas	Panola 8100	23686	R/R Conc SW 4"	4.00	4.00	1.78	SY	8100
Leonidas	Panola 8100	23686	R/R Conc Pvmt 8"	97.00	24.00	258.67	SY	8101-17
Leonidas	Panola 8100	23686	R/R Conc SW 4"	3.00	4.00	1.33	SY	8111
Leonidas	Panola 8100	23686	R/R Conc Pvmt 8"	28.00	24.00	74.67	SY	8135-39
Leonidas	Panola 8100	23686	R/R Conc DW 6"	13.00	6.00	8.67	SY	8119
Leonidas	Panola 8100	23686	R/R Curb	7.00	0.00	7.00	LF	8120
Leonidas	Panola 8100	23686	R/R Curb	26.00	0.00	26.00	LF	8121-23
Leonidas	Panola 8100	23686	R/R Curb	56.00	0.00	56.00	LF	8135-39
Leonidas	Panola 8200	23687	R/R Conc SW 4"	37.00	4.00	16.44	SY	8201-37
Leonidas	Panola 8200	23687	R/R Conc Pvmt 8"	18.00	12.00	24.00	SY	8222
Leonidas	Panola 8200	23687	R/R Conc SW 4"	21.00	4.00	9.33	SY	8228-40
Leonidas	Panola 8200	23687	R/R Conc SW 4"	7.00	4.00	3.11	SY	8220
Leonidas	Panola 8200	23687	R/R Conc SW 4"	27.00	4.00	12.00	SY	8200-18

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Panola 8200	23687	R/R Curb	222.00	0.00	222.00	LF	8200-16
Leonidas	Panola 8200	23687	R/R Conc Pvmt 8"	48.00	12.00	64.00	SY	8217-21
Leonidas	Panola 8200	23687	R/R Curb	48.00	0.00	48.00	LF	8217-21
Leonidas	Panola 8200	23687	R/R Conc Pvmt 8"	111.00	24.00	296.00	SY	8200-16
Leonidas	Panola 8200	23687	R/R Curb	7.00	0.00	7.00	LF	8220
Leonidas	Panola 8200	23687	R/R Curb	18.00	0.00	18.00	LF	8222
Leonidas	Panola 8200	23687	R/R Conc Pvmt 8"	3.00	12.00	4.00	SY	8236
Leonidas	Panola 8200	23687	R/R Conc Pvmt 8"	47.00	12.00	62.67	SY	8235-37
Leonidas	Panola 8200	23687	R/R Curb	47.00	0.00	47.00	LF	8235-37
Leonidas	Panola 8200	23687	R/R Conc Pvmt 8"	7.00	12.00	9.33	SY	8220
Leonidas	Panola 8300	23688	R/R Curb	9.00	0.00	9.00	LF	8313
Leonidas	Panola 8300	23688	R/R Conc Pvmt 8"	38.00	24.00	101.33	SY	8333-39
Leonidas	Panola 8300	23688	R/R Curb	42.00	0.00	42.00	LF	8324
Leonidas	Panola 8300	23688	R/R Conc Pvmt 8"	21.00	24.00	56.00	SY	8324
Leonidas	Panola 8300	23688	R/R Conc Pvmt 8"	31.00	12.00	41.33	SY	8307-13
Leonidas	Panola 8300	23688	R/R Curb	12.00	0.00	12.00	LF	8307
Leonidas	Panola 8300	23688	R/R Conc Pvmt 8"	6.00	24.00	16.00	SY	8307
Leonidas	Panola 8300	23688	R/R Curb	31.00	0.00	31.00	LF	8307-13
Leonidas	Panola 8300	23688	R/R Conc SW 4"	51.00	4.00	22.67	SY	8307-33
Leonidas	Panola 8300	23688	R/R Curb	76.00	0.00	76.00	LF	8333-39
Leonidas	Panola 8300	23688	R/R Conc SW 4"	14.00	4.00	6.22	SY	8320-28
Leonidas	Panola 8300	23688	R/R Conc Pvmt 8"	9.00	12.00	12.00	SY	8313
Leonidas	Panola 8400	23689	R/R Conc Pvmt 8"	25.00	12.00	33.33	SY	8407-17
Leonidas	Panola 8400	23689	R/R Curb	12.00	0.00	12.00	LF	8407
Leonidas	Panola 8400	23689	R/R Curb	25.00	0.00	25.00	LF	8407-17
Leonidas	Panola 8400	23689	R/R Conc Pvmt 8"	18.00	24.00	48.00	SY	8414
Leonidas	Panola 8400	23689	R/R Curb	36.00	0.00	36.00	LF	8414
Leonidas	Panola 8400	23689	R/R Conc Pvmt 8"	9.00	24.00	24.00	SY	8432
Leonidas	Panola 8400	23689	R/R Curb	18.00	0.00	18.00	LF	8432
Leonidas	Panola 8400	23689	R/R Conc Pvmt 8"	12.00	12.00	16.00	SY	8407
Leonidas	Panola 8500	23690	R/R Curb	58.00	0.00	58.00	LF	8543
Leonidas	Panola 8500	23690	R/R Conc Pvmt 8"	4.00	24.00	10.67	SY	8503
Leonidas	Panola 8500	23690	R/R Curb	8.00	0.00	8.00	LF	8503
Leonidas	Panola 8500	23690	R/R Conc DW 6"	4.00	8.00	3.56	SY	8516
Leonidas	Panola 8500	23690	R/R Conc SW 4"	40.00	4.00	17.78	SY	8521-43
Leonidas	Panola 8500	23690	R/R Conc SW 4"	28.00	4.00	12.44	SY	8518-28
Leonidas	Panola 8500	23690	R/R Conc Pvmt 8"	39.00	24.00	104.00	SY	8528-40
Leonidas	Panola 8500	23690	R/R Curb	78.00	0.00	78.00	LF	8528-40
Leonidas	Panola 8500	23690	R/R Conc Pvmt 8"	17.00	12.00	22.67	SY	8540
Leonidas	Panola 8500	23690	R/R Curb	17.00	0.00	17.00	LF	8540
Leonidas	Panola 8500	23690	R/R Conc Pvmt 8"	29.00	24.00	77.33	SY	8543
Leonidas	Plum 8100	23535	R/R Conc SW 4"	6.00	5.00	3.33	SY	8128

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Plum 8100	23535	R/R Conc SW 4"	3.00	4.00	1.33	SY	xxx
Leonidas	Plum 8100	23535	R/R Conc SW 4"	7.00	5.00	3.89	SY	8126
Leonidas	Plum 8200	23534	R/R Conc SW 4"	14.00	4.00	6.22	SY	8214-12
Leonidas	Plum 8200	23534	R/R Conc SW 4"	10.00	4.00	4.44	SY	8227-23
Leonidas	Plum 8200	23534	R/R Conc SW 4"	14.00	4.00	6.22	SY	8243-41
Leonidas	Plum 8200	23534	R/R Conc SW 4"	6.00	4.00	2.67	SY	8203
Leonidas	Plum 8200	4851	Asphalt Overlay	60.00	18.00	120.00	SY	8200
Leonidas	Plum 8300	23533	R/R Conc SW 4"	17.00	4.00	7.56	SY	8334-00
Leonidas	Plum 8500	23531	R/R Conc SW 4"	41.00	4.00	18.22	SY	Opposite 8532
Leonidas	Plum 8600	23530	R/R Asph 5.5"	10.00	16.00	17.78	SY	8636
Leonidas	Plum 8600	23530	R/R Conc SW 4"	15.00	4.00	6.67	SY	8601
Leonidas	Plum 8600	23530	R/R Conc SW 4"	34.00	4.00	15.11	SY	8637-29
Leonidas	Plum 8600	23530	R/R Conc SW 4"	9.00	4.00	4.00	SY	8600
Leonidas	Plum 8700	23529	R/R Asph 5.5"	15.00	3.00	5.00	SY	Opposite 8728
Leonidas	Plum 8700	23529	R/R Asph 5.5"	37.00	10.00	41.11	SY	Opposite 8728-24
Leonidas	Plum 8700	23529	R/R Conc SW 4"	7.00	4.00	3.11	SY	8700
Leonidas	Plum 8700	23529	R/R Asph 5.5"	6.00	5.00	3.33	SY	8700
Leonidas	Plum 8700	23529	R/R Conc SW 4"	11.00	4.00	4.89	SY	8737-21
Leonidas	Plum 8800	23528	R/R Asph 5.5"	6.00	9.00	6.00	SY	8826
Leonidas	Plum 8900	23527	R/R Conc SW 4"	40.00	3.00	13.33	SY	8900
Leonidas	Pritchard Pl 8100	23742	R/R Conc SW 4"	59.00	5.00	32.78	SY	8101-35
Leonidas	Pritchard Pl 8100	23742	R/R Conc Pvmt 8"	4.00	22.00	9.78	SY	8118
Leonidas	Pritchard Pl 8100	23742	R/R Conc SW 4"	32.00	5.00	17.78	SY	8124-32
Leonidas	Pritchard Pl 8200	23743	R/R Conc SW 4"	29.00	5.00	16.11	SY	8200-28
Leonidas	Pritchard Pl 8200	23743	R/R Conc Pvmt 8"	68.00	6.00	45.33	SY	8215-21
Leonidas	Pritchard Pl 8200	23743	R/R Conc SW 4"	28.00	5.00	15.56	SY	8201-35
Leonidas	Pritchard Pl 8300	23744	R/R Conc SW 4"	5.00	5.00	2.78	SY	8329
Leonidas	Pritchard Pl 8300	23744	R/R Conc Pvmt 8"	33.00	34.00	124.67	SY	8328-34
Leonidas	Pritchard Pl 8300	23744	R/R Conc Pvmt 8"	20.00	12.00	26.67	SY	8326
Leonidas	Pritchard Pl 8300	23744	R/R Conc Pvmt 8"	51.00	12.00	68.00	SY	8321-27
Leonidas	Pritchard Pl 8300	23744	R/R Conc Pvmt 8"	41.00	12.00	54.67	SY	8322-24
Leonidas	Pritchard Pl 8300	23744	R/R Conc Pvmt 8"	21.00	24.00	56.00	SY	8312
Leonidas	Pritchard Pl 8300	23744	R/R Conc Pvmt 8"	34.00	24.00	90.67	SY	8306
Leonidas	Pritchard Pl 8300	23744	R/R Conc SW 4"	10.00	5.00	5.56	SY	8300
Leonidas	Pritchard Pl 8300	23744	R/R Conc SW 4"	64.00	5.00	35.56	SY	8301-13
Leonidas	Pritchard Pl 8300	23744	R/R Conc SW 4"	37.00	5.00	20.56	SY	8333
Leonidas	Pritchard Pl 8300	23744	R/R Conc SW 4"	56.00	5.00	31.11	SY	8312-36
Leonidas	Pritchard Pl 8400	23745	R/R Conc SW 4"	69.00	5.00	38.33	SY	8401-35
Leonidas	Pritchard Pl 8400	23745	R/R Conc SW 4"	39.00	5.00	21.67	SY	8400-28
Leonidas	Pritchard Pl 8400	23745	R/R Conc Pvmt 8"	24.00	12.00	32.00	SY	8410
Leonidas	Pritchard Pl 8400	23745	R/R Conc Pvmt 8"	29.00	24.00	77.33	SY	8410
Leonidas	Pritchard Pl 8400	23745	R/R Conc Pvmt 8"	75.00	24.00	200.00	SY	8416-22

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Pritchard Pl 8500	23746	R/R Conc Pvmt 8"	8.00	17.00	15.11	SY	8530
Leonidas	Pritchard Pl 8500	23746	R/R Conc SW 4"	112.00	5.00	62.22	SY	8501-33
Leonidas	Pritchard Pl 8500	23746	R/R Conc Pvmt 8"	36.00	24.00	96.00	SY	8501-05
Leonidas	Pritchard Pl 8500	23746	R/R Conc Pvmt 8"	24.00	12.00	32.00	SY	8514
Leonidas	Pritchard Pl 8500	23746	R/R Conc Pvmt 8"	61.00	24.00	162.67	SY	8516-18
Leonidas	Pritchard Pl 8500	23746	R/R Conc Pvmt 8"	75.00	24.00	200.00	SY	8525-33
Leonidas	Pritchard Pl 8500	23746	R/R Conc SW 4"	26.00	5.00	14.44	SY	8500-28
Leonidas	Spruce 8100	23685	R/R Conc SW 4"	49.00	4.00	21.78	SY	8133-19
Leonidas	Spruce 8100	23685	R/R Conc SW 4"	6.00	5.00	3.33	SY	8136-00
Leonidas	Spruce 8100	23685	R/R Conc SW 4"	19.00	4.00	8.44	SY	8119-01
Leonidas	Spruce 8100	23685	R/R Conc Pvmt 8"	3.00	9.00	3.00	SY	8124
Leonidas	Spruce 8100	23685	R/R Conc Pvmt 8"	86.00	9.00	86.00	SY	8133
Leonidas	Spruce 8100	23685	R/R Conc Pvmt 8"	11.00	7.00	8.56	SY	8119
Leonidas	Spruce 8100	23685	R/R Conc Pvmt 8"	42.00	5.00	23.33	SY	8101
Leonidas	Spruce 8100	23685	R/R Conc Pvmt 8"	15.00	7.00	11.67	SY	8134
Leonidas	Spruce 8100	23685	R/R Conc Pvmt 8"	9.00	14.00	14.00	SY	8117
Leonidas	Spruce 8200	23684	R/R Conc DW 6"	6.00	5.00	3.33	SY	8221
Leonidas	Spruce 8200	23684	R/R Conc SW 4"	15.00	5.00	8.33	SY	8213-01
Leonidas	Spruce 8200	23684	R/R Conc SW 4"	3.00	5.00	1.67	SY	8221
Leonidas	Spruce 8200	23684	R/R Conc DW 6"	12.00	4.00	5.33	SY	8222
Leonidas	Spruce 8200	23684	R/R Conc Pvmt 8"	15.00	10.00	16.67	SY	8225
Leonidas	Spruce 8200	23684	R/R Conc SW 4"	3.00	5.00	1.67	SY	8225
Leonidas	Spruce 8200	23684	R/R Conc SW 4"	9.00	5.00	5.00	SY	8227
Leonidas	Spruce 8200	23684	R/R Conc Pvmt 8"	10.00	10.00	11.11	SY	8230
Leonidas	Spruce 8200	23684	R/R Conc SW 4"	7.00	5.00	3.89	SY	8212-00
Leonidas	Spruce 8300	23683	R/R Asph 5.5"	10.00	4.00	4.44	SY	8301
Leonidas	Spruce 8300	23683	R/R Conc SW 4"	6.00	5.00	3.33	SY	8314
Leonidas	Spruce 8300	23683	R/R Conc SW 4"	6.00	5.00	3.33	SY	8317
Leonidas	Spruce 8300	23683	R/R Conc SW 4"	5.00	5.00	2.78	SY	8311-01
Leonidas	Spruce 8300	23683	R/R Asph 5.5"	8.00	5.00	4.44	SY	8317
Leonidas	Spruce 8300	23683	R/R Asph 5.5"	44.00	3.00	14.67	SY	8339-33
Leonidas	Spruce 8300	23683	R/R Asph 5.5"	30.00	3.00	10.00	SY	8329-25
Leonidas	Spruce 8400	23682	R/R Conc SW 4"	6.00	5.00	3.33	SY	8400
Leonidas	Spruce 8400	23682	R/R Conc SW 4"	3.00	5.00	1.67	SY	8414
Leonidas	Spruce 8400	23682	R/R Conc SW 4"	7.00	5.00	3.89	SY	8417-01
Leonidas	Spruce 8400	23682	R/R Asph 5.5"	5.00	3.00	1.67	SY	8414
Leonidas	Spruce 8400	23682	R/R Conc SW 4"	10.00	5.00	5.56	SY	8427
Leonidas	Spruce 8400	23682	R/R Conc SW 4"	6.00	5.00	3.33	SY	8432
Leonidas	Spruce 8400	23682	R/R Curb	9.00	0.00	9.00	LF	8439
Leonidas	Spruce 8400	23682	R/R Conc SW 4"	3.00	5.00	1.67	SY	8433
Leonidas	Spruce 8500	23681	R/R Conc SW 4"	8.00	5.00	4.44	SY	8536
Leonidas	Spruce 8500	23681	R/R Conc SW 4"	4.00	5.00	2.22	SY	8510

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Spruce 8500	23681	R/R Conc SW 4"	19.00	5.00	10.56	SY	8515
Leonidas	Spruce 8500	23681	R/R Conc SW 4"	3.00	5.00	1.67	SY	8514
Leonidas	Spruce 8500	23681	R/R Asph 5.5"	25.00	9.00	25.00	SY	8521
Leonidas	Spruce 8500	23681	R/R Conc SW 4"	7.00	5.00	3.89	SY	8520
Leonidas	Spruce 8500	23681	R/R Curb	4.00	0.00	4.00	LF	8533
Leonidas	Spruce 8500	23681	R/R Conc SW 4"	16.00	4.00	7.11	SY	8506
Leonidas	Spruce 8600	23680	R/R Conc SW 4"	56.00	4.00	24.89	SY	Opposite 8612-02
Leonidas	Spruce 8600	23680	R/R Asph 5.5"	11.00	14.00	17.11	SY	8628
Leonidas	Spruce 8600	23680	R/R Curb	5.00	0.00	5.00	LF	Opposite 8604
Leonidas	Spruce 8700	23679	R/R Conc SW 4"	41.00	4.00	18.22	SY	8718-14
Leonidas	Spruce 8700	23679	R/R Asph 5.5"	8.00	8.00	7.11	SY	8706
Leonidas	Spruce 8800	23678	R/R Conc SW 4"	8.00	3.00	2.67	SY	8832
Leonidas	Spruce 8800	23678	R/R Asph 5.5"	20.00	15.00	33.33	SY	8810
Leonidas	Spruce 8800	23678	R/R Asph 5.5"	5.00	3.00	1.67	SY	8824
Leonidas	Sycamore 8100	23691	R/R Conc Pvmt 8"	33.00	13.00	47.67	SY	8130-34
Leonidas	Sycamore 8100	23691	R/R Conc Pvmt 8"	8.00	24.00	21.33	SY	8118
Leonidas	Sycamore 8100	23691	R/R Curb	20.00	0.00	20.00	LF	Opposite 8116-18
Leonidas	Sycamore 8100	23691	R/R Conc Pvmt 8"	20.00	13.00	28.89	SY	Opposite 8116-18
Leonidas	Sycamore 8100	23691	R/R Conc Pvmt 8"	64.00	8.00	56.89	SY	8100-16
Leonidas	Sycamore 8100	23691	R/R Curb	44.00	0.00	44.00	LF	8101
Leonidas	Sycamore 8100	23691	R/R Conc Pvmt 8"	44.00	15.00	73.33	SY	8101
Leonidas	Sycamore 8100	23691	R/R Conc SW 4"	53.00	5.00	29.44	SY	8101-35
Leonidas	Sycamore 8100	23691	R/R Conc SW 4"	60.00	4.00	26.67	SY	8100-28
Leonidas	Sycamore 8100	23691	R/R Conc Pvmt 8"	26.00	12.00	34.67	SY	Opposite 8120
Leonidas	Sycamore 8100	23691	R/R Curb	26.00	0.00	26.00	LF	Opposite 8120
Leonidas	Sycamore 8100	23691	R/R Curb	16.00	0.00	16.00	LF	8118
Leonidas	Sycamore 8200	23692	R/R Conc SW 4"	46.00	4.00	20.44	SY	8210-42
Leonidas	Sycamore 8200	23692	R/R Conc Pvmt 8"	5.00	14.00	7.78	SY	8210
Leonidas	Sycamore 8200	23692	R/R Conc DW 6"	7.00	6.00	4.67	SY	8201
Leonidas	Sycamore 8200	23692	R/R Conc Pvmt 8"	30.00	24.00	80.00	SY	8213-15
Leonidas	Sycamore 8200	23692	R/R Conc Pvmt 8"	28.00	24.00	74.67	SY	8228
Leonidas	Sycamore 8200	23692	R/R Curb	14.00	0.00	14.00	LF	8228
Leonidas	Sycamore 8200	23692	R/R Conc Pvmt 8"	27.00	8.00	24.00	SY	8225-27
Leonidas	Sycamore 8200	23692	R/R Conc SW 4"	60.00	4.00	26.67	SY	8201-41
Leonidas	Sycamore 8300	23693	R/R Conc SW 4"	48.00	4.00	21.33	SY	8300-30
Leonidas	Sycamore 8300	23693	R/R Conc SW 4"	18.00	4.00	8.00	SY	8309-29
Leonidas	Sycamore 8400	23694	R/R Conc SW 4"	10.00	4.00	4.44	SY	8414-28
Leonidas	Sycamore 8400	23694	R/R Conc Pvmt 8"	22.00	24.00	58.67	SY	8403
Leonidas	Sycamore 8400	23694	R/R Curb	3.00	0.00	3.00	LF	8403
Leonidas	Sycamore 8400	23694	R/R Conc Pvmt 8"	4.00	14.00	6.22	SY	8432
Leonidas	Sycamore 8400	23694	R/R Curb	2.00	0.00	2.00	LF	8432
Leonidas	Sycamore 8400	23694	R/R Conc SW 4"	35.00	4.00	15.56	SY	8405-35

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole

Leonidas Neighborhood
Eligible Repairs as of May 6, 2013

Neighborhood	Address in PW	IDNO	PW Repair Type	PW Length (ft)	PW Width (ft)	PW Qty	Unit	Damage Address
Leonidas	Sycamore 8500	23695	R/R Conc Pvmt 8"	20.00	6.00	13.33	SY	8530
Leonidas	Sycamore 8500	23695	R/R Conc DW 6"	13.00	4.00	5.78	SY	8530
Leonidas	Sycamore 8500	23695	R/R Conc SW 4"	20.00	5.00	11.11	SY	8509
Leonidas	Sycamore 8500	23695	R/R Conc SW 4"	53.00	5.00	29.44	SY	8525-39
Leonidas	Sycamore 8500	23695	R/R Conc DW 6"	12.00	6.00	8.00	SY	8525
Leonidas	Sycamore 8500	23695	R/R Conc SW 4"	84.00	5.00	46.67	SY	8512-30
Leonidas	Zimpel 8100	23549	R/R Asph 5.5"	3.00	3.00	1.00	SY	8101
Leonidas	Zimpel 8100	23549	R/R Asph 5.5"	18.00	6.00	12.00	SY	8100
Leonidas	Zimpel 8100	23549	R/R Asph 5.5"	9.00	5.00	5.00	SY	8116
Leonidas	Zimpel 8100	23549	R/R Conc SW 4"	19.00	4.00	8.44	SY	8126
Leonidas	Zimpel 8100	23549	R/R Conc SW 4"	9.00	4.00	4.00	SY	8140
Leonidas	Zimpel 8200	23548	R/R Conc SW 4"	6.00	4.00	2.67	SY	8220-22
Leonidas	Zimpel 8200	23548	R/R Asph 5.5"	6.00	6.00	4.00	SY	8231
Leonidas	Zimpel 8200	23548	R/R Conc SW 4"	8.00	4.00	3.56	SY	8236
Leonidas	Zimpel 8200	23548	R/R Conc SW 4"	7.00	4.00	3.11	SY	8232
Leonidas	Zimpel 8200	23548	R/R Conc SW 4"	12.00	4.00	5.33	SY	Opposite 8236
Leonidas	Zimpel 8500	23545	R/R Asph 5.5"	6.00	12.00	8.00	SY	8523
Leonidas	Zimpel 8500	23545	R/R Conc SW 4"	25.00	3.00	8.33	SY	8534
Leonidas	Zimpel 8600	23544	R/R Asph 5.5"	24.00	7.00	18.67	SY	8641-39

"R/R" means remove and replace

"Asph" means Asphalt

"Conc DW" means Concrete Driveway Apron

This list is subject to change.

Page 36 of 36

Conc SW 4" means Concrete Sidewalk 4 ft wide
Adjust CB/MH means Adjust Catch Basin and Manhole